

| Date of Isolation                  | Species | Strain/Genotype | Sex  | Age      | ID # | Treatments                  | Experiment | Cell types | Culture / Fresh           | # of cells/ vial | # of vials | Locations | Purity | Viability | Yield                         |
|------------------------------------|---------|-----------------|------|----------|------|-----------------------------|------------|------------|---------------------------|------------------|------------|-----------|--------|-----------|-------------------------------|
| Mouse Hepatic stellate cells (HSC) |         |                 |      |          |      |                             |            |            |                           |                  |            |           |        |           |                               |
| RLT: RNA lysis buffer              |         |                 |      |          |      |                             |            |            |                           |                  |            |           |        |           |                               |
| 08-13-13                           | Mouse   | C57Bl/6         | Male |          |      | Normal                      | None       | HSC        | Culture d1 pellet         | In RLT (700ul)   | 1          | Box 15    | 99%    |           | 7.6x106                       |
| 08-13-13                           | Mouse   | C57BL/6         | Male |          |      | Normal                      | None       | HSC        | Culture d7 pellet         | In RLT (610ul)   | 1          | Box 15    |        |           |                               |
| 11-27-13                           | Mouse   | C57BL/6         | Male |          |      | Normal                      |            | HSC        | Fresh pellet in RLT       | 2x106 In RLT     | 1          | Box 15    | 97.40% |           | 6.5x106                       |
| 12-19-13                           | Mouse   | C57BL/6         | Male |          |      | Normal                      |            | HSC        | Fresh pellet              | 2x106            | 1          | Box 15    | 99%    |           | 2.5x106                       |
| 01-27-14                           | Mouse   | C57BL/6         | Male |          |      | Bile Duct Ligation (BDL) #1 | 11 days    | HSC        | Culture d1 pellet         | 2 x106           | 1          | Box 15    | 95%    |           | 11.6x106                      |
| 01-29-14                           | Mouse   | C57BL/6         | Male |          |      | Bile Duct Ligation (BDL) #2 | 12 days    | HSC        | Culture d1 pellet         | 2 x106           | 1          | Box 15    | 96%    |           | 9.3x106                       |
| 03-14-16                           | Mouse   | C57Bl/6         | Male | 6 months |      | Normal                      |            | HSC        | Fresh pellet              | 1x106            | 1          | Box 15    | 96%    | 100%      | 1x106                         |
|                                    |         |                 |      |          |      |                             |            |            |                           |                  |            |           |        |           |                               |
| 04-12-17                           | Mouse   | C57BL/6         | Male |          |      | Normal                      |            | HSC        | Fresh pellet in RLT       | 1x106 in RLT     | 1          | Box 15    | 100%   | 90%       | 1.2x106                       |
| 10-23-17                           | Mouse   | C57BL/6         | Male |          |      | Normal                      |            | HSC        | Culture d1 pellet         | 1x106            | 4          | Box 15    | 95%    | 99%       | 9.0x106 (1:03+1:04 fractions) |
| 01-16-18                           | Mouse   | C57BL/6         | Male |          |      | Normal                      |            | HSC        | Culture d1 pellet         | 1x106            | 1          | Box 15    | 100%   | 99%       |                               |
|                                    |         |                 |      |          |      |                             |            |            |                           |                  |            |           |        |           |                               |
|                                    |         |                 |      |          |      |                             |            |            |                           |                  |            |           |        |           |                               |
|                                    |         |                 |      |          |      |                             |            |            |                           |                  |            |           |        |           |                               |
| 07-19-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Fresh in RLT (300ul)      | 1x106            | 2          | Box 15    | 100%   | 98%       | 4.8x106                       |
| 07-19-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Fresh pellet              | 1x106            | 1          | Box 15    | 100%   | 98%       | 4.8x106                       |
| 07-19-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Fresh in RLT (300ul)      | 1x106            | 1          | Box 15    | 97%    | 99%       | 2.7x106                       |
| 07-19-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Fresh pellet              | 1x106            | 1          | Box 15    | 97%    | 99%       | 2.7x106                       |
| 07-30-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Culture d1 in RLT (200ul) | 0.5x106          | 1          | Box 15    | 100%   | 100%      |                               |
| 08-01-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Culture d1 in RLT (150ul) | 0.4x106          | 1          | Box 15    | 100%   | 100%      |                               |
| 08-01-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Culture d4 in RLT (150ul) | 0.5x106          | 1          | Box 15    | 100%   | 100%      |                               |
| 08-12-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Fresh in RLT (300ul)      | 0.8x106          | 1          | Box 15    | 95%    | 100%      |                               |
| 09-17-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Fresh in RLT (200ul)      | 0.5x106          | 1          | Box 15    | 99%    | 99%       |                               |
| 09-17-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Culture d1 in RLT (200ul) | 0.6x106          | 2          | Box 15    | 100%   | 100%      |                               |
| 09-17-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Culture d7 in RLT (300ul) | 0.5x106          | 2          | Box 15    | 100%   | 100%      |                               |
| 09-18-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Culture d1 in RLT (300ul) | 0.67x106         | 1          | Box 15    | 100%   | 100%      |                               |
| 09-18-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Culture d7 in RLT (300ul) | 0.68x106         | 1          | Box 15    | 100%   | 100%      |                               |
| 09-24-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Culture d1 in RLT (300ul) | 0.8x106          | 1          | Box 15    | 100%   | 100%      |                               |
| 09-24-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Culture d7 in RLT (300ul) | 0.6x106          | 1          | Box 15    | 100%   | 100%      |                               |
| 09-25-19                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Fresh in RLT (200ul)      | 0.6x106          | 1          | Box 15    | 99%    | 99%       |                               |
| 07-07-20                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Culture d1 in RLT (300ul) | 0.7x106          | 3          | Box 15    | 100%   | 100%      |                               |
| 07-07-20                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Culture d7 in RLT (300ul) | 0.6x106          | 3          | Box 15    | 100%   | 100%      |                               |
| 07-09-20                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Culture d1 in RLT (300ul) | 0.5x106          | 2          | Box 15    | 100%   | 100%      |                               |
| 07-09-20                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Culture d7 in RLT (300ul) | 0.8x106          | 2          | Box 15    | 100%   | 100%      |                               |
| 10-28-20                           | Mouse   | C57BL/6         | Male | 4 months |      | Normal                      | None       | HSC        | Culture d1 in RLT (200ul) | 0.75x106         | 1          | Box 15    | 100%   | 100%      |                               |
|                                    |         |                 |      |          |      |                             |            |            |                           |                  |            |           |        |           |                               |
|                                    |         |                 |      |          |      |                             |            |            |                           |                  |            |           |        |           |                               |
|                                    |         |                 |      |          |      |                             |            |            |                           |                  |            |           |        |           |                               |
|                                    |         |                 |      |          |      |                             |            |            |                           |                  |            |           |        |           |                               |

[illegible]

| Date of Isolation                                                                | Species | Strain/Genotype | Sex  | Age       | ID # | Treatments          | Experiment | Cell types    | Culture / Fresh                | # of cells/ vial     | # of vials | Locations | Purity                | Viability | Yield                |
|----------------------------------------------------------------------------------|---------|-----------------|------|-----------|------|---------------------|------------|---------------|--------------------------------|----------------------|------------|-----------|-----------------------|-----------|----------------------|
| Mouse Hepatic Macrophages (HM). Kupffer Cells (KC). Infiltrating macrophage (IM) |         |                 |      |           |      |                     |            |               |                                |                      |            |           | RLT: RNA lysis buffer |           |                      |
| 07-26-13                                                                         | Mouse   | C57Bl/6         | Male | 16 wks    | 4163 | AH model            | 7 wks      | HM            | Culture for 3 hr, 2% O2 pellet | 10 x 10 <sup>6</sup> | 1          | Box 20    | 96%                   |           | 70x10 <sup>6</sup>   |
|                                                                                  |         |                 |      |           |      |                     |            |               | Culture for 3hr pellet         | 10 x 10 <sup>6</sup> | 1          | Box 20    |                       |           |                      |
| 07-19-13                                                                         | Mouse   | C57Bl/6         | Male | 16 wks    | 4161 | AH model            | 7 wks      | HM            | Culture for 3 hr, 2% O2 pellet | 10 x 10 <sup>6</sup> | 1          | Box 20    | 96%                   |           | 72x10 <sup>6</sup>   |
|                                                                                  |         |                 |      |           |      |                     |            |               | Culture for 3hr pellet         | 10 x 10 <sup>6</sup> | 1          | Box 20    |                       |           |                      |
| 07-18-13                                                                         | Mouse   | C57Bl/6         | Male | 16 wks    | 4173 | Hybrid Chow Glucose | 7 wks      | HM            | Culture for 3 hr, 2% O2 pellet | 8 x 10 <sup>6</sup>  | 1          | Box 20    | 95%                   |           | 56x10 <sup>6</sup>   |
|                                                                                  |         |                 |      |           |      |                     |            |               | Culture for 3hr pellet         | 8 x 10 <sup>6</sup>  | 1          | Box 20    |                       |           |                      |
| 07-19-13                                                                         | Mouse   | C57Bl/6         | Male | 16 wks    | 4165 | AH model            | 7 wks      | HM            | Culture for 3 hr, 2% O2 pellet | 12 x 10 <sup>6</sup> | 1          | Box 20    | 97%                   |           | 83x10 <sup>6</sup>   |
|                                                                                  |         |                 |      |           |      |                     |            |               | Culture for 3hr pellet         | 12 x 10 <sup>6</sup> | 1          | Box 20    |                       |           |                      |
| 07-18-13                                                                         | Mouse   | C57Bl/6         | Male | 16 wks    | 4160 | AH model            | 7 wks      | HM            | Culture for 3 hr, 2% O2 pellet | 8 x 10 <sup>6</sup>  | 1          | Box 20    | 98%                   |           | 80.4x10 <sup>6</sup> |
|                                                                                  |         |                 |      |           |      |                     |            |               | Culture for 3hr pellet         | 8 x 10 <sup>6</sup>  | 1          | Box 20    |                       |           |                      |
| 07-22-13                                                                         | Mouse   | C57Bl/6         | Male | 16 wks    | 4164 | AH model            | 7 wks      | HM            | Culture for 3 hr, 2% O2 pellet | 8 x 10 <sup>6</sup>  | 1          | Box 20    | 94%                   |           | 66x10 <sup>6</sup>   |
|                                                                                  |         |                 |      |           |      |                     |            |               | Culture for 3hr pellet         | 8 x 10 <sup>6</sup>  | 1          | Box 20    |                       |           |                      |
|                                                                                  |         |                 |      |           |      |                     |            |               |                                |                      |            |           |                       |           |                      |
| 01-23-18                                                                         | Mouse   | C57BL/6         | Male |           |      | None                | None       | <b>CD11b+</b> | Fresh pellet                   | 1x10 <sup>6</sup>    | 2          | Box 20    | 100%                  | 94%       | 2.1x10 <sup>6</sup>  |
| 07-25-19                                                                         | Mouse   | C57BL/6         | Male | 3 1/2mths |      | None                | None       | <b>CD11b+</b> | Fresh RLT (300ul)              | 1x10 <sup>6</sup>    | 1          | Box 20    | 98%                   | 90%       | 4x10 <sup>6</sup>    |
| 07-25-19                                                                         | Mouse   | C57BL/6         | Male | 3 1/2mths |      | None                | None       | <b>CD11b+</b> | Fresh pellet                   | 1x10 <sup>6</sup>    | 2          | Box 20    | 98%                   | 90%       | 4x10 <sup>6</sup>    |
| 08-08-19                                                                         | Mouse   | C57BL/6         | Male | 3 1/2mths |      | None                | None       | <b>CD11b+</b> | Fresh RLT (200ul)              | 0.8x10 <sup>6</sup>  | 1          | Box 20    | 99%                   | 89%       |                      |
| 08-27-19                                                                         | Mouse   | C57BL/6         | Male | 3 1/2mths |      | None                | None       | <b>CD11b+</b> | Fresh RLT (200ul)              | 0.7x10 <sup>6</sup>  | 1          | Box 20    | 98%                   | 90%       |                      |
| 10-01-19                                                                         | Mouse   | C57BL/6         | Male | 3 mths    |      | None                | None       | HM            | Culture for 3hr pellet         | 0.8x10 <sup>6</sup>  | 1          | Box 20    | 97%                   | 98%       |                      |

| Date of Isolation      | Species | Strain/Genotype | Sex  | Age       | ID # | Treatments                                                                         | Experiment | Cell types | Culture / Fresh     | # of cells/ vial | # of vials | Locations | Purity                | Viability | Yield    |
|------------------------|---------|-----------------|------|-----------|------|------------------------------------------------------------------------------------|------------|------------|---------------------|------------------|------------|-----------|-----------------------|-----------|----------|
| Mouse Hepatocytes (HC) |         |                 |      |           |      |                                                                                    |            |            |                     |                  |            |           | RLT: RNA lysis buffer |           |          |
| 03-05-12               | Mouse   | C57Bl/6         | Male | 12 wks    |      | Mineral Oil (0.5ul/g of BW) 2x injections/wk +Phenobarbital (0.025%) in drinking H | 4 wks      | HC         | Fresh pellet        | 10x106           | 3          | Box 19    | 96%                   | 97%       | 40x106   |
| 03-05-12               | Mouse   | C57BL/6         | Male | 12 wks    |      | Mineral Oil (0.5ul/g of BW) 2x injections/wk +Phenobarbital (0.025%) in drinking H | 4 wks      | HC         | Fresh pellet in RLT | 10x106 In RLT    | 1          | Box 19    |                       |           |          |
| 03-05-12               | Mouse   | C57BL/6         | Male | 12 wks    |      | CCL4 (0.5ul/g of BW) 2x injections/wk +Phenobarbital (0.025%) in drinking H2O      | 4 wks      | HC         | Fresh pellet        | 10x106           | 2          | Box 19    | 94%                   | 92%       | 18.2x106 |
| 03-05-12               | Mouse   | C57BL/6         | Male | 12 wks    |      | CCL4 (0.5ul/g of BW) 2x injections/wk +Phenobarbital (0.025%) in drinking H2O      | 4 wks      | HC         | Fresh pellet in RLT | 10x106 In RLT    | 1          | Box 19    |                       |           |          |
|                        |         |                 |      |           |      |                                                                                    |            |            |                     |                  |            |           |                       |           |          |
| 01-03-14               | Mouse   | C57BL/6         | Male | 10 wks    |      | Bile Duct Ligation (BDL)                                                           | 13 days    | HC         | Fresh pellet        | 3x106            | 3          | Box 17    | 94.80%                |           | 15x106   |
| 01-08-14               | Mouse   | C57Bl/6         | Male | 11 wks    |      | Bile Duct Ligation (BDL)                                                           | 19 days    | HC         | Fresh pellet        | 5x106            | 4          | Box 17    | 95%                   |           | 34x106   |
| 01-08-14               | Mouse   | C57BL/6         | Male | 11 wks    |      | Bile Duct Ligation (BDL)                                                           | 19 days    | HC         | Fresh pellet in RLT | In RLT           | 1          | Box 17    |                       |           |          |
| 01-08-14               | Mouse   | C57BL/6         | Male | 11 wks    |      | Bile Duct Ligation (BDL)                                                           | 19 days    | HC         | Culture d1 pellet   | 3x106            | 3          | Box 17    |                       |           |          |
| 01-08-14               | Mouse   | C57BL/6         | Male | 11 wks    |      | Sham for BDL                                                                       | 19 days    | HC         | Fresh pellet        | 5x10^6           | 3          | Box 17    |                       |           |          |
| 01-08-14               | Mouse   | C57BL/6         | Male | 11 wks    |      | Sham for BDL                                                                       | 19 days    | HC         | Fresh pellet in RLT | 5x106 In RLT     | 1          | Box 17    | 96%                   |           | 33x106   |
| 01-08-14               | Mouse   | C57BL/6         | Male | 11 wks    |      | Sham for BDL                                                                       | 19 days    | HC         | Culture d1 pellet   | 3x106            | 2          | Box 17    |                       |           |          |
| 01-08-14               | Mouse   | C57Bl/6         | Male | 11 wks    |      | Sham for BDL                                                                       | 19 days    | HC         | Culture d1 pellet   | 2x106 In RLT     | 1          | Box 17    |                       |           |          |
|                        |         |                 |      |           |      |                                                                                    |            |            |                     |                  |            |           |                       |           |          |
| 04-07-15               | Mouse   | C57BL/6         | Male | 8 wks     |      | Normal                                                                             | None       | HC         | Fresh pellet        | 5x106            | 6          | Box 17    | 97%                   | 85%       | 45x106   |
| 04-08-15               | Mouse   | C57BL/6         | Male | 8 wks     |      | Normal                                                                             | None       | HC         | Fresh pellet        | 5x106            | 5          | Box 17    | 97%                   | 85%       | 31x106   |
| 05-04-15               | Mouse   | C57BL/6         | Male | 8 wks     |      | Normal                                                                             | None       | HC         | Fresh pellet        | 5x106            | 5          | Box 17    | 93%                   | 80%       | 38.4x106 |
| 04-14-16               | Mouse   | C57BL/6         | Male | 8 wks     |      | Normal                                                                             | None       | HC         | Fresh pellet        | 2x106            | 3          | Box 17    | 97%                   | 89%       | 35x106   |
| 04-25-16               | Mouse   | C57Bl/6         | Male | 8 wks     |      | Normal                                                                             | None       | HC         | Fresh pellet        | 5x106            | 2          | Box 17    | 96%                   | 86%       | 35x106   |
| 04-25-16               | Mouse   | C57BL/6         | Male | 8 wks     |      | Normal                                                                             | None       | HC         | Fresh pellet in RLT | 5x106 In RLT     | 2          | Box 17    |                       |           |          |
| 03-07-16               | Mouse   | C57BL/6         | Male | 8 wks     |      | Normal                                                                             | None       | HC         | Fresh pellet        | 5x106            | 3          | Box 17    | 97%                   | 80%       | 29.9x106 |
| 12-13-16               | Mouse   | C57BL/6         | Male | 8 wks     |      | Normal                                                                             | None       | HC         | Fresh pellet        | 5x106            | 5          | Box 17    | 96%                   | 94%       | 50.6x106 |
| 11-06-17               | Mouse   | C57BL/6         | Male | 8 wks     |      | Normal                                                                             | None       | HC         | Fresh pellet        | 5x106            | 4          | Box 17    | 100%                  | 96%       | 48.6x106 |
| 11-06-17               | Mouse   | C57BL/6         | Male | 8 wks     |      | Normal                                                                             | None       | HC         | Fresh pellet in RLT | 5x106 In RLT     | 1          | Box 17    |                       |           |          |
|                        |         |                 |      |           |      |                                                                                    |            |            |                     |                  |            |           |                       |           |          |
| 08-23-18               | Mouse   | C57BL/6         | Male |           |      | Normal                                                                             | None       | HC         | Fresh pellet        | 5x106            | 2          | Box 19    | 100%                  | 96%       | 11x106   |
|                        |         |                 |      |           |      |                                                                                    |            |            |                     |                  |            |           |                       |           |          |
| 07-25-19               | Mouse   | C57BL/6         | Male | 3 1/2mths |      | Normal                                                                             | None       | HC         | Fresh RLT (300ul)   | 2x106            | 1          | Box 19    | 100%                  | 95%       | 13.6x106 |
| 07-25-19               | Mouse   | C57BL/6         | Male | 3 1/2mths |      | Normal                                                                             | None       | HC         | Fresh pellet        | 2x106            | 2          | Box 19    | 100%                  | 95%       | 13.6x106 |
| 07-31-19               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh RLT (600ul)   | 5x106            | 1          | Box 19    | 100%                  | 95%       |          |
| 07-31-19               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh pellet        | 5x106            | 1          | Box 19    | 100%                  | 95%       |          |
| 08-08-19               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh RLT (300ul)   | 2x106            | 5          | Box 19    | 96%                   | 87%       |          |
| 08-08-19               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh pellet        | 2x106            | 4          | Box 19    | 96%                   | 87%       |          |
| 08-20-19               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh RLT (300ul)   | 2x106            | 3          | Box 19    | 96%                   | 87%       |          |
| 08-20-19               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh pellet        | 2x106            | 2          | Box 19    | 96%                   | 87%       |          |
| 09-30-19               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh RLT (600ul)   | 3x106            | 2          | Box 19    | 98%                   | 84%       |          |
| 09-30-19               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh pellet        | 3x106            | 2          | Box 19    | 98%                   | 84%       |          |
| 08-05-20               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh RLT (600ul)   | 3x106            | 1          | Box 19    | 98                    | 93        |          |
| 08-05-20               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh pellet        | 3x106            | 2          | Box 19    | 98%                   | 93%       |          |
| 09-30-20               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh RLT (600ul)   | 3x106            | 1          | Box 19    | 98                    | 93        |          |
| 09-30-20               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh pellet        | 3x106            | 3          | Box 19    | 98                    | 93        |          |
| 11-04-20               | Mouse   | C57BL/6         | Male | 5 mths    |      | Normal                                                                             | None       | HC         | Fresh RLT (600ul)   | 3x106            | 2          | Box 19    | 99                    | 93        |          |
| 11-04-20               | Mouse   | C57BL/6         | Male | 5 mths    |      | Normal                                                                             | None       | HC         | Fresh pellet        | 3x106            | 3          | Box 19    | 99                    | 93        |          |
| 12-14-20               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh RLT (600ul)   | 3x106            | 4          | Box 19    | 99                    | 95        |          |
| 12-14-20               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh pellet        | 3x106            | 3          | Box 19    | 99                    | 95        |          |
| 04-12-21               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh RLT (600ul)   | 5x106            | 3          | Box 19    | 99                    | 95        |          |
| 04-12-21               | Mouse   | C57BL/6         | Male | 3 mths    |      | Normal                                                                             | None       | HC         | Fresh pellet        | 5x106            | 2          | Box 19    | 98                    | 96        |          |

| Date of Isolation | Species | Strain/Genotype | Sex | Age    | ID # | Treatments     | Experiment | Cell types | Culture / Fresh | # of cells/ vial | # of vials | Locations |
|-------------------|---------|-----------------|-----|--------|------|----------------|------------|------------|-----------------|------------------|------------|-----------|
| 04-04-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6786 | std iG control | 4 wks      | HC         | 3 hr cultured   | 1.5x106/ pellet  | 3          | Box 26    |
| 04-06-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6785 | std iG control | 4 wks      | HC         | 3 hr cultured   | 2.5x106/ pellet  | 2          | Box 26    |
| 04-26-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6791 | std iG control | 4 wks      | HC         | 3 hr cultured   | 2x106/ pellet    | 4          | Box 26    |
| 04-27-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6790 | std iG control | 4 wks      | HC         | 3 hr cultured   | 2.3x106/ pellet  | 3          | Box 26    |
| 04-04-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6786 | std iG control | 4 wks      | KC         | 3 hr cultured   | 2.3x106/ pellet  | 1          | Box 26    |
| 04-06-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6785 | std iG control | 4 wks      | KC         | 3 hr cultured   | 1.3x106/ pellet  | 1          | Box 26    |
| 04-27-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6790 | std iG control | 4 wks      | KC         | 3 hr cultured   | 1.7x106/ pellet  | 2          | Box 26    |
| 04-26-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6791 | std iG control | 4 wks      | LSEC       | 3 hr cultured   | 1.9x106/ pellet  | 1          | Box 26    |
| 04-11-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6783 | std iG alcohol | 4 wks      | KC         | 3 hr cultured   | 1x106/ pellet    | 1          | Box 26    |
| 04-20-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6788 | std iG alcohol | 4 wks      | KC         | 3 hr cultured   | 1x106/ pellet    | 2          | Box 26    |
| 08-11-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6821 | std iG control | 4 wks      | HC         | 3 hr cultured   | 2.5x106/ pellet  | 3          | Box 26    |
| 08-15-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6826 | std iG control | 4 wks      | HC         | 3 hr cultured   | 1.4x106/ pellet  | 2          | Box 26    |
| 08-15-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6827 | std iG control | 4 wks      | HC         | 3 hr cultured   | 1.6x106/ pellet  | 2          | Box 26    |
| 08-18-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6824 | std iG alcohol | 4 wks      | HC         | 3 hr cultured   | 1x106/ pellet    | 2          | Box 26    |
| 08-18-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6824 | std iG alcohol | 4 wks      | KC         | 3 hr cultured   | 2x106/ pellet    | 3          | Box 26    |
| 08-19-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6822 | std iG alcohol | 4 wks      | HC         | 3 hr cultured   | 0.5x106/ pellet  | 1          | Box 26    |
| 08-19-22          | Mouse   | C57Bl/6         | M   | 12 wks | 6822 | std iG alcohol | 4 wks      | KC         | 3 hr cultured   | 2.2x106/ pellet  | 2          | Box 26    |