

## **CITATIONS: ALPHABETICAL BY AUTHOR**

Human papillomavirus-associated cancers - United States, 2004-2008. MMWR Morb Mortal Wkly Rep. Apr 20 2012;61:258-261.

Invasive cancer incidence - United States, 2009. MMWR Morb Mortal Wkly Rep. Feb 22 2013;62:113-118.

Abbott AM, Habermann EB, Tuttle TM. Trends in the use of implantable accelerated partial breast irradiation therapy for early stage breast cancer in the United States. *Cancer*. Aug 1 2011;117(15):3305-3310.

Abdel-Wahab M, Reis IM, Hamilton K. Second primary cancer after radiotherapy for prostate cancer--a seer analysis of brachytherapy versus external beam radiotherapy. *Int J Radiat Oncol Biol Phys*. Sep 1 2008;72(1):58-68.

Abdel-Wahab M, Reis IM, Wu J, Duncan R. Second primary cancer risk of radiation therapy after radical prostatectomy for prostate cancer: an analysis of SEER data. *Urology*. Oct 2009;74(4):866-871.

Abdollah F, Gandaglia G, Thuret R, et al. Incidence, survival and mortality rates of stage-specific bladder cancer in United States: A trend analysis. *Cancer Epidemiol*. Jun 2013;37(3):219-225.

Abdollah F, Sun M, Jeldres C, et al. Survival after radical cystectomy of non-bilharzial squamous cell carcinoma vs urothelial carcinoma: a competing-risks analysis. *BJU Int*. Feb 2012;109(4):564-569.

Abdollah F, Sun M, Schmitges J, et al. Survival benefit of radical prostatectomy in patients with localized prostate cancer: estimations of the number needed to treat according to tumor and patient characteristics. *J Urol*. Jul 2012;188(1):73-83.

Abdollah F, Sun M, Thuret R, et al. The effect of marital status on stage and survival of prostate cancer patients treated with radical prostatectomy: a population-based study. *Cancer Causes Control*. Aug 2011;22(8):1085-1095.

Abdou AM, Gao X, Cozen W, et al. Human leukocyte antigen (HLA) A1-B8-DR3 (8.1) haplotype, tumor necrosis factor (TNF) G-308A, and risk of non-Hodgkin lymphoma. *Leukemia*. May 2010;24(5):1055-1058.

Abel GA, Bertrand KA, Earle CC, Laden F. Outcomes for lymphoid malignancies in the Nurses' Health Study (NHS) as compared to the Surveillance, Epidemiology and End Results (SEER) Program. *Hematol Oncol*. Sep 2010;28(3):133-136.

Abern MR, Dude AM, Coogan CL. Marital status independently predicts testis cancer survival-an analysis of the SEER database. *Urol Oncol*. Jul 2012;30(4):487-493.

Abern MR, Dude AM, Tsivian M, Coogan CL. The characteristics of bladder cancer after radiotherapy for prostate cancer. *Urol Oncol*. Nov 2013;31(8):1628-1634.

Abern MR, Tsivian M, Coogan CL, Kaufman HL, Polascik TJ. Characteristics of patients diagnosed with both melanoma and renal cell cancer. *Cancer Causes Control*. Nov 2013;24(11):1925-1933.

Abern MR, Tsivian M, Polascik TJ, Coogan CL. Characteristics and outcomes of tumors arising from the distal nephron. *Urology*. Jul 2012;80(1):140-146.

Abnet CC, Chen Y, Chow WH, et al. Circulating 25-hydroxyvitamin D and risk of esophageal and gastric cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. *Am J Epidemiol*. Jul 1 2010;172(1):94-106.

Abrahamson PE, Tworoger SS, Aiello EJ, et al. Associations between the CYP17, CYPIB1, COMT and SHBG polymorphisms and serum sex hormones in post-menopausal breast cancer survivors. *Breast Cancer Res Treat*. Sep 2007;105(1):45-54.

Abrams JA, Buono DL, Strauss J, McBride RB, Hershman DL, Neugut AI. Esophagectomy compared with chemoradiation for early stage esophageal cancer in the elderly. *Cancer*. Nov 1 2009;115(21):4924-4933.

Adams H, Avendano J, Raza SM, Gokaslan ZL, Jallo GI, Quinones-Hinojosa A. Prognostic factors and survival in primary malignant astrocytomas of the spinal cord: a population-based analysis from 1973 to 2007. *Spine*. May 20 2012;37(12):E727-735.

Adams H, Chaichana KL, Avendano J, Liu B, Raza SM, Quinones-Hinojosa A. Adult cerebellar glioblastoma: understanding survival and prognostic factors using a population-based database from 1973 to 2009. *World neurosurgery*. Dec 2013;80(6):e237-243.

Ademuyiwa FO, Groman A, Hong CC, et al. Time-trends in survival in young women with breast cancer in a SEER population-based study. *Breast Cancer Res Treat*. Feb 2013;138(1):241-248.

Agaku IT, Akinyele AO. Comparison of external beam radiation therapy and radioactive implants in the management of nonmetastatic oral squamous cell cancer: an analysis of the surveillance epidemiology and end results database. *Oral surgery, oral medicine, oral pathology and oral radiology*. Jan 2013;115(1):38-45.

Agarwal J, Agarwal S, Pappas L, Neumayer L. A population-based study of breast cancer-specific survival following mastectomy and immediate or early-delayed breast reconstruction. *Breast J*. May 2012;18(3):226-232.

Agarwal S, Pappas L, Neumayer L, Agarwal J. An analysis of immediate postmastectomy breast reconstruction frequency using the surveillance, epidemiology, and end results database. *Breast J.* Jul-Aug 2011;17(4):352-358.

Ahmed A, Zamba G, DeGeest K, Lynch CF. The impact of surgery on survival of elderly women with endometrial cancer in the SEER program from 1992-2002. *Gynecol Oncol.* Oct 2008;111(1):35-40.

Ahn J, Schumacher FR, Berndt SI, et al. Quantitative trait loci predicting circulating sex steroid hormones in men from the NCI-Breast and Prostate Cancer Cohort Consortium (BPC3). *Hum Mol Genet.* Oct 1 2009;18(19):3749-3757.

Ailawadhi S, Aldoss IT, Yang D, et al. Outcome disparities in multiple myeloma: a SEER-based comparative analysis of ethnic subgroups. *Br J Haematol.* Jul 2012;158(1):91-98.

Aizer AA, Ancukiewicz M, Nguyen PL, et al. Natural history and role of radiation in patients with supratentorial and infratentorial WHO grade II ependymomas: results from a population-based study. *J Neurooncol.* Dec 2013;115(3):411-419.

Aizer AA, Chen MH, McCarthy EP, et al. Marital status and survival in patients with cancer. *J Clin Oncol.* Nov 1 2013;31(31):3869-3876.

Akamatsu S, Takata R, Haiman CA, et al. Common variants at 11q12, 10q26 and 3p11.2 are associated with prostate cancer susceptibility in Japanese. *Nat Genet.* 2012;44(4):426-429.

Akinyemiju TF, Soliman AS, Johnson NJ, et al. Individual and Neighborhood Socioeconomic Status and Healthcare Resources in Relation to Black-White Breast Cancer Survival Disparities. *Journal of cancer epidemiology.* 2013;2013:490472.

Akushevich I, Kravchenko J, Ukraintseva S, Arbeev K, Kulminski A, Yashin AI. Morbidity risks among older adults with pre-existing age-related diseases. *Experimental gerontology.* Sep 21 2013;48(12):1395-1401.

Akushevich I, Kravchenko J, Ukraintseva S, Arbeev K, Yashin AI. Age patterns of incidence of geriatric disease in the u.s. Elderly population: medicare-based analysis. *J Am Geriatr Soc.* Feb 2012;60(2):323-327.

Akushevich I, Kravchenko J, Ukraintseva S, Arbeev K, Yashin AI. Time trends of incidence of age-associated diseases in the US elderly population: medicare-based analysis. *Age and ageing.* Jul 2013;42(4):494-500.

Akushevich I, Veremeyeva G, Kravchenko J, et al. New stochastic carcinogenesis model with covariates: an approach involving intracellular barrier mechanisms. *Mathematical biosciences.* Mar 2012;236(1):16-30.

Alanee S, Russo P. Suicide in men with testis cancer. European journal of cancer care. Nov 2012;21(6):817-821.

Alanee S, Shukla A. Paediatric testicular cancer: an updated review of incidence and conditional survival from the Surveillance, Epidemiology and End Results database. BJU Int. Nov 2009;104(9):1280-1283.

Alanee S, Shukla AR. Bladder malignancies in children aged <18 years: results from the Surveillance, Epidemiology and End Results database. BJU Int. Aug 2010;106(4):557-560.

Albert JM, Liu DD, Shen Y, et al. Nomogram to predict the benefit of radiation for older patients with breast cancer treated with conservative surgery. J Clin Oncol. Aug 10 2012;30(23):2837-2843.

Albertsen PC, Hanley JA, Harlan LC, et al. The positive yield of imaging studies in the evaluation of men with newly diagnosed prostate cancer: a population based analysis. J Urol. Apr 2000;163(4):1138-1143.

Albertsen PC, Moore DF, Shih W, Lin Y, Li H, Lu-Yao GL. Impact of comorbidity on survival among men with localized prostate cancer. J Clin Oncol. Apr 1 2011;29(10):1335-1341.

Albores-Saavedra J, Hart A, Chable-Montero F, Henson DE. Carcinoids and high-grade neuroendocrine carcinomas of the ampulla of vater: a comparative analysis of 139 cases from the surveillance, epidemiology, and end results program-a population based study. Arch Pathol Lab Med. Nov 2010;134(11):1692-1696.

Albores-Saavedra J, Schwartz AM, Batich K, Henson DE. Cancers of the ampulla of vater: demographics, morphology, and survival based on 5,625 cases from the SEER program. J Surg Oncol. Dec 1 2009;100(7):598-605.

Albright CL, Steffen AD, Wilkens LR, Henderson BE, Kolonel LN. The prevalence of obesity in ethnic admixture adults. Obesity (Silver Spring, Md.). May 2008;16(5):1138-1143.

Alderman AK, Hawley ST, Janz NK, et al. Racial and ethnic disparities in the use of postmastectomy breast reconstruction: results from a population- based study. J Clin Oncol. Nov 10 2009;27(32):5325-5330.

Alderman AK, Hawley ST, Morrow M, et al. Receipt of delayed breast reconstruction after mastectomy: do women revisit the decision? Ann Surg Oncol. Jun 2011;18(6):1748-1756.

Alderman AK, Hawley ST, Waljee J, Morrow M, Katz SJ. Correlates of referral practices of general surgeons to plastic surgeons for mastectomy reconstruction. Cancer. May 1 2007;109(9):1715-1720.

Alderman AK, Hawley ST, Waljee J, Mujahid M, Morrow M, Katz SJ. Understanding the impact of breast reconstruction on the surgical decision-making process for breast cancer. *Cancer*. Feb 1 2008;112(3):489-494.

Alfano CM, Imayama I, Neuhouser ML, et al. Fatigue, inflammation, and omega-3 and omega-6 fatty acid intake among breast cancer survivors. *J Clin Oncol*. Apr 20 2012;30(12):1280-1287.

Alfano CM, Lichstein KL, Vander Wal GS, et al. Sleep duration change across breast cancer survivorship: associations with symptoms and health-related quality of life. *Breast Cancer Res Treat*. Nov 2011;130(1):243-254.

Alfano CM, McGregor BA, Kuniyuki A, et al. Psychometric properties of a tool for measuring hormone-related symptoms in breast cancer survivors. *Psychooncology*. Nov 2006;15(11):985-1000.

Alfano CM, McGregor BA, Kuniyuki A, et al. Psychometric evaluation of the Brief Cancer Impact Assessment among breast cancer survivors. *Oncology*. 2006;70(3):190-202.

Alfano CM, Smith AW, Irwin ML, et al. Physical activity, long-term symptoms, and health-related quality of life among breast cancer survivors: a prospective analysis. *J Cancer Survivorship, Res Pract*. 2007 2007;1(2):116-118.

Alfano CM, Smith AW, Irwin ML, et al. Physical activity, long-term symptoms, and physical health-related quality of life among breast cancer survivors: a prospective analysis. *J Cancer Surviv*. Jun 2007;1(2):116-128.

Al-Hussaini M, Sultan I, Abuirmileh N, Jaradat I, Qaddoumi I. Pineal gland tumors: experience from the SEER database. *J Neurooncol*. Sep 2009;94(3):351-358.

Ali AN, Diaz R, Shu HK, Paulino AC, Esiashvili N. A Surveillance, Epidemiology and End Results (SEER) program comparison of adult and pediatric Wilms' tumor. *Cancer*. May 1 2012;118(9):2541-2551.

Allan BJ, Parikh PP, Diaz S, Perez EA, Neville HL, Sola JE. Predictors of survival and incidence of hepatoblastoma in the paediatric population. *HPB (Oxford)*. Oct 2013;15(10):741-746.

Allan BJ, Tashiro J, Diaz S, Edens J, Younis R, Thaller SR. Malignant tumors of the parotid gland in children: incidence and outcomes. *The Journal of craniofacial surgery*. Sep 2013;24(5):1660-1664.

Allan BJ, Thorson CM, Davis JS, et al. An analysis of 73 cases of pediatric malignant tumors of the thymus. *J Surg Res*. Sep 2013;184(1):397-403.

Allen ME, Semrad A, Yang AD, Martinez SR. Parathyroid carcinoma survival: improvements in the era of intact parathyroid hormone monitoring? *Rare Tumors*. Feb 11 2013;5(1):e12.

Al-Refaie WB, Habermann EB, Dudeja V, et al. Extremity soft tissue sarcoma care in the elderly: insights into the generalizability of NCI Cancer Trials. *Ann Surg Oncol.* Jul 2010;17(7):1732-1738.

Al-Refaie WB, Hu CY, Pisters PW, Chang GJ. Gastric adenocarcinoma in young patients: a population-based appraisal. *Ann Surg Oncol.* Oct 2011;18(10):2800-2807.

Altekruse SF, McGlynn KA, Dickie LA, Kleiner DE. Hepatocellular carcinoma confirmation, treatment, and survival in SEER registries, 1992-2008. *Hepatology.* Sep 27 2011.

Altekruse SF, McGlynn KA, Dickie LA, Kleiner DE. Hepatocellular carcinoma confirmation, treatment, and survival in surveillance, epidemiology, and end results registries, 1992-2008. *Hepatology.* Feb 2012;55(2):476-482.

Altekruse SF, McGlynn KA, Reichman ME. Hepatocellular carcinoma incidence, mortality, and survival trends in the United States from 1975 to 2005. *J Clin Oncol.* Mar 20 2009;27(9):1485-1491.

Ambinder AJ, Shenoy PJ, Nastoupil LJ, Flowers CR. Using primary site as a predictor of survival in mantle cell lymphoma. *Cancer.* Apr 15 2013;119(8):1570-1577.

Ambs A, Warren JL, Bellizzi KM, Topor M, Haffer SC, Clauser SB. Overview of the SEER--Medicare Health Outcomes Survey linked dataset. *Health care financing review.* Summer 2008;29(4):5-21.

Amin Al Olama A, Kote-Jarai Z, Schumacher FR, et al. A meta-analysis of genome-wide association studies to identify prostate cancer susceptibility loci associated with aggressive and non-aggressive disease. *Hum Mol Genet.* Jan 15 2013;22(2):408-415.

Amin S, Warner RR, Itzkowitz SH, Kim MK. The risk of metachronous cancers in patients with small-intestinal carcinoid tumors: a US population-based study. *Endocr Relat Cancer.* Jun 2012;19(3):381-387.

Amirian ES, Armstrong TS, Aldape KD, Gilbert MR, Scheurer ME. Predictors of Survival among Pediatric and Adult Ependymoma Cases: A Study Using Surveillance, Epidemiology, and End Results Data from 1973 to 2007. *Neuroepidemiology.* Jul 28 2012;39(2):116-124.

Amirian ES, Armstrong TS, Gilbert MR, Scheurer ME. Predictors of survival among older adults with ependymoma. *J Neurooncol.* Mar 2012;107(1):183-189.

Amirian ES, Fickey PA, Jr., Scheurer ME, Chiao EY. Anal Cancer Incidence and Survival: Comparing the Greater San-Francisco Bay Area to Other SEER Cancer Registries. *PLoS One.* 2013;8(3):e58919.

Anders CK, Johnson R, Litton J, Phillips M, Bleyer A. Breast cancer before age 40 years. *Semin Oncol*. Jun 2009;36(3):237-249.

Anderson KE, Potter JD, Mack TM. Pancreatic cancer. In: Schottenfeld D, Fraumeni J, eds. *Cancer Epidemiology and Prevention*. 2nd ed. New York, NY: Oxford University Press; 1996:725-771.

Anderson LA, Gadalla S, Morton LM, et al. Population-based study of autoimmune conditions and the risk of specific lymphoid malignancies. *Int J Cancer*. Jul 15 2009;125(2):398-405.

Anderson LA, Gridley G, Engels EA, et al. Antibiotic use and risk of non-Hodgkin's lymphoma: a population-based case-control study. *Br J Cancer*. Jan 15 2008;98(1):161-164.

Anderson LA, Pfeiffer R, Warren JL, et al. Hematopoietic malignancies associated with viral and alcoholic hepatitis. *Cancer Epidemiol Biomarkers Prev*. Nov 2008;17(11):3069-3075.

Anderson LA, Pfeiffer RM, Landgren O, Gadalla S, Berndt SI, Engels EA. Risks of myeloid malignancies in patients with autoimmune conditions. *Br J Cancer*. Mar 10 2009;100(5):822-828.

Anderson WF. Cancer surveillance research. *Cancer Epidemiol Biomarkers Prev*. Jun 2009;18(6):1669-1671.

Anderson WF, Camargo MC, Fraumeni JF, Jr., Correa P, Rosenberg PS, Rabkin CS. Age-specific trends in incidence of noncardia gastric cancer in US adults. *Jama*. May 5 2010;303(17):1723-1728.

Anderson WF, Katki HA, Rosenberg PS. Incidence of breast cancer in the United States: current and future trends. *J Natl Cancer Inst*. Sep 21 2011;103(18):1397-1402.

Anderson WF, Luo S, Chatterjee N, et al. Human epidermal growth factor receptor-2 and estrogen receptor expression, a demonstration project using the residual tissue repository of the Surveillance, Epidemiology, and End Results (SEER) program. *Breast Cancer Res Treat*. Jan 2009;113(1):189-196.

Andreeva VA, Unger JB, Pentz MA. Breast cancer among immigrants: a systematic review and new research directions. *J Immigr Minor Health*. Oct 2007;9(4):307-322.

Andreoli MT, Andreoli SM, Shrime MG, Devaiah AK. Radiotherapy in parotid acinic cell carcinoma: does it have an impact on survival? *Arch Otolaryngol Head Neck Surg*. May 2012;138(5):463-466.

Andrews EB, Gilsenan AW, Midkiff K, et al. The US postmarketing surveillance study of adult osteosarcoma and teriparatide: Study design and findings from the first 7 years. *Journal of bone and mineral research : the official journal of the American Society for Bone and Mineral Research*. Dec 2012;27(12):2429-2437.

Aneja S, Khullar D, Yu JB. The influence of regional health system characteristics on the surgical management and receipt of post operative radiation therapy for glioblastoma multiforme. *J Neurooncol*. May 2013;112(3):393-401.

Ansa B, Goodman M, Ward K, et al. Paranasal sinus squamous cell carcinoma incidence and survival based on Surveillance, Epidemiology, and End Results Data, 1973 to 2009. *Cancer*. Jul 15 2013;119(14):2602-2610.

Applebaum MA, Goldsby R, Neuhaus J, Dubois SG. Clinical features and outcomes in patients with Ewing sarcoma and regional lymph node involvement. *Pediatr Blood Cancer*. Oct 2012;59(4):617-620.

Applebaum MA, Goldsby R, Neuhaus J, Dubois SG. Clinical features and outcomes in patients with secondary Ewing sarcoma. *Pediatr Blood Cancer*. Apr 2013;60(4):611-615.

Armstrong K, Randall TC, Polksky D, Moye E, Silber JH. Racial differences in surgeons and hospitals for endometrial cancer treatment. *Med Care*. Feb 2011;49(2):207-214.

Arora NK, Hamilton AS, Potosky AL, et al. Population-based survivorship research using cancer registries: a study of non-Hodgkin's lymphoma survivors. *Journal of Cancer Survivorship*. 2007;1:49-63.

Arora NK, Jensen RE, Sulayman N, Hamilton AS, Potosky AL. Patient-physician communication about health-related quality-of-life problems: are non-Hodgkin lymphoma survivors willing to talk? *J Clin Oncol*. Nov 1 2013;31(31):3964-3970.

Arrington AK, Kruper L, Vito C, Yim J, Kim J, Chen SL. Rural and urban disparities in the evolution of sentinel lymph node utilization in breast cancer. *American journal of surgery*. Nov 2013;206(5):674-681.

Artinyan A, Essani R, Lake J, et al. Molecular predictors of lymph node metastasis in colon cancer: increased risk with decreased thymidylate synthase expression. *J Gastrointest Surg*. Dec 2005;9(9):1216-1221; discussion 1221.

Artinyan A, Mailey B, Sanchez-Luege N, et al. Race, ethnicity, and socioeconomic status influence the survival of patients with hepatocellular carcinoma in the United States. *Cancer*. Mar 1 2010;116(5):1367-1377.

Aschebrook-Kilfoy B, Caces DB, Ollberding NJ, Smith SM, Chiu BC. An upward trend in the age-specific incidence patterns for mantle cell lymphoma in the USA. *Leuk Lymphoma*. Aug 2013;54(8):1677-1683.

Aschebrook-Kilfoy B, Kaplan EL, Chiu BC, Angelos P, Grogan RH. The Acceleration in Papillary Thyroid Cancer Incidence Rates is Similar Among Racial and Ethnic Groups in the United States. *Ann Surg Oncol*. Aug 2013;20(8):2746-2753.

Aschebrook-Kilfoy B, Schechter RB, Shih YC, et al. The clinical and economic burden of a sustained increase in thyroid cancer incidence. *Cancer Epidemiol Biomarkers Prev*. Jul 2013;22(7):1252-1259.

Aschebrook-Kilfoy B, Ward MH, Sabra MM, Devesa SS. Thyroid cancer incidence patterns in the United States by histologic type, 1992-2006. *Thyroid*. Feb 2011;21(2):125-134.

Ashing-Giwa KT, Lim JW. Health-related quality of life outcomes among cervical cancer survivors: examining ethnic and linguistic differences. *Cancer Epidemiol*. Apr 2011;35(2):194-201.

Atkinson JO, Biggar RJ, Goedert JJ, Engels EA. The incidence of Kaposi sarcoma among injection drug users with AIDS in the United States. *Journal of acquired immune deficiency syndromes* (1999). Oct 1 2004;37(2):1282-1287.

Augenbraun M, Tarwater P, Greenblatt R, et al. Opportunistic infection prophylaxis in the women's interagency HIV study (WIHS). *Journal of acquired immune deficiency syndromes* (1999). Oct 1 2001;28(2):195-196.

Austin MT, Xing Y, Hayes-Jordan AA, Lally KP, Cormier JN. Melanoma incidence rises for children and adolescents: An epidemiologic review of pediatric melanoma in the United States. *J Pediatr Surg*. Nov 2013;48(11):2207-2213.

Austin S, Martin MY, Kim Y, Funkhouser EM, Partridge EE, Pisu M. Disparities in use of gynecologic oncologists for women with ovarian cancer in the United States. *Health services research*. Jun 2013;48(3):1135-1153.

Austin SA, Hawkshaw MJ, Sataloff RT. External ear sarcoma: a review of the Surveillance Epidemiology and End Result (SEER 17) database. *Ear Nose Throat J*. Aug 2011;90(8):348-358.

Avraham JB, Villines D, Maker VK, August C, Maker AV. Survival after resection of cutaneous adnexal carcinomas with eccrine differentiation: Risk factors and trends in outcomes. *J Surg Oncol*. Jul 2013;108(1):57-62.

Azu M, Abrahamse P, Katz SJ, Jaggi R, Morrow M. What is an adequate margin for breast-conserving surgery? Surgeon attitudes and correlates. *Ann Surg Oncol*. Feb 2010;17(2):558-563.

Babu R, Bagley JH, Park JG, Friedman AH, Adamson C. Low-grade astrocytomas: the prognostic value of fibrillary, gemistocytic, and protoplasmic tumor histology. *J Neurosurg.* Aug 2013;119(2):434-441.

Babu R, Sharma R, Bagley JH, Hatef J, Friedman AH, Adamson C. Vestibular schwannomas in the modern era: epidemiology, treatment trends, and disparities in management. *J Neurosurg.* Jul 2013;119(1):121-130.

Babu R, Sharma R, Karikari IO, Owens TR, Friedman AH, Adamson C. Outcome and prognostic factors in adult cerebellar glioblastoma. *Journal of clinical neuroscience : official journal of the Neurosurgical Society of Australasia.* Aug 2013;20(8):1117-1121.

Bach PB, Cramer LD, Schrag D, Downey RJ, Gelfand SE, Begg CB. The influence of hospital volume on survival after resection for lung cancer. *N Engl J Med.* Jul 19 2001;345(3):181-188.

Bach PB, Cramer LD, Warren JL, Begg CB. Racial differences in the treatment of early-stage lung cancer. *N Engl J Med.* Oct 14 1999;341(16):1198-1205.

Bach PB, Guadagnoli E, Schrag D, Schussler N, Warren JL. Patient demographic and socioeconomic characteristics in the SEER-Medicare database applications and limitations. *Med Care.* Aug 2002;40(8 Suppl):IV-19-25.

Badgwell BD, Giordano SH, Duan ZZ, et al. Mammography before diagnosis among women age 80 years and older with breast cancer. *J Clin Oncol.* May 20 2008;26(15):2482-2488.

Bagaria SP, Ray PS, Joseph RW, et al. Ultrathin primary is a marker for worse prognosis in lymph node-positive cutaneous melanoma. *Cancer.* May 15 2013;119(10):1860-1867.

Bagley JH, Babu R, Friedman AH, Adamson C. Improved survival in the largest national cohort of adults with cerebellar versus supratentorial low-grade astrocytomas. *Neurosurgical focus.* Feb 2013;34(2):E7.

Baglietto L, Lindor NM, Dowty JG, et al. Risks of Lynch syndrome cancers for MSH6 mutation carriers. *J Natl Cancer Inst.* Feb 3 2010;102(3):193-201.

Baillargeon J, Kuo YF, Lin YL, Raji MA, Singh A, Goodwin JS. Effect of mental disorders on diagnosis, treatment, and survival of older adults with colon cancer. *J Am Geriatr Soc.* Jul 2011;59(7):1268-1273.

Baine M, Sahak F, Lin C, Chakraborty S, Lyden E, Batra SK. Marital status and survival in pancreatic cancer patients: a SEER based analysis. *PLoS One.* 2011;6(6):e21052.

Bajaj G, Dombrowsky E, Yu Q, Agarwal B, Barrett JS. Considerations for the prediction of survival time in pancreatic cancer based on registry data. *Journal of pharmacokinetics and pharmacodynamics.* Aug 2013;40(4):527-536.

Balamurugan A, Rees JR, Kosary C, Rim SH, Li J, Stewart SL. Subsequent primary cancers among men and women with in situ and invasive melanoma of the skin. *J Am Acad Dermatol*. Nov 2011;65(5 Suppl 1):S69-77.

Baldwin LM, Adamache W, Klabunde CN, Kenward K, Dahlman C, J LW. Linking physician characteristics and medicare claims data: issues in data availability, quality, and measurement. *Med Care*. Aug 2002;40(8 Suppl):IV-82-95.

Baldwin LM, Andrilla CH, Porter MP, Rosenblatt RA, Patel S, Doescher MP. Treatment of early-stage prostate cancer among rural and urban patients. *Cancer*. Aug 15 2013;119(16):3067-3075.

Baldwin LM, Cai Y, Larson EH, et al. Access to cancer services for rural colorectal cancer patients. *J Rural Health*. Fall 2008;24(4):390-399.

Baldwin LM, Dobie SA, Billingsley K, et al. Explaining black-white differences in receipt of recommended colon cancer treatment. *J Natl Cancer Inst*. Aug 17 2005;97(16):1211-1220.

Baldwin LM, Dobie SA, Cai Y, Saver BG, Green PK, Wang CY. Receipt of general medical care by colorectal cancer patients: a longitudinal study. *J Am Board Fam Med*. Jan-Feb 2011;24(1):57-68.

Baldwin LM, Klabunde CN, Green P, Barlow W, Wright G. In search of the perfect comorbidity measure for use with administrative claims data: does it exist? *Med Care*. Aug 2006;44(8):745-753.

Baldwin LM, Patel S, Andrilla CH, Rosenblatt RA, Doescher MP. Receipt of recommended radiation therapy among rural and urban cancer patients. *Cancer*. Oct 15 2012;118(20):5100-5109.

Baldwin RT, Preston-Martin S. Epidemiology of brain tumors in childhood--a review. *Toxicol Appl Pharmacol*. Sep 1 2004;199(2):118-131.

Ballard-Barbash R, Potosky AL, Harlan LC, Nayfield SG, Kessler LG. Factors associated with surgical and radiation therapy for early stage breast cancer in older women. *J Natl Cancer Inst*. Jun 5 1996;88(11):716-726.

Ballonoff A, Rusthoven KE, Schwer A, et al. Outcomes and effect of radiotherapy in patients with stage I or II diffuse large B-cell lymphoma: a surveillance, epidemiology, and end results analysis. *Int J Radiat Oncol Biol Phys*. Dec 1 2008;72(5):1465-1471.

Balsara SL, Faerber JA, Spinner NB, Feudtner C. Pediatric mortality in males versus females in the United States, 1999-2008. *Pediatrics*. Oct 2013;132(4):631-638.

Banegas MP, Li CI. Breast cancer characteristics and outcomes among Hispanic Black and Hispanic White women. *Breast Cancer Res Treat.* Aug 2012;134(3):1297-1304.

Bang H. Medical cost analysis: application to colorectal cancer data from the SEER Medicare database. *Contemp Clin Trials.* Oct 2005;26(5):586-597.

Banks K, Tuazon E, Berhane K, et al. Cryptorchidism and testicular germ cell tumors: comprehensive meta-analysis reveals that association between these conditions diminished over time and is modified by clinical characteristics. *Frontiers in endocrinology.* 2012;3:182.

Bansal S, Lewin SN, Burke WM, et al. Sarcoma of the cervix: natural history and outcomes. *Gynecol Oncol.* Aug 1 2010;118(2):134-138.

Bao Y, Michaud DS, Spiegelman D, et al. Folate intake and risk of pancreatic cancer: pooled analysis of prospective cohort studies. *J Natl Cancer Inst.* Dec 21 2011;103(24):1840-1850.

Bapat B, Lindor NM, Baron J, et al. The association of tumor microsatellite instability phenotype with family history of colorectal cancer. *Cancer Epidemiol Biomarkers Prev.* Mar 2009;18(3):967-975.

Barcenas CH, Zhang N, Zhao H, et al. Anthracycline regimen adherence in older patients with early breast cancer. *The oncologist.* 2012;17(3):303-311.

Barney BM, Hitchcock YJ, Sharma P, Shrieve DC, Tward JD. Overall and cause-specific survival for patients undergoing lobectomy, near-total, or total thyroidectomy for differentiated thyroid cancer. *Head Neck.* May 2011;33(5):645-649.

Barnholtz-Sloan JS, Maldonado JL, Williams VL, et al. Racial/ethnic differences in survival among elderly patients with a primary glioblastoma. *J Neurooncol.* Nov 2007;85(2):171-180.

Barnholtz-Sloan JS, Williams VL, Maldonado JL, et al. Patterns of care and outcomes among elderly individuals with primary malignant astrocytoma. *J Neurosurg.* Apr 2008;108(4):642-648.

Barocas DA, Chen V, Cooperberg M, et al. Using a population-based observational cohort study to address difficult comparative effectiveness research questions: the CEASAR study. *Journal of comparative effectiveness research.* Jul 2013;2(4):445-460.

Barrington-Trimis JL, Searles Nielsen S, Preston-Martin S, et al. Parental smoking and risk of childhood brain tumors by functional polymorphisms in polycyclic aromatic hydrocarbon metabolism genes. *PLoS One.* 2013;8(11):e79110.

Bassily MN, Wilson R, Pompei F, Burmistrov D. Cancer survival as a function of age at diagnosis: A study of the Surveillance, Epidemiology and End Results database. *Cancer Epidemiology.* Dec 2010;34(6):667-681.

Basu A, Manning WG. Estimating lifetime or episode-of-illness costs under censoring. *Health Econ.* Sep 2010;19(9):1010-1028.

Basu A, Meltzer D. Implications of spillover effects within the family for medical cost-effectiveness analysis. *Journal of health economics.* Jul 2005;24(4):751-773.

Bates MN. Registry-based case-control study of cancer in California firefighters. *American journal of industrial medicine.* May 2007;50(5):339-344.

Bauer K, Parise C, Caggiano V. Use of ER/PR/HER2 subtypes in conjunction with the 2007 St Gallen Consensus Statement for early breast cancer. *BMC Cancer.* 2010;10:228.

Bauer KR, Brown M, Cress RD, Parise CA, Caggiano V. Descriptive analysis of estrogen receptor (ER)-negative, progesterone receptor (PR)-negative, and HER2-negative invasive breast cancer, the so-called triple-negative phenotype: a population-based study from the California cancer Registry. *Cancer.* May 1 2007;109(9):1721-1728.

Baxter NN, Durham SB, Phillips KA, Habermann EB, Virnig BA. Risk of dementia in older breast cancer survivors: a population-based cohort study of the association with adjuvant chemotherapy. *J Am Geriatr Soc.* Mar 2009;57(3):403-411.

Baxter NN, Habermann EB, Tepper JE, Durham SB, Virnig BA. Risk of pelvic fractures in older women following pelvic irradiation. *Jama.* Nov 23 2005;294(20):2587-2593.

Baxter NN, Hartman LK, Tepper JE, Ricciardi R, Durham SB, Virnig BA. Postoperative irradiation for rectal cancer increases the risk of small bowel obstruction after surgery. *Ann Surg.* Apr 2007;245(4):553-559.

Baxter NN, Ricciardi R, Simunovic M, Urbach DR, Virnig BA. An evaluation of the relationship between lymph node number and staging in pT3 colon cancer using population-based data. *Dis Colon Rectum.* Jan 2010;53(1):65-70.

Baxter NN, Warren JL, Barrett MJ, Stukel TA, Doria-Rose VP. Association Between Colonoscopy and Colorectal Cancer Mortality in a US Cohort According to Site of Cancer and Colonoscopist Specialty. *J Clin Oncol.* Jul 20 2012;30(21):2664-2669.

Bazeh F, Rihani R, Howard S, Sultan I. Comparing adult and pediatric Hodgkin lymphoma in the Surveillance, Epidemiology and End Results Program, 1988-2005: an analysis of 21 734 cases. *Leuk Lymphoma.* Nov 2010;51(12):2198-2207.

Beadle BM, Liao KP, Chambers MS, et al. Evaluating the impact of patient, tumor, and treatment characteristics on the development of jaw complications in patients treated for oral cancers: A SEER-Medicare analysis. *Head Neck.* Nov 2013;35(11):1599-1605.

Beard CJ, Travis LB, Chen MH, et al. Outcomes in stage I testicular seminoma: A population-based study of 9193 patients. *Cancer*. Aug 1 2013;119(15):2771-2777.

Becker A, Roghmann F, Trinh QD, et al. Sociodemographic disparities in the treatment of small renal masses. *BJU Int*. Jun 2013;111(8):E274-282.

Becker N, Falster MO, Vajdic CM, et al. Self-reported history of infections and the risk of non-Hodgkin lymphoma: An InterLymph pooled analysis. *Int J Cancer*. Nov 15 2012;131(10):2342-2348.

Beckjord EB, Arora NK, Bellizzi K, Hamilton AS, Rowland JH. Sexual well-being among survivors of non-Hodgkin lymphoma. *Oncol Nurs Forum*. Sep 2011;38(5):E351-359.

Beckjord EB, Arora NK, McLaughlin W, Oakley-Girvan I, Hamilton AS, Hesse BW. Health-related information needs in a large and diverse sample of adult cancer survivors: implications for cancer care. *J Cancer Surviv*. Sep 2008;2(3):179-189.

Beckmann L, Husing A, Setiawan VW, et al. Comprehensive analysis of hormone and genetic variation in 36 genes related to steroid hormone metabolism in pre- and postmenopausal women from the breast and prostate cancer cohort consortium (BPC3). *J Clin Endocrinol Metab*. Feb 2011;96(2):E360-367.

Beebe-Dimmer J, Morgenstern H, Cetin K, et al. Androgen deprivation therapy and cataract incidence among elderly prostate cancer patients in the United States. *Ann Epidemiol*. Mar 2011;21(3):156-163.

Beebe-Dimmer JL, Cetin K, Shahinian V, et al. Timing of androgen deprivation therapy use and fracture risk among elderly men with prostate cancer in the United States. *Pharmacoepidemiol Drug Saf*. Jan 2012;21(1):70-78.

Begg CB, Cramer LD, Hoskins WJ, Brennan MF. Impact of hospital volume on operative mortality for major cancer surgery. *Jama*. Nov 25 1998;280(20):1747-1751.

Begg CB, Haile RW, Borg A, et al. Variation of breast cancer risk among BRCA1/2 carriers. *Jama*. Jan 9 2008;299(2):194-201.

Begg CB, Riedel ER, Bach PB, et al. Variations in morbidity after radical prostatectomy. *N Engl J Med*. Apr 11 2002;346(15):1138-1144.

Begg CB, Zabor EC, Bernstein JL, Bernstein L, Press MF, Seshan VE. A conceptual and methodological framework for investigating etiologic heterogeneity. *Stat Med*. Dec 20 2013;32(29):5039-5052.

Bekelman JE, Handorf EA, Guzzo T, et al. Radical Cystectomy versus Bladder-Preserving Therapy for Muscle-Invasive Urothelial Carcinoma: Examining Confounding and Misclassification Bias in Cancer Observational Comparative Effectiveness Research. *Value Health*. Jun 2013;16(4):610-618.

Bekelman JE, Mitra N, Efstathiou J, et al. Outcomes after intensity-modulated versus conformal radiotherapy in older men with nonmetastatic prostate cancer. *Int J Radiat Oncol Biol Phys*. Nov 15 2011;81(4):e325-334.

Bell DW, Kim SH, Godwin AK, et al. Genetic and functional analysis of CHEK2 (CHK2) variants in multiethnic cohorts. *Int J Cancer*. Dec 15 2007;121(12):2661-2667.

Belle FN, Kampman E, McTiernan A, et al. Dietary fiber, carbohydrates, glycemic index, and glycemic load in relation to breast cancer prognosis in the HEAL cohort. *Cancer Epidemiol Biomarkers Prev*. May 2011;20(5):890-899.

Bellizzi KM, Aziz NM, Rowland JH, et al. Double Jeopardy? Age, Race, and HRQOL in Older Adults with Cancer. *Journal of cancer epidemiology*. 2012;2012:478642.

Bellizzi KM, Rowland JH, Arora NK, Hamilton AS, Miller MF, Aziz NM. Physical activity and quality of life in adult survivors of non-Hodgkin's lymphoma. *J Clin Oncol*. Feb 20 2009;27(6):960-966.

Bellizzi KM, Smith A, Schmidt S, et al. Positive and negative psychosocial impact of being diagnosed with cancer as an adolescent or young adult. *Cancer*. Oct 15 2012;118(20):5155-5162.

Bellizzi KM, Smith AW, Reeve BB, et al. Posttraumatic growth and health-related quality of life in a racially diverse cohort of breast cancer survivors. *J Health Psychol*. May 2010;15(4):615-626.

Benton B, Henderson BE. Environmental exposure and bladder cancer in young males. *J Natl Cancer Inst*. Jul 1973;51(1):269-270.

Beral V, Bull D, Doll R, Peto R, Reeves G. Breast cancer and abortion: collaborative reanalysis of data from 53 epidemiological studies, including 83?000 women with breast cancer from 16 countries. *Lancet*. Mar 27 2004;363(9414):1007-1016.

Berge V, Thompson T, Blackman D. Additional surgical intervention after radical prostatectomy, radiation therapy, androgen-deprivation therapy, or watchful waiting. *Eur Urol*. Oct 2007;52(4):1036-1043.

Bergman J, Saigal CS, Lorenz KA, et al. Hospice use and high-intensity care in men dying of prostate cancer. *Arch Intern Med*. Feb 14 2011;171(3):204-210.

Berndt SI, Carter HB, Schoenberg MP, Newschaffer CJ. Disparities in treatment and outcome for renal cell cancer among older black and white patients. *J Clin Oncol.* Aug 20 2007;25(24):3589-3595.

Berndt SI, Sampson J, Yeager M, et al. Large-scale fine mapping of the HNF1B locus and prostate cancer risk. *Hum Mol Genet.* Aug 15 2011;20(16):3322-3329.

Berndt SI, Skibola CF, Joseph V, et al. Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. *Nat Genet.* Aug 2013;45(8):868-876.

Bernstein JL, Bernstein L, Thompson WD, et al. ATM variants 7271T>G and IVS10-6T>G among women with unilateral and bilateral breast cancer. *Br J Cancer.* Oct 20 2003;89(8):1513-1516.

Bernstein JL, Concannon P, Langholz B, et al. Multi-center screening of mutations in the ATM gene among women with breast cancer - the WECARE Study. *Radiation research.* Jun 2005;163(6):698-699.

Bernstein JL, Haile RW, Stovall M, et al. Radiation exposure, the ATM Gene, and contralateral breast cancer in the women's environmental cancer and radiation epidemiology study. *J Natl Cancer Inst.* Apr 7 2010;102(7):475-483.

Bernstein JL, Langholz B, Haile RW, et al. Study design: evaluating gene-environment interactions in the etiology of breast cancer - the WECARE study. *Breast Cancer Res.* 2004;6(3):R199-214.

Bernstein JL, Teraoka S, Haile RW, et al. Designing and implementing quality control for multi-center screening of mutations in the ATM gene among women with breast cancer. *Hum Mutat.* May 2003;21(5):542-550.

Bernstein JL, Thomas DC, Shore RE, et al. Contralateral breast cancer after radiotherapy among BRCA1 and BRCA2 mutation carriers: A WECARE Study Report. *Eur J Cancer.* Sep 2013;49(14):2979-2985.

Bernstein L. The incidence of adenocarcinoma of the esophagus is currently increasing and accounts for 50% of esophageal carcinomas in some series. In: Guili R, Tytgat TNJ, T.R. D, Galmiche JP, eds. *The Esophageal Mucosa.* Amsterdam: Elsevier; 1994:1059-1065.

Bernstein L. La epidemiologia del cancer de mama. *Medico Interamericano.* 1997;16:597-599.

Bernstein L. Barrett's esophagus and adenocarcinoma: epidemiology. In: MC P, ed. *American Society of Clinical Oncology Education Book.* Alexandria, VA: ASCO; 1999:99-105.

Bernstein L. Epidemiology of breast carcinoma in situ. In: Silverstein M, ed. *Ductal Carcinoma In Situ of the Breast.* 2nd ed. Philadelphia, PA: Lippincott, Williams and Wilkins; 2002:22-34.

Bernstein L. Epidemiology of endocrine-related risk factors for breast cancer. *J Mammary Gland Biol Neoplasia*. Jan 2002;7(1):3-15.

Bernstein L. Endocrine risk factors. In: Morrow M, Jordan VC, eds. *Managing Breast Cancer Risk*. Hamilton, Ontario, Canada: B.C. Decker, Inc.; 2003:43-56.

Bernstein L. What are the epidemiologic similarities and differences between carcinomas arising in Barrett's mucosa and in the gastric cardia? In: Guili R, Siewert JR, Couturier D, Scarpignato C, eds. *Barrett's Esophagus: Columnar Lined Esophagus*. Vol II. Montrouge, France: John Libbey Eurotext Ltd.; 2003:207-210.

Bernstein L. Obesity, physical activity, and cancer risk. In: Perry MC, ed. *American Society of Clinical Oncology Education Book*. Alexandria, VA: ASCO; 2004:557-561.

Bernstein L. Control recruitment in population-based case-control studies. *Epidemiology*. May 2006;17(3):255-257.

Bernstein L. The risk of breast, endometrial and ovarian cancer in users of hormonal preparations. *Basic & clinical pharmacology & toxicology*. Mar 2006;98(3):288-296.

Bernstein L, Allen M, Anton-Culver H, et al. High breast cancer incidence rates among California teachers: results from the California Teachers Study (United States). *Cancer Causes Control*. Sep 2002;13(7):625-635.

Bernstein L, Chilvers C, Murrells T, Pike MC. Month of birth of men with malignant germ cell tumours of the testis. *J Epidemiol Community Health*. Sep 1986;40(3):214-217.

Bernstein L, Cozen W. Non-Hodgkin's lymphoma and multiple myeloma: epidemiology. In: Bertino JR, ed. *Encyclopedia of Cancer*. 2nd ed. San Diego, CA: Academic Press; 2002:329-336.

Bernstein L, Deapen D, Cerhan JR, et al. Tamoxifen therapy for breast cancer and endometrial cancer risk. *J Natl Cancer Inst*. Oct 6 1999;91(19):1654-1662.

Bernstein L, Deapen D, Ross RK. Mycosis fungoides. *JAMA*. 1989;261:1882.

Bernstein L, Deapen D, Ross RK. The descriptive epidemiology of malignant cystosarcoma phyllodes tumors of the breast. *Cancer*. May 15 1993;71(10):3020-3024.

Bernstein L, G.J. G. Carcinomas and other malignant epithelial neoplasms. In: Ries LAG, Smith MA, Burney JG, et al., eds. *Cancer Incidence and Survival among Children and Adolescents: United States SEER Program 1975-1995*. NIH Publ No. 99-4649 ed. Bethesda, MA: National Cancer Institute, SEER Program; 1999.

Bernstein L, Hanisch R, Sullivan-Halley J, Ross RK. Treatment with human chorionic gonadotropin and risk of breast cancer. *Cancer Epidemiol Biomarkers Prev*. Jul-Aug 1995;4(5):437-440.

Bernstein L, Henderson BE. Exogenous hormones. In: Schottenfeld D, Fraumeni J, eds. *Cancer Epidemiology and Prevention*. 2nd ed. New York, NY: Oxford University Press; 1996:462-488.

Bernstein L, Henderson BE, Hanisch R, Sullivan-Halley J, Ross RK. Physical exercise and reduced risk of breast cancer in young women. *J Natl Cancer Inst*. Sep 21 1994;86(18):1403-1408.

Bernstein L, Levin D, Menck H, Ross RK. AIDS-related secular trends in cancer in Los Angeles County men: a comparison by marital status. *Cancer Res*. Jan 15 1989;49(2):466-470.

Bernstein L, Linet M, Smith MA, Olshan AF. Renal tumors. In: Ries LAG, Smith MA, Gurney JG, et al., eds. *Cancer Incidence and Survival among Children and Adolescents: United States SEER Program 1975-1995*. NIH Publ No. 99-4649 ed. Bethesda, MD: National Cancer Institute, SEER Program; 1999.

Bernstein L, Miu A, Monroe K, Henderson BE, Ross RK. Cancer incidence among Filipinos in Los Angeles County, 1972-1991. *Int J Cancer*. Nov 3 1995;63(3):345-348.

Bernstein L, Newton P, Ross RK. Epidemiology of hairy cell leukemia in Los Angeles County. *Cancer Res*. Jun 15 1990;50(12):3605-3609.

Bernstein L, Patel AV, Ursin G, et al. Lifetime recreational exercise activity and breast cancer risk among black women and white women. *J Natl Cancer Inst*. Nov 16 2005;97(22):1671-1679.

Bernstein L, Pearce CL, Ross RK, Henderson BE. Hormones and the etiology of cancer. In: Kufe DW, Bast RC, Hait WN, et al., eds. *Cancer Medicine*. 7th ed. Hamilton, Ontario, Canada: B.C. Decker, Inc.; 2006:259-269.

Bernstein L, Pike MC, Kralo MD, Henderson BE. Update of the Los Angeles study of oral contraceptives and breast cancer: 1981 and 1983. In: Mann R, ed. *Oral Contraceptives and Breast Cancer*. London: Parthenon Press in association with The Royal Society of Medicine, London; 1990.

Bernstein L, Pike MC, Ross RK, Henderson BE. Age at menarche and estrogen concentrations of adult women. *Cancer Causes Control*. Jul 1991;2(4):221-225.

Bernstein L, Reynolds P, Flannery TJ. Cancer in Italian migrants to the United States. In: Parkin M, Matos E, eds. *Cancer in Italian Migrant Populations*. Lyon, France: IARC Publ No. 123; 1993:67-94.

Bernstein L, Ross RK. Cancer in Los Angeles County: A portrait of incidence and mortality, 1972-1987. Los Angeles: Kenneth Norris Jr. Comprehensive Cancer Center. University of Southern California; 1991.

Bernstein L, Ross RK. Prior medication use and health history as risk factors for non-Hodgkin's lymphoma: preliminary results from a case-control study in Los Angeles County. *Cancer Res.* Oct 1 1992;52(19 Suppl):5510s-5515s.

Bernstein L, Ross RK. Endogenous hormones and breast cancer risk. *Epidemiol Rev.* 1993;15(1):48-65.

Bernstein L, Ross RK. Re: Physical activity and breast cancer risk in a cohort of young women. *J Natl Cancer Inst.* Dec 16 1998;90(24):1907-1909.

Bernstein L, Ross RK, Henderson BE. Relationship of hormone use to cancer risk. *Journal of the National Cancer Institute. Monographs.* 1992(12):137-147.

Bernstein L, Ross RK, Henderson BE. Cancer prevention: Hormones. In: Devita V, Hellman S, Rosenberg SA, eds. *Cancer: Principles and Practices of Oncology.* 5th ed. Philadelphia, PA: Lippincott-Raven Press; 1997:609-617.

Bernstein L, Ross RK, Pike MC, Brown JB, Henderson BE. Hormone levels in older women: a study of post-menopausal breast cancer patients and healthy population controls. *Br J Cancer.* Feb 1990;61(2):298-302.

Bernstein L, Ross RK, Pike MC, Casagrande JT, Henderson BE. Urinary estrogens and male-to-female breast cancer ratios. *Int J Cancer.* Nov 15 1989;44(5):954-956.

Bernstein L, Smith MA, Liu L, Deapen D, Griedman DL. Germ-cell, trophoblastic and other gonadal tumors. In: Ries LAG, Smith MA, Gurney JG, et al., eds. *Cancer Incidence and Survival among Children and Adolescents.* NIH Publ No. 99-4649 ed. Bethesda, MD: National Cancer Institute, SEER Program; 1999.

Bernstein L, Sullivan-Halley J, Kralio MD, Hammond GD. Trends in patterns of treatment of childhood cancer in Los Angeles County. *Cancer.* May 15 1993;71(10 Suppl):3222-3228.

Bernstein L, Teal CR, Joslyn S, Wilson J. Ethnicity-related variation in breast cancer risk factors. *Cancer.* Jan 1 2003;97(1 Suppl):222-229.

Bernstein L, Wu A. Adenocarcinoma at the EGJ: What is the role of dietary intake in their development? In: Guili R, Galmiche JP, Jamieson GG, Scarpignato C, eds. *The Esophagogastric Junction.* Amsterdam: Elsevier; 1998:1144-1151.

Bernstein L, Wu AH. Colon and Rectal Cancer among Asian Americans and Pacific Islanders. *Asian Am Pac Isl J Health.* Summer 1998;6(2):184-200.

Bernstein L, Yuan J-M, Ross RK, et al. Serum hormone levels in pre-menopausal Chinese women in Shanghai and white women in Los Angeles: results from two breast cancer case-control studies. *Cancer Causes Control*. July 1990;1(1):51-58.

Berrington de Gonzalez A. Sample-size efficiencies via the multiple-primary-cancer study: why fewer cases may not mean less work. *Epidemiology*. May 2010;21(3):373-375.

Berry MF, Worni M, Pietrobon R, D'Amico TA, Akushevich I. Variability in the Treatment of Elderly Patients with Stage IIIA (N2) Non-Small-Cell Lung Cancer. *J Thorac Oncol*. Jun 2013;8(6):744-752.

Berstad P, Coates RJ, Bernstein L, et al. A case-control study of body mass index and breast cancer risk in white and African-American women. *Cancer Epidemiol Biomarkers Prev*. Jun 2010;19(6):1532-1544.

Berstad P, Ma H, Bernstein L, Ursin G. Alcohol intake and breast cancer risk among young women. *Breast Cancer Res Treat*. Mar 2008;108(1):113-120.

Bertelsen L, Bernstein L, Olsen JH, et al. Effect of systemic adjuvant treatment on risk for contralateral breast cancer in the Women's Environment, Cancer and Radiation Epidemiology Study. *J Natl Cancer Inst*. Jan 2 2008;100(1):32-40.

Berthiller J, Lee YC, Boffetta P, et al. Marijuana smoking and the risk of head and neck cancer: pooled analysis in the INHANCE consortium. *Cancer Epidemiol Biomarkers Prev*. May 2009;18(5):1544-1551.

Bertoni JM, Arlette JP, Fernandez HH, et al. Increased melanoma risk in Parkinson disease: a prospective clinicopathological study. *Arch Neurol*. Mar 2010;67(3):347-352.

Berz D, Rizack T, Weitzen S, Mega A, Renzulli J, Colvin G. Survival of patients with squamous cell malignancies of the upper urinary tract. *Clinical Medicine Insights. Oncology*. 2012;6:11-18.

Bessonova L, Taylor TH, Mehta RS, Zell JA, Anton-Culver H. Risk of a second breast cancer associated with hormone-receptor and HER2/neu status of the first breast cancer. *Cancer Epidemiol Biomarkers Prev*. Feb 2011;20(2):389-396.

Bezuhly M, Temple C, Sigurdson LJ, Davis RB, Flowerdew G, Cook EF, Jr. Immediate postmastectomy reconstruction is associated with improved breast cancer-specific survival: evidence and new challenges from the Surveillance, Epidemiology, and End Results database. *Cancer*. Oct 15 2009;115(20):4648-4654.

Bhangui A, Brown G, Nicholls RJ, Wong J, Darzi A, Tekkis P. Survival Outcome of Local Excision versus Radical Resection of Colon or Rectal Carcinoma: A Surveillance, Epidemiology, and End Results (SEER) Population-Based Study. *Ann Surg*. Oct 2013;258(4):563-571.

Bhangui A, Kiran RP, Slesser A, Fitzgerald JE, Brown G, Tekkis P. Survival after resection of colorectal cancer based on anatomical segment of involvement. *Ann Surg Oncol*. Dec 2013;20(13):4161-4168.

Bhaskarla A, Tang PC, Mashtare T, et al. Analysis of second primary lung cancers in the SEER database. *J Surg Res*. Jul 2010;162(1):1-6.

Bhatia K, Shiels MS, Berg A, Engels EA. Sarcomas other than Kaposi sarcoma occurring in immunodeficiency: interpretations from a systematic literature review. *Current opinion in oncology*. Sep 2012;24(5):537-546.

Bian J, Krontiras H, Allison J. Outpatient mastectomy and breast reconstructive surgery. *Ann Surg Oncol*. Apr 2008;15(4):1032-1039.

Bianchi M, Becker A, Abdollah F, et al. Rates of open versus laparoscopic and partial versus radical nephrectomy for T1a renal cell carcinoma: A population-based evaluation. *International journal of urology : official journal of the Japanese Urological Association*. Nov 2013;20(11):1064-1071.

Bianchi M, Becker A, Hansen J, et al. Conditional survival after nephrectomy for renal cell carcinoma (RCC): changes in future survival probability over time. *BJU Int*. Jun 2013;111(8):E283-289.

Bianchi M, Becker A, Trinh QD, et al. An analysis of patients with T2 renal cell carcinoma (RCC) according to tumour size: a population-based analysis. *BJU Int*. Jun 2013;111(8):1184-1190.

Bianco FJ, Jr., Riedel ER, Begg CB, Kattan MW, Scardino PT. Variations among high volume surgeons in the rate of complications after radical prostatectomy: further evidence that technique matters. *J Urol*. Jun 2005;173(6):2099-2103.

Biggar RJ, Chaturvedi AK, Goedert JJ, Engels EA. AIDS-related cancer and severity of immunosuppression in persons with AIDS. *J Natl Cancer Inst*. Jun 20 2007;99(12):962-972.

Biggar RJ, Engels EA, Frisch M, Goedert JJ. Risk of T-cell lymphomas in persons with AIDS. *Journal of acquired immune deficiency syndromes (1999)*. Apr 1 2001;26(4):371-376.

Biggar RJ, Frisch M, Goedert JJ. Risk of cancer in children with AIDS. *AIDS-Cancer Match Registry Study Group. Jama*. Jul 12 2000;284(2):205-209.

Biggar RJ, Jaffe ES, Goedert JJ, Chaturvedi A, Pfeiffer R, Engels EA. Hodgkin lymphoma and immunodeficiency in persons with HIV/AIDS. *Blood*. Dec 1 2006;108(12):3786-3791.

Biggar RJ, Kirby KA, Atkinson J, McNeel TS, Engels E. Cancer risk in elderly persons with HIV/AIDS. *Journal of acquired immune deficiency syndromes* (1999). Jul 1 2004;36(3):861-868.

Biggar RJ, Rosenberg PS, Cote T. Kaposi's sarcoma and non-Hodgkin's lymphoma following the diagnosis of AIDS. Multistate AIDS/Cancer Match Study Group. *Int J Cancer*. Dec 11 1996;68(6):754-758.

Bischoff LA, Curry J, Ahmed I, Pribitkin E, Miller JL. Is above age 45 appropriate for upstaging well-differentiated papillary thyroid cancer? *Endocrine practice : official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists*. Nov-Dec 2013;19(6):995-997.

Bishop AJ, McDonald MW, Chang AL, Esiashvili N. Infant Brain Tumors: Incidence, Survival, and the Role of Radiation Based on Surveillance, Epidemiology, and End Results (SEER) Data. *Int J Radiat Oncol Biol Phys*. Jan 1 2012;82(1):341-347.

Blake C, Tsao JL, Wu A, Shibata D. Stepwise deletions of polyA sequences in mismatch repair-deficient colorectal cancers. *Am J Pathol*. May 2001;158(5):1867-1870.

Blanco D, Ross RK, Paganini-Hill A, Henderson BE. Cholecystectomy and colonic cancer. *Dis Colon Rectum*. May 1984;27(5):290-292.

Blazer DG, 3rd, Lazar AJ, Xing Y, et al. Clinical outcomes of molecularly confirmed clear cell sarcoma from a single institution and in comparison with data from the Surveillance, Epidemiology, and End Results registry. *Cancer*. Apr 28 2009;115(13):2971-2979.

Bleicher RJ, Abrahamse P, Hawley ST, Katz SJ, Morrow M. The influence of age on the breast surgery decision-making process. *Ann Surg Oncol*. Mar 2008;15(3):854-862.

Bleyer A. Cancer of the oral cavity and pharynx in young females: increasing incidence, role of human papilloma virus, and lack of survival improvement. *Semin Oncol*. Oct 2009;36(5):451-459.

Bleyer A, Barr R. Cancer in young adults 20 to 39 years of age: overview. *Semin Oncol*. Jun 2009;36(3):194-206.

Bleyer A, Barr R. Introduction--impact of malignant diseases on young adults II. *Semin Oncol*. Oct 2009;36(5):380.

Blot WJ, Le Marchand L, Boice JD, Jr., Henderson BE. Thyroid cancer in the Pacific. *J Natl Cancer Inst*. Jan 1 1997;89(1):90-91.

Blot WJ, McLaughlin JK, Winn DM, et al. Smoking and drinking in relation to oral and pharyngeal cancer. *Cancer Res*. Jun 1 1988;48(11):3282-3287.

Blowers L, Preston-Martin S, Mack WJ. Dietary and other lifestyle factors of women with brain gliomas in Los Angeles County (California, USA). *Cancer Causes Control*. Jan 1997;8(1):5-12.

Boehmer U, Ozonoff A, Miao X. An ecological analysis of colorectal cancer incidence and mortality: differences by sexual orientation. *BMC Cancer*. 2011;11:400.

Boehmer U, Ozonoff A, Miao X. An ecological approach to examine lung cancer disparities due to sexual orientation. *Public health*. Jul 2012;126(7):605-612.

Boffetta P, Jayaprakash V, Yang P, et al. Tobacco smoking as a risk factor of bronchioloalveolar carcinoma of the lung: pooled analysis of seven case-control studies in the International Lung Cancer Consortium (ILCCO). *Cancer Causes Control*. Jan 2011;22(1):73-79.

Bohanes P, Yang D, Chhibar RS, et al. Influence of sex on the survival of patients with esophageal cancer. *J Clin Oncol*. Jun 20 2012;30(18):2265-2272.

Boivin JF, Hutchison GB, Zauber AG, et al. Incidence of second cancers in patients treated for Hodgkin's disease. *J Natl Cancer Inst*. May 17 1995;87(10):732-741.

Bolton KL, Tyrer J, Song H, et al. Common variants at 19p13 are associated with susceptibility to ovarian cancer. *Nat Genet*. Oct 2010;42(10):880-884.

Boltz MM, Hollenbeck CS, Schaefer E, Goldenberg D, Saunders BD. Attributable costs of differentiated thyroid cancer in the elderly Medicare population. *Surgery*. Dec 2013;154(6):1363-1370.

Borg A, Haile RW, Malone KE, et al. Characterization of BRCA1 and BRCA2 deleterious mutations and variants of unknown clinical significance in unilateral and bilateral breast cancer: the WE CARE study. *Hum Mutat*. Mar 2010;31(3):E1200-1240.

Borugian MJ, Sheps SB, Whittemore AS, Wu AH, Potter JD, Gallagher RP. Carbohydrates and colorectal cancer risk among Chinese in North America. *Cancer Epidemiol Biomarkers Prev*. Feb 2002;11(2):187-193.

Borugian MJ, Spinelli JJ, Sun Z, et al. Prostate cancer risk in relation to insulin-like growth factor (IGF)-I and IGF-binding protein-3: a prospective multiethnic study. *Cancer Epidemiol Biomarkers Prev*. Jan 2008;17(1):252-254.

Boscoe FP, Johnson CJ, Henry KA, et al. Geographic proximity to treatment for early stage breast cancer and likelihood of mastectomy. *Breast*. Aug 2011;20(4):324-328.

Bosetti C, Kolonel L, Negri E, et al. A pooled analysis of case-control studies of thyroid cancer. VI. Fish and shellfish consumption. *Cancer Causes Control*. May 2001;12(4):375-382.

Bosetti C, Negri E, Kolonel L, et al. A pooled analysis of case-control studies of thyroid cancer. VII. Cruciferous and other vegetables (International). *Cancer Causes Control*. Oct 2002;13(8):765-775.

Boukheris H, Curtis RE, Land CE, Dores GM. Incidence of carcinoma of the major salivary glands according to the WHO classification, 1992 to 2006: a population-based study in the United States. *Cancer Epidemiol Biomarkers Prev*. Nov 2009;18(11):2899-2906.

Bowen DJ, Alfano CM, McGregor BA, et al. Possible socioeconomic and ethnic disparities in quality of life in a cohort of breast cancer survivors. *Breast Cancer Res Treat*. Jan 27 2007;106:85-95.

Bowles TL, Hu CY, You NY, Skibber JM, Rodriguez-Bigas MA, Chang GJ. An individualized conditional survival calculator for patients with rectal cancer. *Dis Colon Rectum*. May 2013;56(5):551-559.

Bowman JD, Garabrant DH, Sobel E, Peters JM. Exposures to extremely low frequency (ELF) electromagnetic fields in occupations with elevated leukemia rates. *Appl Indust Hyg*. 1988;3:189-194.

Bowman JD, Sobel E, London SJ, et al. Electric and magnetic field exposures, chemical exposures in leukemia risk in "electrical" occupations. Electric Power Research Institute (EPRI TR-101723), RP799-27. December 1992.

Bowman JD, Thomas DC, Jiang L, Jiang F, Peters JM. Residential magnetic fields predicted from wiring configurations: I. Exposure model. *Bioelectromagnetics*. Oct 1999;20(7):399-413.

Bowman JD, Thomas DC, London SJ, Peters JM. Hypothesis: the risk of childhood leukemia is related to combinations of power-frequency and static magnetic fields. *Bioelectromagnetics*. 1995;16(1):48-59.

Boyd CA, Benaroch-Gampel J, Sheffield KM, Cooksley CD, Riall TS. 415 patients with adenosquamous carcinoma of the pancreas: a population-based analysis of prognosis and survival. *J Surg Res*. May 1 2012;174(1):12-19.

Boyd CA, Branch DW, Sheffield KM, et al. Hospital and medical care days in pancreatic cancer. *Ann Surg Oncol*. Aug 2012;19(8):2435-2442.

Bradford PT, Devesa SS, Anderson WF, Toro JR. Cutaneous lymphoma incidence patterns in the United States: a population-based study of 3884 cases. *Blood*. May 21 2009;113(21):5064-5073.

Brannan AG, Johnstone PA, Cooper J. Extracapsular tumor extension in cervical lymph nodes: reconciling the literature and seer data. *Head Neck*. Apr 2011;33(4):525-528.

Brawarsky P, Neville BA, Fitzmaurice GM, Earle C, Haas JS. Surveillance after resection for colorectal cancer. *Cancer*. Mar 15 2013;119(6):1235-1242.

Brawarsky P, Neville BA, Fitzmaurice GM, Hassett MJ, Haas JS. Use of annual mammography among older women with ductal carcinoma in situ. *J Gen Intern Med*. May 2012;27(5):500-505.

Brennan P, Buffler PA, Reynolds P, et al. Secondhand smoke exposure in adulthood and risk of lung cancer among never smokers: a pooled analysis of two large studies. *Int J Cancer*. Mar 2004;109(1):125-131.

Breslin TM, Morris AM, Gu N, et al. Hospital factors and racial disparities in mortality after surgery for breast and colon cancer. *J Clin Oncol*. Aug 20 2009;27(24):3945-3950.

Breunig IM, Shaya FT, Hanna N, Seal B, Chirikov VV, Daniel Mullins C. Transarterial Chemoembolization Treatment: Association between Multiple Treatments, Cumulative Expenditures, and Survival. *Value Health*. Jul-Aug 2013;16(5):760-768.

Breunig IM, Shaya FT, Hanna NN, Chirikov VV, Seal B, Mullins CD. The use of transarterial chemoembolization for treating hepatocellular carcinoma in the seer-medicare population. *Value Health*. May 2013;16(3):A1-2.

Brevik A, Joshi AD, Corral R, et al. Polymorphisms in base excision repair genes as colorectal cancer risk factors and modifiers of the effect of diets high in red meat. *Cancer Epidemiol Biomarkers Prev*. Dec 2010;19(12):3167-3173.

Brewer JD, Shanafelt TD, Otley CC, et al. Chronic Lymphocytic Leukemia Is Associated With Decreased Survival of Patients With Malignant Melanoma and Merkel Cell Carcinoma in a SEER Population-Based Study. *J Clin Oncol*. Mar 10 2012;30(8):843-849.

Brinton LA, Gierach GL, Andaya A, et al. Reproductive and hormonal factors and lung cancer risk in the NIH-AARP Diet and Health Study cohort. *Cancer Epidemiol Biomarkers Prev*. May 2011;20(5):900-911.

Brinton LA, Sherman ME, Carreon JD, Anderson WF. Recent trends in breast cancer among younger women in the United States. *J Natl Cancer Inst*. Nov 19 2008;100(22):1643-1648.

Brisbin AG, Asmann YW, Song H, et al. Meta-analysis of 8q24 for seven cancers reveals a locus between NOV and ENPP2 associated with cancer development. *BMC medical genetics*. 2011;12:156.

Broaddus E, Topham A, Singh AD. Survival with retinoblastoma in the USA: 1975-2004. *The British journal of ophthalmology*. Jan 2009;93(1):24-27.

Brody JG, Rudel RA, Michels KB, et al. Environmental pollutants, diet, physical activity, body size, and breast cancer: where do we stand in research to identify opportunities for prevention? *Cancer*. Jun 15 2007;109(12 Suppl):2627-2634.

Broeks A, Schmidt MK, Sherman ME, et al. Low penetrance breast cancer susceptibility loci are associated with specific breast tumor subtypes: findings from the Breast Cancer Association Consortium. *Hum Mol Genet*. Aug 15 2011;20(16):3289-3303.

Brooks GA, Li L, Sharma DB, et al. Regional variation in spending and survival for older adults with advanced cancer. *J Natl Cancer Inst*. May 1 2013;105(9):634-642.

Brooks JD, Bernstein L, Teraoka SN, et al. Variation in Genes Related to Obesity, Weight, and Weight Change and Risk of Contralateral Breast Cancer in the WECARE Study Population. *Cancer Epidemiol Biomarkers Prev*. Dec 2012;21(12):2261-2267.

Brooks JD, Boice JD, Jr., Stovall M, et al. Reproductive Status at First Diagnosis Influences Risk of Radiation-Induced Second Primary Contralateral Breast Cancer in the WECARE Study. *Int J Radiat Oncol Biol Phys*. Nov 15 2012;84(4):917-924.

Brooks JD, John EM, Mellemkjaer L, et al. Body mass index and risk of second primary breast cancer: The WECARE Study. *Breast Cancer Res Treat*. Jan 2012;131(2):571-580.

Brooks JD, Teraoka SN, Bernstein L, et al. Common variants in genes coding for chemotherapy metabolizing enzymes, transporters, and targets: a case-control study of contralateral breast cancer risk in the WECARE Study. *Cancer Causes Control*. Aug 2013;24(8):1605-1614.

Brooks JD, Teraoka SN, Malone KE, et al. Variants in tamoxifen metabolizing genes: a case-control study of contralateral breast cancer risk in the WECARE study. *Int J Mol Epidemiol Genet*. 2013;4(1):35-48.

Brooks JD, Teraoka SN, Reiner AS, et al. Variants in activators and downstream targets of ATM, radiation exposure, and contralateral breast cancer risk in the WECARE study. *Hum Mutat*. Jan 2012;33(1):158-164.

Brooks JM, Chrischilles E, Scott S, Ritho J, Chen-Hardee S. Information gained from linking SEER Cancer Registry Data to state-level hospital discharge abstracts. *Surveillance, Epidemiology, and End Results. Med Care*. Nov 2000;38(11):1131-1140.

Brophy M, Fals J, Vukasin P, et al. Does designated surgical interest improve surgical results? *Dis Colon Rectum*. 1998;41(4):A10-A11.

Brown LM, Check DP, Devesa SS. Oropharyngeal cancer incidence trends: diminishing racial disparities. *Cancer Causes Control*. May 2011;22(5):753-763.

Brown LM, Gridley G, Wu AH, et al. Low level alcohol intake, cigarette smoking and risk of breast cancer in Asian-American women. *Breast Cancer Res Treat*. Feb 2010;120(1):203-210.

Brown M, Bauer K, Pare M. Tumor marker phenotype concordance in second primary breast cancer, California, 1999-2004. *Breast Cancer Res Treat*. Feb 2010;120(1):217-227.

Brown M, Brunson A, Wun T. A Method to Identify California's Sickle-Cell Disease Population and its Linkage to the California Cancer Registry. *J Registry Manag*. Summer 2012;39(2):53-61.

Brown M, Schrot R, Bauer K, Dodge J. Incidence of first primary central nervous system tumors in California, 2001-2005: children, adolescents and teens. *J Neurooncol*. Sep 2009;94(2):263-273.

Brown M, Schrot R, Bauer K, Letendre D. Incidence of first primary central nervous system tumors in California, 2001-2005. *J Neurooncol*. Sep 2009;94(2):249-261.

Brown M, Tsodikov A, Bauer KR, Parise CA, Caggiano V. The role of human epidermal growth factor receptor 2 in the survival of women with estrogen and progesterone receptor-negative, invasive breast cancer: the California Cancer Registry, 1999-2004. *Cancer*. Feb 15 2008;112(4):737-747.

Brown ML, Riley GF, Potosky AL, Etzioni RD. Obtaining long-term disease specific costs of care: application to Medicare enrollees diagnosed with colorectal cancer. *Med Care*. Dec 1999;37(12):1249-1259.

Brown ML, Riley GF, Schussler N, Etzioni R. Estimating health care costs related to cancer treatment from SEER-Medicare data. *Med Care*. Aug 2002;40(8 Suppl):IV-104-117.

Brunner AM, Campigotto F, Sadrzadeh H, et al. Trends in all-cause mortality among patients with chronic myeloid leukemia: A Surveillance, Epidemiology, and End Results database analysis. *Cancer*. Jul 15 2013;119(14):2620-2629.

Bu X, Bernstein L. A proposed explanation for female predominance in alveolar soft part sarcoma. Noninactivation of X; autosome translocation fusion gene? *Cancer*. Mar 15 2005;103(6):1245-1253.

Bu X, Bernstein L, Brynes RK. Reduced risk of synovial sarcoma in females: X-chromosome inactivation? *Br J Cancer*. Jul 1 2002;87(1):28-30.

Bu X, Ma Y, Der R, Demeester T, Bernstein L, Chandrasoma PT. Body mass index is associated with Barrett esophagus and cardiac mucosal metaplasia. *Dig Dis Sci*. Sep 2006;51(9):1589-1594.

Buckley JD. Choriocarcinoma. In: Schottenfeld D, Fraumeni J, eds. *Cancer Epidemiology and Prevention*. 2nd ed. New York, NY: Oxford University Press; 1996:1130-1141.

Buckley JD, Henderson BE, Morrow CP, Hammond CB, Kohorn EI, Austin DF. Case-control study of gestational choriocarcinoma. *Cancer Res.* Feb 15 1988;48(4):1004-1010.

Buckley JD, Sather H, Ruccione K, et al. A case-control study of risk factors for hepatoblastoma. A report from the Childrens Cancer Study Group. *Cancer.* Sep 1 1989;64(5):1169-1176.

Bunin GR, Surawicz TS, Witman PA, Preston-Martin S, Davis F, Bruner JM. The descriptive epidemiology of craniopharyngioma. *J Neurosurg.* Oct 1998;89(4):547-551.

Bunin GR, Surawicz TS, Witman PA, Preston-Martin S, Davis F, Bruner JM. The descriptive epidemiology of craniopharyngioma. *Neurosurgical focus.* 1998;3(6).

Burkhardt JH, Litwin MS, Rose CM, et al. Comparing the costs of radiation therapy and radical prostatectomy for the initial treatment of early-stage prostate cancer. *J Clin Oncol.* Jun 15 2002;20(12):2869-2875.

Burkman RT, Tang MT, Malone KE, et al. Infertility drugs and the risk of breast cancer: findings from the National Institute of Child Health and Human Development Women's Contraceptive and Reproductive Experiences Study. *Fertil Steril.* Apr 2003;79(4):844-851.

Burns DM, Anderson CM, Gray N. Do changes in cigarette design influence the rise in adenocarcinoma of the lung? *Cancer Causes Control.* Jan 2011;22(1):13-22.

Butler Nattinger A, Schapira MM, Warren JL, Earle CC. Methodological issues in the use of administrative claims data to study surveillance after cancer treatment. *Med Care.* Aug 2002;40(8 Suppl):IV-69-74.

Buyse S, Wu Y, Carty CL, et al. Evaluation of the Metabochip Genotyping Array in African Americans and Implications for Fine Mapping of GWAS-Identified Loci: The PAGE Study. *PLoS One.* 2012;7(4):e35651.

Buzin CH, Tang SH, Cunningham JM, et al. Low frequency of p53 gene mutations in breast cancers of Japanese-American women. *Nutr Cancer.* 2001;39(1):72-77.

Byfield SA, Earle CC, Ayanian JZ, McCarthy EP. Treatment and outcomes of gastric cancer among United States-born and foreign-born Asians and Pacific Islanders. *Cancer.* Oct 1 2009;115(19):4595-4605.

Cabanillas ME, Lu H, Fang S, Du XL. Elderly patients with non-Hodgkin lymphoma who receive chemotherapy are at higher risk for osteoporosis and fractures. *Leuk Lymphoma.* Aug 2007;48(8):1514-1521.

Cahill KS, Chi JH, Day AL, Claus EB. Trends in survival after surgery for breast cancer metastatic to the brain and spinal column in medicare patients: a population-based analysis. *Neurosurgery.* Mar 2011;68(3):705-713; discussion 713.

Cahill KS, Claus EB. Treatment and survival of patients with nonmalignant intracranial meningioma: results from the Surveillance, Epidemiology, and End Results Program of the National Cancer Institute. Clinical article. *J Neurosurg.* Aug 2011;115(2):259-267.

Cai Q, Long J, Lu W, et al. Genome-wide association study identifies breast cancer risk variant at 10q21.2: results from the Asia Breast Cancer Consortium. *Hum Mol Genet.* Dec 15 2011;20(24):4991-4999.

Cai Q, Wen W, Qu S, et al. Replication and functional genomic analyses of the breast cancer susceptibility locus at 6q25.1 generalize its importance in women of Chinese, Japanese, and European ancestry. *Cancer Res.* Feb 15 2011;71(4):1344-1355.

Cai Y, Cao L, Bao X, Xie L. Second malignant neoplasms in childhood malignant brain tumour: A long-term population-based study. *Journal of paediatrics and child health.* Nov 2012;48(11):990-996.

Calip GS, McDougall JA, Wheldon MC, Li CI, De Roos AJ. Evaluation of seasonality in the diagnosis of acute myeloid leukaemia among adults in the United States, 1992-2008. *Br J Haematol.* Feb 2013;160(3):343-350.

Calvert GM, Luckhaupt S, Lee SJ, et al. Lung cancer risk among construction workers in California, 1988-2007. *American journal of industrial medicine.* May 2012;55(5):412-422.

Campa D, Kaaks R, Le Marchand L, et al. Interactions between genetic variants and breast cancer risk factors in the breast and prostate cancer cohort consortium. *J Natl Cancer Inst.* Aug 17 2011;103(16):1252-1263.

Campbell PT, Jacobs ET, Ulrich CM, et al. Case-control study of overweight, obesity, and colorectal cancer risk, overall and by tumor microsatellite instability status. *J Natl Cancer Inst.* Mar 17 2010;102(6):391-400.

Canchola AJ, Chang ET, Bernstein L, et al. Body size and the risk of ovarian cancer by hormone therapy use in the California Teachers Study cohort. *Cancer Causes Control.* Dec 2010;21(12):2241-2248.

Canchola AJ, Chang ET, Bernstein L, et al. Body size and the risk of endometrial cancer by hormone therapy use in postmenopausal women in the California Teachers Study cohort. *Cancer Causes Control.* Sep 2010;21(9):1407-1416.

Canter D, Egleston B, Wong YN, et al. Use of radical cystectomy as initial therapy for the treatment of high-grade T1 urothelial carcinoma of the bladder: A SEER database analysis. *Urol Oncol.* Aug 2013;31(6):866-870.

Canter RJ, Beal S, Borys D, Martinez SR, Bold RJ, Robbins AS. Interaction of histologic subtype and histologic grade in predicting survival for soft-tissue sarcomas. *J Am Coll Surg*. Feb 2010;210(2):191-198 e192.

Canzian F, Cox DG, Setiawan VW, et al. Comprehensive analysis of common genetic variation in 61 genes related to steroid hormone and insulin-like growth factor-I metabolism and breast cancer risk in the NCI breast and prostate cancer cohort consortium. *Hum Mol Genet*. Oct 1 2010;19(19):3873-3884.

Canzian F, Kaaks R, Cox DG, et al. Genetic polymorphisms of the GNRH1 and GNRHR genes and risk of breast cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). *BMC Cancer*. 2009;9:257.

Capanu M, Concannon P, Haile RW, et al. Assessment of rare BRCA1 and BRCA2 variants of unknown significance using hierarchical modeling. *Genet Epidemiol*. Jul 2011;35(5):389-397.

Cardy AH, Little J, McKean-Cowdin R, et al. Maternal medication use and the risk of brain tumors in the offspring: the SEARCH international case-control study. *Int J Cancer*. Mar 1 2006;118(5):1302-1308.

Caretta-Weyer H, Greenberg CG, Wilke LG, et al. Impact of the American College of Surgeons Oncology Group (ACOSOG) Z0011 trial on clinical management of the axilla in older breast cancer patients: a SEER-medicare analysis. *Ann Surg Oncol*. Dec 2013;20(13):4145-4152.

Carlson MD, Herrin J, Du Q, et al. Impact of hospice disenrollment on health care use and medicare expenditures for patients with cancer. *J Clin Oncol*. Oct 1 2010;28(28):4371-4375.

Carlsson SV, Ehdaie B, Atoria CL, Elkin EB, Eastham JA. Risk of incisional hernia after minimally invasive and open radical prostatectomy. *J Urol*. Nov 2013;190(5):1757-1762.

Carozza SE, Puimala SE, Chow EJ, et al. Parental educational attainment as an indicator of socioeconomic status and risk of childhood cancers. *Br J Cancer*. Jun 29 2010;103(1):136-142.

Carpenter C, Bernstein L. Obesity and cancer. In: Heber D, Blackburn G, Go VLW, Milner J, eds. *Nutritional oncology*. 2nd ed. Amsterdam, Boston: Elsevier-Academic Press; 2006:185-198.

Carpenter CL, Jarvik ME, Morgenstern H, McCarthy WJ, London SJ. Mentholated cigarette smoking and lung-cancer risk. *Ann Epidemiol*. Feb 1999;9(2):114-120.

Carpenter CL, Ross RK, Paganini-Hill A, Bernstein L. Lifetime exercise activity and breast cancer risk among post-menopausal women. *Br J Cancer*. Aug 1999;80(11):1852-1858.

Carpenter CL, Ross RK, Paganini-Hill A, Bernstein L. Effect of family history, obesity and exercise on breast cancer risk among postmenopausal women. *Int J Cancer*. Aug 10 2003;106(1):96-102.

Carpenter CL, Yu MC, London SJ. Dietary Isothiocyanates, Glutathione S-Transferase M1 (GSTM1), and Lung Cancer Risk in African Americans and Caucasians from Los Angeles County, California. *Nutr Cancer*. 2009;61(4):492-499.

Carpenter WR, Howard DL, Taylor YJ, Ross LE, Wobker SE, Godley PA. Racial differences in PSA screening interval and stage at diagnosis. *Cancer Causes Control*. Jul 2010;21(7):1071-1080.

Carpenter WR, Reeder-Hayes K, Bainbridge J, et al. The role of organizational affiliations and research networks in the diffusion of breast cancer treatment innovation. *Med Care*. Feb 2011;49(2):172-179.

Carroll JE, Smith JK, Simons JP, et al. Redefining mortality after pancreatic cancer resection. *J Gastrointest Surg*. Nov 2010;14(11):1701-1708.

Carson AP, Howard DL, Carpenter WR, et al. Trends and racial differences in the use of androgen deprivation therapy for metastatic prostate cancer. *J Pain Symptom Manage*. May 2010;39(5):872-881.

Casagrande J, Gerkins V, Henderson BE, Mack T, Pike MC. Exogenous estrogens and breast cancer in women with natural menopause. *J Natl Cancer Inst*. Apr 1976;56(4):839-841.

Casagrande JT, Hanisch R, Pike MC, Ross RK, Brown JB, Henderson BE. A case-control study of male breast cancer. *Cancer Res*. Mar 1 1988;48(5):1326-1330.

Casagrande JT, Louie EW, Pike MC, Roy S, Ross RK, Henderson BE. "Incessant ovulation" and ovarian cancer. *Lancet*. Jul 28 1979;2(8135):170-173.

Casagrande JT, Pike MC, Henderson BE. Oral contraceptives and ovarian cancer. *N Engl J Med*. Apr 7 1983;308(14):843-844.

Casey G, Lindor NM, Papadopoulos N, et al. Conversion analysis for mutation detection in MLH1 and MSH2 in patients with colorectal cancer. *Jama*. Feb 16 2005;293(7):799-809.

Cash SW, Ma H, Horn-Ross PL, et al. Recreational physical activity and risk of papillary thyroid cancer among women in the California Teachers Study. *Cancer Epidemiol*. Feb 2013;37(1):46-53.

Castelao JE, Gago-Dominguez M, Yuan JM, Ross RK, Yu MC. Phenobarbital use and bladder cancer risk. *European journal of epidemiology*. 2003;18(7):659-664.

Castelao JE, Yuan JM, Gago-Dominguez M, et al. Carotenoids/vitamin C and smoking-related bladder cancer. *Int J Cancer*. Jun 20 2004;110(3):417-423.

Castelao JE, Yuan JM, Gago-Dominguez M, Yu MC, Ross RK. Non-steroidal anti-inflammatory drugs and bladder cancer prevention. *Br J Cancer*. Apr 2000;82(7):1364-1369.

Castelao JE, Yuan JM, Skipper PL, et al. Gender- and smoking-related bladder cancer risk. *J Natl Cancer Inst*. Apr 4 2001;93(7):538-545.

Castillo JJ, Winer ES, Olszewski AJ. Population-based prognostic factors for survival in patients with Burkitt lymphoma: An analysis from the Surveillance, Epidemiology, and End Results database. *Cancer*. Oct 15 2013;119(20):3672-3679.

Castro FA, Koshiol J, Hsing AW, Devesa SS. Biliary tract cancer incidence in the United States-Demographic and temporal variations by anatomic site. *Int J Cancer*. Oct 1 2013;133(7):1664-1671.

Catalano PJ, Ayanian JZ, Weeks JC, et al. Representativeness of Participants in the Cancer Care Outcomes Research and Surveillance Consortium Relative to the Surveillance, Epidemiology, and End Results Program. *Med Care*. Feb 2013;51(2):e9-e15.

Catsburg C, Joshi AD, Corral R, et al. Polymorphisms in carcinogen metabolism enzymes, fish intake, and risk of prostate cancer. *Carcinogenesis*. Jul 2012;33(7):1352-1359.

Cen P, Banki F, Cheng L, et al. Changes in Age, Stage Distribution, and Survival of Patients with Esophageal Adenocarcinoma over Three Decades in the United States. *Ann Surg Oncol*. May 2012;19(5):1685-1691.

Cen P, Liu C, Du XL. Comparison of toxicity profiles of fluorouracil versus oxaliplatin regimens in a large population-based cohort of elderly patients with colorectal cancer. *Ann Oncol*. Jun 2012;23(6):1503-1511.

Centers for Disease Control and Prevention C. Hepatocellular carcinoma - United States, 2001-2006. *MMWR Morb Mortal Wkly Rep*. May 7 2010;59(17):517-520.

Cerhan JR, Bernstein L, Severson RK, et al. Anthropometrics, physical activity, related medical conditions, and the risk of non-hodgkin lymphoma. *Cancer Causes Control*. Dec 2005;16(10):1203-1214.

Cerhan JR, Engels EA, Cozen W, et al. Blood transfusion, anesthesia, surgery and risk of non-Hodgkin lymphoma in a population-based case-control study. *Int J Cancer*. Aug 15 2008;123(4):888-894.

Cerhan JR, Natkunam Y, Morton LM, et al. LIM domain only 2 protein expression, LMO2 germline genetic variation, and overall survival in diffuse large B-cell lymphoma in the pre-rituximab era. *Leuk Lymphoma*. Jun 2012;53(6):1105-1112.

Cerhan JR, Wang S, Maurer MJ, et al. Prognostic significance of host immune gene polymorphisms in follicular lymphoma survival. *Blood*. Jun 15 2007;109(12):5439-5446.

Chai W, Cooney RV, Franke AA, et al. Plasma coenzyme Q10 levels and prostate cancer risk: the multiethnic cohort study. *Cancer Epidemiol Biomarkers Prev*. Apr 2011;20(4):708-710.

Chai W, Cooney RV, Franke AA, et al. Plasma coenzyme Q10 levels and postmenopausal breast cancer risk: the multiethnic cohort study. *Cancer Epidemiol Biomarkers Prev*. Sep 2010;19(9):2351-2356.

Chakrabarti I, Cockburn M, Cozen W, Wang YP, Preston-Martin S. A population-based description of glioblastoma multiforme in Los Angeles County, 1974-1999. *Cancer*. Dec 15 2005;104(12):2798-2806.

Chakraborty S, Hauke RJ, Bonthu N, Tarantolo SR. Increased Incidence of a Second Lymphoproliferative Malignancy in Patients with Multiple Myeloma - a SEER based Study. *Anticancer research*. Oct 2012;32(10):4507-4515.

Chakraborty S, Tarantolo SR, Batra SK, Hauke RJ. Incidence and prognostic significance of second primary cancers in renal cell carcinoma. *Am J Clin Oncol*. Apr 2013;36(2):132-142.

Chamie K, Litwin MS, Bassett JC, et al. Recurrence of high-risk bladder cancer: A population-based analysis. *Cancer*. Sep 1 2013;119(17):3219-3227.

Chamie K, Saigal CS, Lai J, et al. Compliance with guidelines for patients with bladder cancer: variation in the delivery of care. *Cancer*. Dec 1 2011;117(23):5392-5401.

Chamie K, Saigal CS, Lai J, et al. Quality of care in patients with bladder cancer: A case report? *Cancer*. Mar 1 2012;118(5):1412-1421.

Chan JK, Sherman AE, Kapp DS, et al. Influence of gynecologic oncologists on the survival of patients with endometrial cancer. *J Clin Oncol*. Mar 1 2011;29(7):832-838.

Chandran R, Gardiner SK, Simon M, Spurgeon SE. Survival trends in mantle cell lymphoma in the United States over 16 years 1992-2007. *Leuk Lymphoma*. Aug 2012;53(8):1488-1493.

Chandran R, Gardiner SK, Smith SD, Spurgeon SE. Improved survival in hairy cell leukaemia over three decades: a SEER database analysis of prognostic factors. *Br J Haematol*. Nov 2013;163(3):407-409.

Chang AC, Ji H, Birkmeyer NJ, Orringer MB, Birkmeyer JD. Outcomes after transhiatal and transthoracic esophagectomy for cancer. *Ann Thorac Surg*. Feb 2008;85(2):424-429.

Chang BL, Spangler E, Gallagher S, et al. Validation of genome-wide prostate cancer associations in men of African descent. *Cancer Epidemiol Biomarkers Prev.* Jan 2011;20(1):23-32.

Chang CM, Wang SS, Dave BJ, et al. Risk factors for non-Hodgkin lymphoma subtypes defined by histology and t(14;18) in a population-based case-control study. *Int J Cancer.* Aug 15 2011;129(4):938-947.

Chang CM, Warren JL, Engels EA. Chronic fatigue syndrome and subsequent risk of cancer among elderly US adults. *Cancer.* Dec 1 2012;118(23):5929-5936.

Chang DT, Chapman C, Shen J, Su Z, Koong AC. Treatment of esophageal cancer based on histology: a surveillance epidemiology and end results analysis. *Am J Clin Oncol.* Aug 2009;32(4):405-410.

Chang ET, Canchola AJ, Clarke CA, et al. Dietary phytochemicals and risk of lymphoid malignancies in the California Teachers Study cohort. *Cancer Causes Control.* Feb 2011;22(2):237-249.

Chang ET, Canchola AJ, Cockburn M, et al. Adulthood residential ultraviolet radiation, sun sensitivity, dietary vitamin D, and risk of lymphoid malignancies in the California Teachers Study. *Blood.* Aug 11 2011;118(6):1591-1599.

Chang ET, Canchola AJ, Lee VS, et al. Wine and other alcohol consumption and risk of ovarian cancer in the California Teachers Study cohort. *Cancer Causes Control.* Feb 2007;18(1):91-103.

Chang ET, Clarke CA, Canchola AJ, et al. Alcohol consumption over time and risk of lymphoid malignancies in the California teachers study cohort. *Am J Epidemiol.* Dec 15 2010;172(12):1373-1383.

Chang ET, Lee VS, Canchola AJ, et al. Diet and risk of ovarian cancer in the California Teachers Study cohort. *Am J Epidemiol.* Apr 1 2007;165(7):802-813.

Chang ET, Lee VS, Canchola AJ, et al. Dietary patterns and risk of ovarian cancer in the California teachers study cohort. *Nutr Cancer.* May-Jun 2008;60(3):285-291.

Chang ET, Shema SJ, Wakelee HA, Clarke CA, Gomez SL. Uncovering disparities in survival after non-small-cell lung cancer among Asian/Pacific Islander ethnic populations in California. *Cancer Epidemiol Biomarkers Prev.* Aug 2009;18(8):2248-2255.

Chang GJ, Rodriguez-Bigas MA, Eng C, Skibber JM. Lymph node status after neoadjuvant radiotherapy for rectal cancer is a biologic predictor of outcome. *Cancer.* Dec 1 2009;115(23):5432-5440.

Charlton ME, Lin C, Jiang D, et al. Factors associated with use of preoperative chemoradiation therapy for rectal cancer in the cancer care outcomes research and surveillance consortium. *Am J Clin Oncol.* Dec 2013;36(6):572-579.

Chatterjee N, Hartge P, Cerhan JR, et al. Risk of non-Hodgkin's lymphoma and family history of lymphatic, hematologic, and other cancers. *Cancer Epidemiol Biomarkers Prev.* Sep 2004;13(9):1415-1421.

Chaturvedi AK, Engels EA, Pfeiffer RM, et al. Human papillomavirus and rising oropharyngeal cancer incidence in the United States. *J Clin Oncol.* Nov 10 2011;29(32):4294-4301.

Chaturvedi AK, Madeleine MM, Biggar RJ, Engels EA. Risk of human papillomavirus-associated cancers among persons with AIDS. *J Natl Cancer Inst.* Aug 19 2009;101(16):1120-1130.

Chaturvedi AK, Mbulaiteye SM, Engels EA. Underestimation of relative risks by standardized incidence ratios for AIDS-related cancers. *Ann Epidemiol.* Mar 2008;18(3):230-234.

Chaturvedi AK, Pfeiffer RM, Chang L, Goedert JJ, Biggar RJ, Engels EA. Elevated risk of lung cancer among people with AIDS. *AIDS (London, England).* Jan 11 2007;21(2):207-213.

Chavez-MacGregor M, Zhao H, Fang S, Srokowski TP, Hortobagyi GN, Giordano SH. Complications associated with erythropoietin-stimulating agents in patients with metastatic breast cancer: a Surveillance, Epidemiology, and End Results-Medicare study. *Cancer.* Aug 15 2011;117(16):3641-3649.

Chawla N, Yabroff KR, Mariotto A, McNeel T, Schrag D, Warren J. PS1-39: Diagnosis Codes for Cancer Metastasis on Medicare Claims Have Limited Accuracy and Completeness. *Clinical medicine & research.* Sep 2013;11(3):131.

Chen AB, Cronin A, Weeks JC, et al. Palliative radiation therapy practice in patients with metastatic non-small-cell lung cancer: a Cancer Care Outcomes Research and Surveillance Consortium (CanCORS) Study. *J Clin Oncol.* Feb 10 2013;31(5):558-564.

Chen AB, D'Amico AV, Neville BA, Earle CC. Patient and treatment factors associated with complications after prostate brachytherapy. *J Clin Oncol.* Nov 20 2006;24(33):5298-5304.

Chen AB, D'Amico AV, Neville BA, Steyerberg EW, Earle CC. Provider case volume and outcomes following prostate brachytherapy. *J Urol.* Jan 2009;181(1):113-118; discussion 118.

Chen AB, Neville BA, Sher DJ, Chen K, Schrag D. Survival outcomes after radiation therapy for stage III non-small-cell lung cancer after adoption of computed tomography-based simulation. *J Clin Oncol.* Jun 10 2011;29(17):2305-2311.

Chen AC, Paulino AC, Schwartz MR, et al. Prognostic markers for invasive micropapillary carcinoma of the breast: a population-based analysis. *Clinical breast cancer*. Apr 2013;13(2):133-139.

Chen AY, Jemal A, Ward EM. Increasing incidence of differentiated thyroid cancer in the United States, 1988-2005. *Cancer*. Aug 15 2009;115(16):3801-3807.

Chen F, Chen GK, Millikan RC, et al. Fine-mapping of breast cancer susceptibility loci characterizes genetic risk in African Americans. *Hum Mol Genet*. Nov 15 2011;20(22):4491-4503.

Chen F, Chen GK, Stram DO, et al. A genome-wide association study of breast cancer in women of African ancestry. *Hum Genet*. Jan 2013;132(1):39-48.

Chen F, Stram DO, Le Marchand L, et al. Caution in generalizing known genetic risk markers for breast cancer across all ethnic/racial populations. *Eur J Hum Genet*. Feb 2011;19(2):243-245.

Chen F, Wilkens LR, Monroe KR, et al. No association of risk variants for diabetes and obesity with breast cancer: the Multiethnic Cohort and PAGE studies. *Cancer Epidemiol Biomarkers Prev*. May 2011;20(5):1039-1042.

Chen GK, Millikan RC, John EM, et al. The potential for enhancing the power of genetic association studies in African Americans through the reuse of existing genotype data. *PLoS Genet*. Sep 2010;6(9).

Chen J, Long JB, Hurria A, Owusu C, Steingart RM, Gross CP. Incidence of heart failure or cardiomyopathy after adjuvant trastuzumab therapy for breast cancer. *Journal of the American College of Cardiology*. Dec 18 2012;60(24):2504-2512.

Chen J, Tward JD, Shrieve DC, Hitchcock YJ. Surgery and radiotherapy improves survival in patients with anaplastic thyroid carcinoma: analysis of the surveillance, epidemiology, and end results 1983-2002. *Am J Clin Oncol*. Oct 2008;31(5):460-464.

Chen YC, Kraft P, Bretsky P, et al. Sequence variants of estrogen receptor beta and risk of prostate cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. *Cancer Epidemiol Biomarkers Prev*. Oct 2007;16(10):1973-1981.

Chen Z, Wu AH, Gauderman WJ, et al. Does mammographic density reflect ethnic differences in breast cancer incidence rates? *Am J Epidemiol*. Jan 15 2004;159(2):140-147.

Cheng CY, Kao WH, Patterson N, et al. Admixture mapping of 15,280 African Americans identifies obesity susceptibility loci on chromosomes 5 and X. *PLoS Genet*. May 2009;5(5):e1000490.

Cheng I, Caberto CP, Lum-Jones A, et al. Type 2 diabetes risk variants and colorectal cancer risk: the Multiethnic Cohort and PAGE studies. *Gut*. Dec 2011;60(12):1703-1711.

Cheng I, Chen GK, Nakagawa H, et al. Evaluating Genetic Risk for Prostate Cancer among Japanese and Latinos. *Cancer Epidemiol Biomarkers Prev*. Nov 2012;21(11):2048-2058.

Cheng I, Penney KL, Stram DO, et al. Haplotype-based association studies of IGFBP1 and IGFBP3 with prostate and breast cancer risk: the multiethnic cohort. *Cancer Epidemiol Biomarkers Prev*. Oct 2006;15(10):1993-1997.

Cheng I, Stram DO, Burtt NP, et al. IGF2R missense single-nucleotide polymorphisms and breast cancer risk: the multiethnic cohort study. *Cancer Epidemiol Biomarkers Prev*. Jun 2009;18(6):1922-1924.

Cheng I, Stram DO, Penney KL, et al. Common genetic variation in IGF1 and prostate cancer risk in the Multiethnic Cohort. *J Natl Cancer Inst*. Jan 18 2006;98(2):123-134.

Cheng I, Witte JS, Jacobsen SJ, et al. Prostatitis, sexually transmitted diseases, and prostate cancer: the California Men's Health Study. *PLoS One*. 2010;5(1):e8736.

Cheng I, Witte JS, McClure LA, et al. Socioeconomic status and prostate cancer incidence and mortality rates among the diverse population of California. *Cancer Causes Control*. Jun 13 2009;20:1431-1440.

Cheng I, Yu MC, Koh WP, et al. Comparison of prostate-specific antigen and hormone levels among men in Singapore and the United States. *Cancer Epidemiol Biomarkers Prev*. Jul 2005;14(7):1692-1696.

Cheng L, Swartz MD, Zhao H, et al. Hazard of Recurrence among Women after Primary Breast Cancer Treatment--A 10-Year Follow-up Using Data from SEER-Medicare. *Cancer Epidemiol Biomarkers Prev*. May 2012;21(5):800-809.

Cheng P, Schmutte C, Cofer KF, Felix JC, Yu MC, Dubeau L. Alterations in DNA methylation are early, but not initial, events in ovarian tumorigenesis. *Br J Cancer*. 1997;75(3):396-402.

Cheng X, Chen VW, Steele B, et al. Subsite-specific incidence rate and stage of disease in colorectal cancer by race, gender, and age group in the United States, 1992-1997. *Cancer*. Nov 15 2001;92(10):2547-2554.

Cheng YJ, Wang MC. Estimating propensity scores and causal survival functions using prevalent survival data. *Biometrics*. Sep 2012;68(3):707-716.

Chen-Hardee S, Chrischilles EA, Voelker MD, et al. Population-based assessment of hospitalizations for neutropenia from chemotherapy in older adults with non-Hodgkin's lymphoma (United States). *Cancer Causes Control*. Jun 2006;17(5):647-654.

Cheung MR. African American Race and Low Income Neighborhoods Decrease Cause Specific Survival of Endometrial Cancer: A SEER Analysis. *Asian Pacific journal of cancer prevention : APJCP*. 2013;14(4):2567-2570.

Cheung MR. Using SEER Data to Quantify Effects of Low Income Neighborhoods on Cause Specific Survival of Skin Melanoma. *Asian Pacific journal of cancer prevention : APJCP*. 2013;14(5):3219-3221.

Cheung MR. Low income and rural county of residence increase mortality from bone and joint sarcomas. *Asian Pacific journal of cancer prevention : APJCP*. 2013;14(9):5043-5047.

Cheung R. Poor Treatment Outcome of Neuroblastoma and Other Peripheral Nerve Cell Tumors May be Related to Under Usage of Radiotherapy and Socio-Economic Disparity: A US SEER Data Analysis. *Asian Pacific journal of cancer prevention : APJCP*. 2012;13(9):4587-4591.

Cheung R. Racial and Social Economic Factors Impact on the Cause Specific Survival of Pancreatic Cancer: A SEER Survey. *Asian Pacific journal of cancer prevention : APJCP*. 2013;14(1):159-163.

Chia VM, O'Malley CD, Danese MD, et al. Prevalence and incidence of comorbidities in elderly women with ovarian cancer. *Gynecol Oncol*. May 2013;129(2):346-352.

Chiang CW, Gajdos ZK, Korn JM, et al. The efficacy of detecting variants with small effects on the Affymetrix 6.0 platform using pooled DNA. *Hum Genet*. Nov 2011;130(5):607-621.

Chiang CW, Gajdos ZK, Korn JM, et al. Rapid assessment of genetic ancestry in populations of unknown origin by genome-wide genotyping of pooled samples. *PLoS Genet*. Mar 2010;6(3):e1000866.

Chien LC, Shootman M, Pruitt SL. The modifying effect of patient location on stage-specific survival following colorectal cancer using geosurvival models. *Cancer Causes Control*. Mar 2013;24(3):473-484.

Chintapalli S, Goodman M, Allen M, et al. Assessment of a commercial searchable population directory as a means of selecting controls for case-control studies. *Public Health Rep*. May-Jun 2009;124(3):378-383.

Cho H, Klabunde CN, Yabroff KR, et al. Comorbidity-adjusted life expectancy: a new tool to inform recommendations for optimal screening strategies. *Ann Intern Med*. Nov 19 2013;159(10):667-676.

Cho H, Mariotto AB, Mann BS, Klabunde CN, Feuer EJ. Assessing Non-Cancer-Related Health Status of US Cancer Patients: Other-Cause Survival and Comorbidity Prevalence. *Am J Epidemiol*. Aug 1 2013;178(3):339-349.

Choi AH, Barnholtz-Sloan JS, Kim JA. Effect of radiation therapy on survival in surgically resected retroperitoneal sarcoma: a propensity score-adjusted SEER analysis. Ann Oncol. Sep 2012;23(9):2449-2457.

Choi M, Fuller CD, Thomas CR, Jr., Wang SJ. Conditional survival in ovarian cancer: results from the SEER dataset 1988-2001. Gynecol Oncol. May 2008;109(2):203-209.

Choi WW, Gu X, Lipsitz SR, D'Amico AV, Williams SB, Hu JC. The effect of minimally invasive and open radical prostatectomy surgeon volume. Urol Oncol. Sep 2012;30(5):569-576.

Choi WW, Williams SB, Gu X, Lipsitz SR, Nguyen PL, Hu JC. Overuse of imaging for staging low risk prostate cancer. J Urol. May 2011;185(5):1645-1649.

Chou JF, Row D, Gonen M, Liu YH, Schrag D, Weiser MR. Clinical and pathologic factors that predict lymph node yield from surgical specimens in colorectal cancer: a population-based study. Cancer. Jun 1 2010;116(11):2560-2570.

Choueiri TK, Schutz FA, Hevelone ND, et al. Thermal ablation vs surgery for localized kidney cancer: a Surveillance, Epidemiology, and End Results (SEER) database analysis. Urology. Jul 2011;78(1):93-98.

Chow EJ, Puumala SE, Mueller BA, et al. Childhood cancer in relation to parental race and ethnicity: a 5-state pooled analysis. Cancer. Jun 15 2010;116(12):3045-3053.

Chow WH, Devesa SS, Warren JL, Fraumeni JF, Jr. Rising incidence of renal cell cancer in the United States. Jama. May 5 1999;281(17):1628-1631.

Chow WH, McLaughlin JK, Menck HR, Mack TM. Risk factors for extrahepatic bile duct cancers: Los Angeles County, California (USA). Cancer Causes Control. May 1994;5(3):267-272.

Chu KP, Shema S, Wu S, Gomez SL, Chang ET, Le QT. Head and neck cancer-specific survival based on socioeconomic status in Asians and Pacific Islanders. Cancer. May 1 2011;117(9):1935-1945.

Chung CC, Ciampa J, Yeager M, et al. Fine mapping of a region of chromosome 11q13 reveals multiple independent loci associated with risk of prostate cancer. Hum Mol Genet. Jul 15 2011;20(14):2869-2878.

Chung CC, Kanetsky PA, Wang Z, et al. Meta-analysis identifies four new loci associated with testicular germ cell tumor. Nat Genet. May 12 2013;45(6):680-685.

Ciarrocchi A, Amicucci G. Sporadic carcinoma of the colon-rectum in young patients: a distinct disease? A critical review. Journal of gastrointestinal cancer. Sep 2013;44(3):264-269.

Cicek MS, Cunningham JM, Fridley BL, et al. Colorectal Cancer Linkage on Chromosomes 4q21, 8q13, 12q24, and 15q22. *PLoS One*. 2012;7(5):e38175.

Cicek MS, Lindor NM, Gallinger S, et al. Quality assessment and correlation of microsatellite instability and immunohistochemical markers among population- and clinic-based colorectal tumors results from the Colon Cancer Family Registry. *J Mol Diagn*. May 2011;13(3):271-281.

Cicioni C, London SJ, Garabrant DH, Bernstein L, Phillips K, Peters JM. Occupational asbestos exposure and mesothelioma risk in Los Angeles County: application of an occupational hazard survey job-exposure matrix. *American journal of industrial medicine*. 1991;20(3):371-379.

Cintron A, Hamel MB, Davis RB, Burns RB, Phillips RS, McCarthy EP. Hospitalization of hospice patients with cancer. *J Palliat Med*. Oct 2003;6(5):757-768.

Cipriano LE, Romanus D, Earle CC, et al. Lung cancer treatment costs, including patient responsibility, by disease stage and treatment modality, 1992 to 2003. *Value Health*. Jan 2011;14(1):41-52.

Clague J, Reynolds P, Sullivan-Halley J, et al. Menopausal hormone therapy does not influence lung cancer risk: results from the California Teachers Study. *Cancer Epidemiol Biomarkers Prev*. Mar 2011;20(3):560-564.

Clark CJ, Graham RP, Arun JS, Harmsen WS, Reid-Lombardo KM. Clinical outcomes for anaplastic pancreatic cancer: a population-based study. *J Am Coll Surg*. Nov 2012;215(5):627-634.

Clark CJ, Wood-Wentz CM, Reid-Lombardo KM, Kendrick ML, Huebner M, Que FG. Lymphadenectomy in the staging and treatment of intrahepatic cholangiocarcinoma: a population-based study using the National Cancer Institute SEER database. *HPB (Oxford)*. Sep 2011;13(9):612-620.

Clarke CA, Glaser SL, Gomez SL, et al. Lymphoid malignancies in U.S. Asians: incidence rate differences by birthplace and acculturation. *Cancer Epidemiol Biomarkers Prev*. Jun 2011;20(6):1064-1077.

Clarke CA, Glaser SL, Uratsu CS, Selby JV, Kushi LH, Herrinton LJ. Recent declines in hormone therapy utilization and breast cancer incidence: clinical and population-based evidence. *J Clin Oncol*. Nov 20 2006;24(33):e49-50.

Clarke CA, Moy LM, Swetter SM, Zadnick J, Cockburn MG. Interaction of area-level socioeconomic status and UV radiation on melanoma occurrence in California. *Cancer Epidemiol Biomarkers Prev*. Nov 2010;19(11):2727-2733.

Clauser SB, Arora NK, Bellizzi KM, Haffer SC, Topor M, Hays RD. Disparities in HRQOL of cancer survivors and non-cancer managed care enrollees. *Health care financing review*. Summer 2008;29(4):23-40.

Clauser SB, Haffer SC. SEER-MHOS: a new federal collaboration on cancer outcomes research. *Health care financing review*. Summer 2008;29(4):1-4.

Clegg LX, Potosky AL, Harlan LC, et al. Comparison of self-reported initial treatment with medical records: results from the prostate cancer outcomes study. *Am J Epidemiol*. Sep 15 2001;154(6):582-587.

Clegg LX, Reichman ME, Hankey BF, et al. Quality of race, Hispanic ethnicity, and immigrant status in population-based cancer registry data: implications for health disparity studies. *Cancer Causes Control*. Mar 2007;18(2):177-187.

Clegg LX, Reichman ME, Miller BA, et al. Impact of socioeconomic status on cancer incidence and stage at diagnosis: selected findings from the surveillance, epidemiology, and end results: National Longitudinal Mortality Study. *Cancer Causes Control*. May 2009;20(4):417-435.

Clegg LX, Reichman ME, Miller BA, et al. Impact of socioeconomic status on cancer incidence and stage at diagnosis: selected findings from the surveillance, epidemiology, and end results: National Longitudinal Mortality Study. *Cancer Causes Control*. May 2009;20(4):417-435.

Cloyd JM, Hernandez-Boussard T, Wapnir IL. Outcomes of Partial Mastectomy in Male Breast Cancer Patients: Analysis of SEER, 1983-2009. *Ann Surg Oncol*. May 2013;20(5):1545-1550.

Cloyd JM, Hernandez-Boussard T, Wapnir IL. Poor compliance with breast cancer treatment guidelines in men undergoing breast-conserving surgery. *Breast Cancer Res Treat*. May 2013;139(1):177-182.

Coan KE, Gray RJ, Schlinkert RT, Pockaj BA, Wasif N. Metastatic carcinoid tumors—are we making the cut? *American journal of surgery*. Jun 2013;205(6):642-646.

Coburn NG, Swallow CJ, Kiss A, Law C. Significant regional variation in adequacy of lymph node assessment and survival in gastric cancer. *Cancer*. Nov 1 2006;107(9):2143-2151.

Cockburn M, Deapen D, eds. *Cancer incidence and mortality in California: Trends by race/ethnicity, 1988-2001*. Los Angeles, CA: Los Angeles Cancer Surveillance Program, University of Southern California; 2004.

Cockburn M, Hamilton A, Zadnick J, Cozen W, Mack TM. The occurrence of chronic disease and other conditions in a large population-based cohort of native Californian twins. *Twin research : the official journal of the International Society for Twin Studies*. Oct 2002;5(5):460-467.

Cockburn M, Liu L, Deapen D. Cancer in Los Angeles County: trends by race/ethnicity, 1976-2006: Los Angeles Cancer Surveillance Program, University of Southern California; 2009.

Cockburn M, Swetter SM, Peng D, Keegan TH, Deapen D, Clarke CA. Melanoma underreporting: Why does it happen, how big is the problem, and how do we fix it? *J Am Acad Dermatol*. Dec 2008;59(6):1081-1085.

Cockburn MG, Wu AH, Bernstein L. Etiologic clues from the similarity of histology-specific trends in esophageal and lung cancers. *Cancer Causes Control*. Nov 2005;16(9):1065-1074.

Cockburn MG, Zadnick J, Deapen D. Developing epidemic of melanoma in the Hispanic population of California. *Cancer*. Mar 1 2006;106(5):1162-1168.

Cogle CR, Craig BM, Rollison DE, List AF. Incidence of the myelodysplastic syndromes using a novel claims-based algorithm: high number of uncaptured cases by cancer registries. *Blood*. Jun 30 2011;117(26):7121-7125.

Cohen JH, Schoenbach VJ, Kaufman JS, et al. Racial differences in clinical progression among Medicare recipients after treatment for localized prostate cancer (United States). *Cancer Causes Control*. Aug 2006;17(6):803-811.

Coker AL, Du XL, Fang S, Eggleston KS. Socioeconomic status and cervical cancer survival among older women: findings from the SEER-Medicare linked data cohorts. *Gynecol Oncol*. Aug 2006;102(2):278-284.

Collaborative GoHFiBC. Breast cancer and hormonal contraceptives: collaborative reanalysis of individual data on 53 297 women with breast cancer and 100 239 women without breast cancer from 54 epidemiological studies. Collaborative Group on Hormonal Factors in Breast Cancer. *Lancet*. Jun 22 1996;347(9017):1713-1727.

Collaborative GoHFiBC. Breast cancer and hormonal contraceptives: further results. Collaborative Group on Hormonal Factors in Breast Cancer. *Contraception*. Sep 1996;54(3 Suppl):1S-106S.

Collaborative GoHFiBC. Breast cancer and hormone replacement therapy: collaborative reanalysis of data from 51 epidemiological studies of 52,705 women with breast cancer and 108,411 women without breast cancer. Collaborative Group on Hormonal Factors in Breast Cancer. *Lancet*. Oct 11 1997;350(9084):1047-1059.

Collaborative GoHFiBC. Familial breast cancer: collaborative reanalysis of individual data from 52 epidemiological studies including 58,209 women with breast cancer and 101,986 women without the disease. *Lancet*. Oct 27 2001;358(9291):1389-1399.

Collaborative GoHFiBC. Breast cancer and breastfeeding: collaborative reanalysis of individual data from 47 epidemiological studies in 30 countries, including 50302 women with breast cancer and 96973 women without the disease. *Lancet*. Jul 20 2002;360(9328):187-195.

Collins KK, Fields RC, Baptiste D, Liu Y, Moley J, Jeffe DB. Racial differences in survival after surgical treatment for melanoma. *Ann Surg Oncol*. Oct 2011;18(10):2925-2936.

Colon-Lopez V, Ortiz AP, Soto-Salgado M, Torres-Cintron M, Mercado-Acosta JJ, Suarez E. Anal cancer incidence and mortality in Puerto Rico. *Puerto Rico health sciences journal*. Jun 2013;32(2):76-81.

Colt JS, Davis S, Severson RK, et al. Residential insecticide use and risk of non-Hodgkin's lymphoma. *Cancer Epidemiol Biomarkers Prev*. Feb 2006;15(2):251-257.

Colt JS, Hartge P, Davis S, Cerhan JR, Cozen W, Severson RK. Hobbies with solvent exposure and risk of non-Hodgkin lymphoma. *Cancer Causes Control*. May 2007;18(4):385-390.

Colt JS, Lubin J, Camann D, et al. Comparison of pesticide levels in carpet dust and self-reported pest treatment practices in four US sites. *Journal of exposure analysis and environmental epidemiology*. Jan 2004;14(1):74-83.

Colt JS, Rothman N, Severson RK, et al. Organochlorine exposure, immune gene variation, and risk of non-Hodgkin lymphoma. *Blood*. Feb 26 2009;113(9):1899-1905.

Colt JS, Severson RK, Lubin J, et al. Organochlorines in carpet dust and non-Hodgkin lymphoma. *Epidemiology*. Jul 2005;16(4):516-525.

Comstock CE, Augello MA, Benito RP, et al. Cyclin D1 splice variants: polymorphism, risk, and isoform-specific regulation in prostate cancer. *Clin Cancer Res*. Sep 1 2009;15(17):5338-5349.

Concannon P, Haile RW, Borresen-Dale AL, et al. Variants in the ATM gene associated with a reduced risk of contralateral breast cancer. *Cancer Res*. Aug 15 2008;68(16):6486-6491.

Cone MM, Shoop KM, Rea JD, Lu KC, Herzig DO. Ethnicity influences lymph node resection in colon cancer. *J Gastrointest Surg*. Nov 2010;14(11):1752-1757.

Conroy SM, Koga K, Woolcott CG, et al. Higher alcohol intake may modify the association between mammographic density and breast cancer: An analysis of three case-control studies. *Cancer Epidemiol*. Oct 2012;36(5):458-460.

Conroy SM, Maskarinec G, Morimoto Y, et al. Non-hodgkin lymphoma and circulating markers of inflammation and adiposity in a nested case-control study: the multiethnic cohort. *Cancer Epidemiol Biomarkers Prev*. Mar 2013;22(3):337-347.

Conroy SM, Maskarinec G, Park SY, Wilkens LR, Henderson BE, Kolonel LN. The Effects of Soy Consumption before Diagnosis on Breast Cancer Survival: The Multiethnic Cohort Study. *Nutr Cancer*. 2013;65(4):527-537.

Conroy SM, Maskarinec G, Wilkens LR, White KK, Henderson BE, Kolonel LN. Obesity and breast cancer survival in ethnically diverse postmenopausal women: the Multiethnic Cohort Study. *Breast Cancer Res Treat*. Sep 2011;129(2):565-574.

Conroy SM, Woolcott CG, Koga KR, et al. Mammographic density and risk of breast cancer by adiposity: An analysis of four case-control studies. *Int J Cancer*. Apr 15 2012;130(8):1915-1924.

Cook LS, Nelson HE, Cockburn M, Olson SH, Muller CY, Wiggins CL. Comorbidities and endometrial cancer survival in Hispanics and non-Hispanic whites. *Cancer Causes Control*. Jan 2013;24(1):61-69.

Cook MB, Kamangar F, Whiteman DC, et al. Cigarette smoking and adenocarcinomas of the esophagus and esophagogastric junction: a pooled analysis from the international BEACON consortium. *J Natl Cancer Inst*. Sep 8 2010;102(17):1344-1353.

Cook MB, McGlynn KA, Devesa SS, Freedman ND, Anderson WF. Sex disparities in cancer mortality and survival. *Cancer Epidemiol Biomarkers Prev*. Aug 2011;20(8):1629-1637.

Cooksley CD, Avritscher EB, Grossman HB, et al. Clinical model of cost of bladder cancer in the elderly. *Urology*. Mar 2008;71(3):519-525.

Coombs CC, Falchi L, Weinberg JB, Ferrajoli A, Lanasa MC. Chronic lymphocytic leukemia in African Americans. *Leuk Lymphoma*. Nov 2012;53(11):2326-2329.

Coombs NJ, Cronin KA, Taylor RJ, Freedman AN, Boyages J. The impact of changes in hormone therapy on breast cancer incidence in the US population. *Cancer Causes Control*. Jan 2010;21(1):83-90.

Cooper GS, Kou TD, Chak A. Receipt of previous diagnoses and endoscopy and outcome from esophageal adenocarcinoma: a population-based study with temporal trends. *The American journal of gastroenterology*. Jun 2009;104(6):1356-1362.

Cooper GS, Kou TD, Rex DK. Complications following colonoscopy with anesthesia assistance: a population-based analysis. *JAMA internal medicine*. Apr 8 2013;173(7):551-556.

Cooper GS, Kou TD, Reynolds HL, Jr. Receipt of guideline-recommended follow-up in older colorectal cancer survivors : a population-based analysis. *Cancer*. Oct 15 2008;113(8):2029-2037.

Cooper GS, Longnecker MP, Peters RK. Ovarian cancer risk and use of phenolphthalein-containing laxatives. *Pharmacoepidemiol Drug Saf*. Jan 2004;13(1):35-39.

Cooper GS, Payes JD. Receipt of colorectal testing prior to colorectal carcinoma diagnosis. *Cancer*. Feb 15 2005;103(4):696-701.

Cooper GS, Virnig B, Klabunde CN, Schussler N, Freeman J, Warren JL. Use of SEER-Medicare data for measuring cancer surgery. *Med Care*. Aug 2002;40(8 Suppl):IV-43-48.

Cooper GS, Xu F, Barnholtz Sloan JS, Koroukian SM, Schluchter MD. Management of malignant colonic polyps: A population-based analysis of colonoscopic polypectomy versus surgery. *Cancer*. Feb 1 2012;118(3):651-659.

Cooper GS, Xu F, Barnholtz Sloan JS, Schluchter MD, Koroukian SM. Prevalence and predictors of interval colorectal cancers in Medicare beneficiaries. *Cancer*. Jun 15 2012;118(12):3044-3052.

Cooper GS, Yuan Z, Chak A, Rimm AA. Geographic and patient variation among Medicare beneficiaries in the use of follow-up testing after surgery for nonmetastatic colorectal carcinoma. *Cancer*. May 15 1999;85(10):2124-2131.

Cooper GS, Yuan Z, Chak A, Rimm AA. Patterns of endoscopic follow-up after surgery for nonmetastatic colorectal cancer. *Gastrointest Endosc*. Jul 2000;52(1):33-38.

Cooper GS, Yuan Z, Chak A, Rimm AA. Association of prediagnosis endoscopy with stage and survival in adenocarcinoma of the esophagus and gastric cardia. *Cancer*. Jul 1 2002;95(1):32-38.

Cooper GS, Yuan Z, Stange KC, Amini SB, Dennis LK, Rimm AA. The utility of Medicare claims data for measuring cancer stage. *Med Care*. Jul 1999;37(7):706-711.

Cooper GS, Yuan Z, Stange KC, Dennis LK, Amini SB, Rimm AA. The sensitivity of Medicare claims data for case ascertainment of six common cancers. *Med Care*. May 1999;37(5):436-444.

Cooper GS, Yuan Z, Stange KC, Dennis LK, Amini SB, Rimm AA. Agreement of Medicare claims and tumor registry data for assessment of cancer-related treatment. *Med Care*. Apr 2000;38(4):411-421.

Corcoran AT, Smaldone MC, Egleston BL, et al. Comparison of prostate cancer diagnosis in patients receiving unrelated urological and non-urological cancer care. *BJU Int*. Jul 2013;112(2):161-168.

Cordier S, Mandereau L, Preston-Martin S, et al. Parental occupations and childhood brain tumors: results of an international case-control study. *Cancer Causes Control*. Nov 2001;12(9):865-874.

Cordier S, Monfort C, Filippini G, et al. Parental exposure to polycyclic aromatic hydrocarbons and the risk of childhood brain tumors: The SEARCH International Childhood Brain Tumor Study. *Am J Epidemiol*. Jun 15 2004;159(12):1109-1116.

Cormier JN, Xing Y, Ding M, et al. Population-based assessment of surgical treatment trends for patients with melanoma in the era of sentinel lymph node biopsy. *J Clin Oncol.* Sep 1 2005;23(25):6054-6062.

Cortessis VK, Siegmund K, Xue S, Ross RK, Yu MC. A case-control study of cyclin D1 CCND1 870A->G polymorphism and bladder cancer. *Carcinogenesis.* Oct 2003;24(10):1645-1650.

Cortessis VK, Yuan JM, Van Den Berg D, et al. Risk of urinary bladder cancer is associated with 8q24 variant rs9642880[T] in multiple racial/ethnic groups: results from the Los Angeles-Shanghai case-control study. *Cancer Epidemiol Biomarkers Prev.* Dec 2010;19(12):3150-3156.

Costa LJ, Xavier AC, Wahlquist AE, Hill EG. Trends in survival of patients with Burkitt lymphoma/leukemia in the USA: an analysis of 3691 cases. *Blood.* Jun 13 2013;121(24):4861-4866.

Cote TR, Biggar RJ, Rosenberg PS, et al. Non-Hodgkin's lymphoma among people with AIDS: incidence, presentation and public health burden. AIDS/Cancer Study Group. *Int J Cancer.* Nov 27 1997;73(5):645-650.

Cote TR, Manns A, Hardy CR, Yellin FJ, Hartge P. Epidemiology of brain lymphoma among people with or without acquired immunodeficiency syndrome. AIDS/Cancer Study Group. *J Natl Cancer Inst.* May 15 1996;88(10):675-679.

Cote TR, O'Brien TR, Ward JW, Wilson SE, Blattner WA. AIDS and cancer registry linkage: measurement and enhancement of registry completeness. The National AIDS/Cancer Match Study Group. *Preventive medicine.* Jul 1995;24(4):375-377.

Courtney JG, Longnecker MP, Peters RK. Psychosocial aspects of work and the risk of colon cancer. *Epidemiology.* Mar 1996;7(2):175-181.

Cox DG, Blanche H, Pearce CL, et al. A comprehensive analysis of the androgen receptor gene and risk of breast cancer: results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). *Breast Cancer Res.* 2006;8(5):R54.

Cox DG, Bretsky P, Kraft P, et al. Haplotypes of the estrogen receptor beta gene and breast cancer risk. *Int J Cancer.* Jan 15 2008;122(2):387-392.

Cozen W. Redox revisited. *Haematologica.* Sep 2006;91(9):1156B.

Cozen W, Bernstein L, Deapen DM, Ross RK. Cancer incidence in Los Angeles County. In: Somer H, Dear MJ, eds. *Health Atlas of Southern California.* Vol 3. Los Angeles, CA: Southern California Studies Center, University of Southern California; 1999:47-54.

Cozen W, Bernstein L, Wang F, Press MF, Mack TM. The risk of angiosarcoma following primary breast cancer. *Br J Cancer*. Oct 1999;81(3):532-536.

Cozen W, Cerhan JR, Martinez-Maza O, et al. The effect of atopy, childhood crowding, and other immune-related factors on non-Hodgkin lymphoma risk. *Cancer Causes Control*. Oct 2007;18(8):821-831.

Cozen W, Gebregziabher M, Conti DV, et al. Interleukin-6-related genotypes, body mass index, and risk of multiple myeloma and plasmacytoma. *Cancer Epidemiol Biomarkers Prev*. Nov 2006;15(11):2285-2291.

Cozen W, Gill PS, Ingles SA, et al. IL-6 levels and genotype are associated with risk of young adult Hodgkin lymphoma. *Blood*. Apr 15 2004;103(8):3216-3221.

Cozen W, Hwang AE, Cockburn MG, Hamilton AS, Zadnick J, Mack TM. The USC Adult Twin Cohorts: International Twin Study and California Twin Program. *Twin Res Hum Genet*. Feb 2013;16(1):366-370.

Cozen W, Katz J, Mack TM. Risk patterns of Hodgkin's disease in Los Angeles vary by cell type. *Cancer Epidemiol Biomarkers Prev*. May-Jun 1992;1(4):261-268.

Cozen W, Li D, Best T, et al. A genome-wide meta-analysis of nodular sclerosing Hodgkin lymphoma identifies risk loci at 6p21.32. *Blood*. Jan 12 2012;119(2):469-475.

Cozen W, Liu L. Risk factors for prostate cancer. In: Mills PK, ed. *Prostate Cancer in California: A Special Report*. Berkeley, CA: Public Health Institute; 2000.

Cozen W, Peters R, Reichardt JK, et al. Galactose-1-phosphate uridyl transferase (GALT) genotype and phenotype, galactose consumption, and the risk of borderline and invasive ovarian cancer (United States). *Cancer Causes Control*. Mar 2002;13(2):113-120.

Craig BM, Rollison DE, List AF, Cogle CR. Diagnostic testing, treatment, cost of care, and survival among registered and non-registered patients with myelodysplastic syndromes. *Leuk Res*. Nov 2011;35(11):1453-1456.

Craig JR, Klatt EC, Yu MC. Role of cirrhosis and the development of HCC: Evidence from histologic studies and large population studies. In: Tabor E, Di Bisceglie AM, Purcell RH, eds. *Etiology, Pathology, and Treatment of Hepatocellular Carcinoma in North America*. Houston, TX: Portfolio Publishing Co.; 1991:177-190.

Crawford S. Is it time for a new paradigm for systemic cancer treatment? Lessons from a century of cancer chemotherapy. *Frontiers in pharmacology*. 2013;4:68.

Cress RD, Holly EA. Incidence of cutaneous melanoma among non-Hispanic whites, Hispanics, Asians, and blacks: an analysis of California cancer registry data, 1988-93. *Cancer Causes Control*. Mar 1997;8(2):246-252.

Cress RD, Morris C, Ellison GL, Goodman MT. Secular changes in colorectal cancer incidence by subsite, stage at diagnosis, and race/ethnicity, 1992-2001. *Cancer*. Sep 1 2006;107(5 Suppl):1142-1152.

Criscione VD, Weinstock MA. Melanoma thickness trends in the United States, 1988-2006. *J Invest Dermatol*. Mar 2010;130(3):793-797.

Crockford GP, Linger R, Hockley S, et al. Genome-wide linkage screen for testicular germ cell tumour susceptibility loci. *Hum Mol Genet*. Feb 1 2006;15(3):443-451.

Cross AJ, Ward MH, Schenk M, et al. Meat and meat-mutagen intake and risk of non-Hodgkin lymphoma: results from a NCI-SEER case-control study. *Carcinogenesis*. Feb 2006;27(2):293-297.

Cueto CV, Szeja S, Wertheim BC, Ong ES, Tsikitis VL. Disparities in treatment and survival of white and Native American patients with colorectal cancer: a SEER analysis. *J Am Coll Surg*. Oct 2011;213(4):469-474.

Cui Y, Morgenstern H, Greenland S, et al. Polymorphism of Xeroderma Pigmentosum group G and the risk of lung cancer and squamous cell carcinomas of the oropharynx, larynx and esophagus. *Int J Cancer*. Feb 1 2006;118(3):714-720.

Cui Y, Morgenstern H, Greenland S, et al. Dietary flavonoid intake and lung cancer-A population-based case-control study. *Cancer*. May 15 2008;112(10):2241-2248.

Cummings LC, Delaney CP, Cooper GS. Laparoscopic versus open colectomy for colon cancer in an older population: a cohort study. *World Journal of Surgical Oncology*. 2012;10:31.

Cummings LC, Payes JD, Cooper GS. Survival after hepatic resection in metastatic colorectal cancer: a population-based study. *Cancer*. Feb 15 2007;109(4):718-726.

Curtis A, Mills JW, Agustin L, Cockburn M. Confidentiality risks in fine scale aggregations of health data. *Computers, Environment and Urban Systems*. 2011;35(1):57-64.

Curtis E, Quale C, Haggstrom D, Smith-Bindman R. Racial and ethnic differences in breast cancer survival: how much is explained by screening, tumor severity, biology, treatment, comorbidities, and demographics? *Cancer*. Jan 1 2008;112(1):171-180.

Curtis RE, Boice JD, Jr., Stovall M, et al. Risk of leukemia after chemotherapy and radiation treatment for breast cancer. *N Engl J Med*. Jun 25 1992;326(26):1745-1751.

Curtis RE, Boice JD, Jr., Stovall M, et al. Relationship of leukemia risk to radiation dose following cancer of the uterine corpus. *J Natl Cancer Inst.* Sep 7 1994;86(17):1315-1324.

Dal Maso L, La Vecchia C, Franceschi S, et al. A pooled analysis of thyroid cancer studies. V. Anthropometric factors. *Cancer Causes Control.* Feb 2000;11(2):137-144.

Daling JR, Malone KE, Doody DR, et al. Relation of regimens of combined hormone replacement therapy to lobular, ductal, and other histologic types of breast carcinoma. *Cancer.* Dec 15 2002;95(12):2455-2464.

Daling JR, Malone KE, Doody DR, et al. Association of regimens of hormone replacement therapy to prognostic factors among women diagnosed with breast cancer aged 50-64 years. *Cancer Epidemiol Biomarkers Prev.* Nov 2003;12(11 Pt 1):1175-1181.

Dallal CM, Sullivan-Halley J, Ross RK, et al. Long-term Recreational Physical Activity and Risk of Invasive and In Situ Breast Cancer: The California Teachers Study. *Arch Intern Med.* Feb 26 2007;167(4):408-415.

Daly AK, Leathart JB, London SJ, Idle JR. An inactive cytochrome P450 CYP2D6 allele containing a deletion and a base substitution. *Hum Genet.* Mar 1995;95(3):337-341.

Danese MD, Griffiths RI, Gleeson M, et al. An observational study of outcomes after initial infused therapy in Medicare patients diagnosed with chronic lymphocytic leukemia. *Blood.* Mar 31 2011;117(13):3505-3513.

Danese MD, Lindquist K, Doan J, Lalla D, Brammer M, Griffiths RI. Effect of central nervous system metastases on treatment discontinuation and survival in older women receiving trastuzumab for metastatic breast cancer. *Journal of cancer epidemiology.* 2012;2012:819210.

Dang ND, Dang PT, Samuelian J, Paulino AC. Lymph node management in patients with paratesticular rhabdomyosarcoma: A Population-Based Analysis. *Cancer.* Sep 1 2013;119(17):3228-3233.

Daniel Carreon J, Morton LM, Devesa SS, et al. Incidence of lymphoid neoplasms by subtype among six Asian ethnic groups in the United States, 1996-2004. *Cancer Causes Control.* Dec 2008;19(10):1171-1181.

Danley KL, Richardson JL, Bernstein L, Langholz B, Ross RK. Prostate cancer: trends in mortality and stage-specific incidence rates by racial/ethnic group in Los Angeles County, California (United States). *Cancer Causes Control.* Nov 1995;6(6):492-498.

Darby SC, McGale P, Taylor CW, Peto R. Long-term mortality from heart disease and lung cancer after radiotherapy for early breast cancer: prospective cohort study of about 300,000 women in US SEER cancer registries. *The lancet oncology.* Aug 2005;6(8):557-565.

Darefsky AS, King JT, Jr., Dubrow R. Adult glioblastoma multiforme survival in the temozolomide era: A population-based analysis of Surveillance, Epidemiology, and End Results registries. *Cancer*. Apr 15 2012;118(8):2163-2172.

Das A, Chak A, Sivak MV, Jr., Payes J, Cooper GS. Endoscopic ultrasonography and prognosis of esophageal cancer. *Clin Gastroenterol Hepatol*. Jun 2006;4(6):695-700.

Das A, Singh V, Fleischer DE, Sharma VK. A comparison of endoscopic treatment and surgery in early esophageal cancer: an analysis of surveillance epidemiology and end results data. *The American journal of gastroenterology*. Jun 2008;103(6):1340-1345.

Das B, Clegg LX, Feuer EJ, Pickle LW. A new method to evaluate the completeness of case ascertainment by a cancer registry. *Cancer Causes Control*. Jun 2008;19(5):515-525.

Dasgupta T, Wilson LD, Yu JB. A retrospective review of 1349 cases of sebaceous carcinoma. *Cancer*. Jan 1 2009;115(1):158-165.

Daskivich TJ, Fan KH, Koyama T, et al. Effect of age, tumor risk, and comorbidity on competing risks for survival in a u.s. Population-based cohort of men with prostate cancer. *Ann Intern Med*. May 21 2013;158(10):709-717.

Datta GD, Neville BA, Kawachi I, Datta NS, Earle CC. Marital status and survival following bladder cancer. *J Epidemiol Community Health*. Oct 2009;63(10):807-813.

Davidoff AJ, Gardner JF, Seal B, Edelman MJ. Population-based estimates of survival benefit associated with combined modality therapy in elderly patients with locally advanced non-small cell lung cancer. *J Thorac Oncol*. May 2011;6(5):934-941.

Davidoff AJ, Tang M, Seal B, Edelman MJ. Chemotherapy and survival benefit in elderly patients with advanced non-small-cell lung cancer. *J Clin Oncol*. May 1 2010;28(13):2191-2197.

Davidoff AJ, Weiss Smith S, Baer MR, et al. Patient and physician characteristics associated with erythropoiesis-stimulating agent use in patients with myelodysplastic syndromes. *Haematologica*. Jan 2012;97(1):128-132.

Davidoff AJ, Weiss SR, Baer MR, et al. Patterns of erythropoiesis-stimulating agent use among Medicare beneficiaries with myelodysplastic syndromes and consistency with clinical guidelines. *Leuk Res*. Jun 2013;37(6):675-680.

Davila JA, Chiao EY, Hasche JC, Petersen NJ, McGlynn KA, Shaib YH. Utilization and determinants of adjuvant therapy among older patients who receive curative surgery for pancreatic cancer. *Pancreas*. Jan 2009;38(1):e18-25.

Davila JA, Morgan RO, Richardson PA, Du XL, McGlynn KA, El-Serag HB. Use of surveillance for hepatocellular carcinoma among patients with cirrhosis in the United States. *Hepatology*. Jul 2010;52(1):132-141.

Davila JA, Morgan RO, Shaib Y, McGlynn KA, El-Serag HB. Diabetes increases the risk of hepatocellular carcinoma in the United States: a population based case control study. *Gut*. Apr 2005;54(4):533-539.

Davis DM, Marcket JE, Frattini JC, Prather AD, Mateka JJ, Nfonsam VN. Is it time to lower the recommended screening age for colorectal cancer? *J Am Coll Surg*. Sep 2011;213(3):352-361.

Davis F, Preston-Martin S. Epidemiology - Incidence and survival in central nervous system neoplasia. In: Bigner DD, McLendon RE, Bruner JM, eds. *Russell and Rubenstein's Pathology of Tumors of the Nervous System*. 6th ed. London, UK: Edward Arnold Publishers, Ltd; 1998.

Davis JS, Allan BJ, Perez EA, Neville HL, Sola JE. Primary pediatric cardiac malignancies: the SEER experience. *Pediatric surgery international*. May 2013;29(5):425-429.

Davis KL, Mitra D, Kotapati S, Ibrahim R, Wolchok JD. Direct economic burden of high-risk and metastatic melanoma in the elderly: evidence from the seer-medicare linked database. *Applied health economics and health policy*. 2009;7(1):31-41.

Davis-Dao CA, Henderson KD, Sullivan-Halley J, et al. Lower risk in parous women suggests that hormonal factors are important in bladder cancer etiology. *Cancer Epidemiol Biomarkers Prev*. Jun 2011;20(6):1156-1170.

Davis-Dao CA, Siegmund KD, Vandenberg DJ, et al. Heterogenous effect of androgen receptor CAG tract length on testicular germ cell tumor risk: shorter repeats associated with seminoma but not other histologic types. *Carcinogenesis*. Aug 2011;32(8):1238-1243.

Dawood S, Broglio K, Gonzalez-Angulo AM, Buzdar AU, Hortobagyi GN, Giordano SH. Trends in survival over the past two decades among white and black patients with newly diagnosed stage IV breast cancer. *J Clin Oncol*. Oct 20 2008;26(30):4891-4898.

Dawood S, Ueno NT, Valero V, et al. Differences in survival among women with stage III inflammatory and noninflammatory locally advanced breast cancer appear early: a large population-based study. *Cancer*. May 1 2011;117(9):1819-1826.

Dawood S, Ueno NT, Valero V, et al. Identifying factors that impact survival among women with inflammatory breast cancer. *Ann Oncol*. Apr 2012;23(4):870-875.

Day GL, Blot WJ, Austin DF, et al. Racial differences in risk of oral and pharyngeal cancer: alcohol, tobacco, and other determinants. *J Natl Cancer Inst*. Mar 17 1993;85(6):465-473.

Day GL, Blot WJ, Shore RE, et al. Second cancers following oral and pharyngeal cancers: role of tobacco and alcohol. *J Natl Cancer Inst.* Jan 19 1994;86(2):131-137.

Day GL, Blot WJ, Shore RE, et al. Second cancers following oral and pharyngeal cancer: patients' characteristics and survival patterns. *Eur J Cancer B Oral Oncol.* Nov 1994;30B(6):381-386.

Day GL, Shore RE, Blot WJ, et al. Dietary factors and second primary cancers: a follow-up of oral and pharyngeal cancer patients. *Nutr Cancer.* 1994;21(3):223-232.

De Benedetti VM, Welsh JA, Yu MC, Bennett WP. p53 mutations in hepatocellular carcinoma related to oral contraceptive use. *Carcinogenesis.* Jan 1996;17(1):145-149.

De Roos AJ, Davis S, Colt JS, et al. Residential proximity to industrial facilities and risk of non-Hodgkin lymphoma. *Environ Res.* Jan 2010;110(1):70-78.

De Roos AJ, Gold LS, Wang S, et al. Metabolic gene variants and risk of non-Hodgkin's lymphoma. *Cancer Epidemiol Biomarkers Prev.* Sep 2006;15(9):1647-1653.

De Roos AJ, Hartge P, Lubin JH, et al. Persistent organochlorine chemicals in plasma and risk of non-Hodgkin's lymphoma. *Cancer Res.* Dec 1 2005;65(23):11214-11226.

de Sanjose S, Benavente Y, Vajdic CM, et al. Hepatitis C and non-Hodgkin lymphoma among 4784 cases and 6269 controls from the International Lymphoma Epidemiology Consortium. *Clin Gastroenterol Hepatol.* Apr 2008;6(4):451-458.

Deapen D. Cancer surveillance and information: balancing public health with privacy and confidentiality concerns (United States). *Cancer Causes Control.* Jun 2006;17(5):633-637.

Deapen D. Breast implants and breast cancer: a review of incidence, detection, mortality, and survival. *Plastic and reconstructive surgery.* Dec 2007;120(7 Suppl 1):70S-80S.

Deapen D, Brody G. Re: Induction of plasmacytomas with silicone gel in genetically susceptible strains of mice. *J Natl Cancer Inst.* Feb 15 1995;87(4):315-316.

Deapen D, Cockburn M. Cancer in Los Angeles County: trends by race/ethnicity, 1976-2000. Los Angeles: Los Angeles Cancer Surveillance Program, University of Southern California; 2003.

Deapen D, Cockburn M, Pinder R, Lu S, Wohl AR. Population-based linkage of AIDS and cancer registries: importance of linkage algorithm. *American journal of preventive medicine.* Aug 2007;33(2):134-136.

Deapen D, Hamilton A, Bernstein L, Brody GS. Breast cancer stage at diagnosis and survival among patients with prior breast implants. Plastic and reconstructive surgery. Feb 2000;105(2):535-540.

Deapen D, Liu L, Perkins C, Bernstein L, Ross RK. Rapidly rising breast cancer incidence rates among Asian-American women. Int J Cancer. Jun 10 2002;99(5):747-750.

Deapen D, Menck H, Ervin IL, Leventhal M, Niland JC. Experience in developing E-path cancer reporting for Rapid Case Ascertainment. J Registry Management. 2002;29(2):44-51.

Deapen DM, Bernstein L, Brody GS. Are breast implants anticarcinogenic? A 14-year follow-up of the Los Angeles Study. Plastic and reconstructive surgery. Apr 1997;99(5):1346-1353.

Deapen DM, Brody GS. Augmentation mammoplasty and breast cancer: a 5-year update of the Los Angeles study. Plastic and reconstructive surgery. Apr 1992;89(4):660-665.

Deapen DM, Brody GS. Cancer Risk among Cosmetic Breast Implant Patients: An Update of the Los Angeles Study. Plastic and reconstructive surgery. Mar 2012;129(3):575e-576e.

Deapen DM, Hirsch EM, Brody GS. Cancer risk among Los Angeles women with cosmetic breast implants. Plastic and reconstructive surgery. Jun 2007;119(7):1987-1992.

Deapen DM, Pike MC, Casagrande JT, Brody GS. The relationship between breast cancer and augmentation mammoplasty: an epidemiologic study. Plastic and reconstructive surgery. Mar 1986;77(3):361-368.

Dee A, McKean-Cowdin R, Neuhouser ML, et al. DEXA measures of body fat percentage and acute phase proteins among breast cancer survivors: a Cross-Sectional Analysis. BMC Cancer. 2012;12:343.

Deepak P, Sifuentes H, Sherid M, Stobaugh D, Sadozai Y, Ehrenpreis ED. T-Cell Non-Hodgkin's Lymphomas Reported to the FDA AERS With Tumor Necrosis Factor-Alpha (TNF-alpha) Inhibitors: Results of the REFURBISH Study. The American journal of gastroenterology. Jan 2013;108(1):99-105.

Delellis Henderson K, Duan L, Sullivan-Halley J, et al. Menopausal hormone therapy use and risk of invasive colon cancer: the California Teachers Study. Am J Epidemiol. Feb 15 2010;171(4):415-425.

DeLellis K, Ingles S, Kolonel L, et al. IGF1 genotype, mean plasma level and breast cancer risk in the Hawaii/Los Angeles multiethnic cohort. Br J Cancer. Jan 27 2003;88(2):277-282.

Deleyiannis FW, Weymuller EA, Jr., Garcia I, Potosky AL. Geographic variation in the utilization of esophagoscopy and bronchoscopy in head and neck cancer. Arch Otolaryngol Head Neck Surg. Nov 1997;123(11):1203-1210.

Dellavalle CT, Wheeler DC, Deziel NC, et al. Environmental determinants of polychlorinated biphenyl concentrations in residential carpet dust. *Environmental science & technology*. Sep 17 2013;47(18):10405-10414.

Demerath EW, Liu CT, Franceschini N, et al. Genome-wide association study of age at menarche in African-American women. *Hum Mol Genet*. Aug 15 2013;22(16):3329-3346.

Demers PA, Kogevinas M, Boffetta P, et al. Wood dust and sino-nasal cancer: pooled reanalysis of twelve case-control studies. *American journal of industrial medicine*. Aug 1995;28(2):151-166.

Denberg TD, Beaty BL, Kim FJ, Steiner JF. Marriage and ethnicity predict treatment in localized prostate carcinoma. *Cancer*. May 1 2005;103(9):1819-1825.

Deorah S, Rao MB, Raman R, Gaitonde K, Donovan JF. Survival of patients with small cell carcinoma of the prostate during 1973-2003: a population-based study. *BJU Int*. Mar 2012;109(6):824-830.

Depue RH, Pike MC, Henderson BE. Estrogen exposure during gestation and risk of testicular cancer. *J Natl Cancer Inst*. Dec 1983;71(6):1151-1155.

DeSantis C, Howlader N, Cronin KA, Jemal A. Breast cancer incidence rates in U.S. women are no longer declining. *Cancer Epidemiol Biomarkers Prev*. May 2011;20(5):733-739.

Desantis C, Jemal A, Ward E, Thun MJ. Temporal trends in breast cancer mortality by state and race. *Cancer Causes Control*. Jun 2008;19(5):537-545.

Devgan SA, Henderson BE, Yu MC, et al. Genetic variation of 3 beta-hydroxysteroid dehydrogenase type II in three racial/ethnic groups: implications for prostate cancer risk. *Prostate*. Sep 15 1997;33(1):9-12.

Dieli-Conwright CM, Ma H, Lacey JV, Jr., et al. Long-term and baseline recreational physical activity and risk of endometrial cancer: the California Teachers Study. *Br J Cancer*. Aug 6 2013;109(3):761-768.

Dieli-Conwright CM, Sullivan-Halley J, Patel A, et al. Does hormone therapy counter the beneficial effects of physical activity on breast cancer risk in postmenopausal women? *Cancer Causes Control*. Mar 2011;22(3):515-522.

Dietrich M, Block G, Pogoda JM, Buffler P, Hecht S, Preston-Martin S. A review: dietary and endogenously formed N-nitroso compounds and risk of childhood brain tumors. *Cancer Causes Control*. Aug 2005;16(6):619-635.

Dinan MA, Curtis LH, Carpenter WR, et al. Stage migration, selection bias, and survival associated with the adoption of positron emission tomography among medicare beneficiaries with non-small-cell lung cancer, 1998-2003. *J Clin Oncol.* Aug 1 2012;30(22):2725-2730.

Dinan MA, Curtis LH, Carpenter WR, et al. Variations in Use of PET among Medicare Beneficiaries with Non-Small Cell Lung Cancer, 1998-2007. *Radiology.* Jun 2013;267(3):807-817.

D'Jaen GA, Pantanowitz L, Bower M, et al. Human immunodeficiency virus-associated primary lung cancer in the era of highly active antiretroviral therapy: a multi-institutional collaboration. *Clin Lung Cancer.* Nov 1 2010;11(6):396-404.

Dobie S, Saver BG, Wang CY, Green PK, Baldwin LM. Do primary care physicians lose contact with their colorectal cancer patients? *J Am Board Fam Med.* Nov 2011;24(6):704-709.

Dobie SA, Baldwin LM, Dominitz JA, Matthews B, Billingsley K, Barlow W. Completion of therapy by Medicare patients with stage III colon cancer. *J Natl Cancer Inst.* May 3 2006;98(9):610-619.

Dobie SA, Warren JL, Matthews B, Schwartz D, Baldwin LM, Billingsley K. Survival benefits and trends in use of adjuvant therapy among elderly stage II and III rectal cancer patients in the general population. *Cancer.* Feb 15 2008;112(4):789-799.

Dodgion CM, Neville BA, Lipsitz SR, et al. Do older Americans undergo stoma reversal following low anterior resection for rectal cancer? *J Surg Res.* Jul 2013;183(1):238-245.

Doherty JA, Rossing MA, Cushing-Haugen KL, et al. ESR1/SYNE1 polymorphism and invasive epithelial ovarian cancer risk: an Ovarian Cancer Association Consortium study. *Cancer Epidemiol Biomarkers Prev.* Jan 2010;19(1):245-250.

Domchek SM, Gaudet MM, Stopfer JE, et al. Breast cancer risks in individuals testing negative for a known family mutation in BRCA1 or BRCA2. *Breast Cancer Res Treat.* Jan 2010;119(2):409-414.

Dores GM, Devesa SS, Curtis RE, Linet MS, Morton LM. Acute leukemia incidence and patient survival among children and adults in the United States, 2001-2007. *Blood.* Jan 5 2012;119(1):34-43.

Dossus L, Kaaks R, Canzian F, et al. PTGS2 and IL6 genetic variation and risk of breast and prostate cancer: results from the Breast and Prostate Cancer Cohort Consortium (BPC3). *Carcinogenesis.* Mar 2010;31(3):455-461.

Douer D, Cozen W, Wang F, Chang E, Preston-Martin S, Levine AM. Descriptive epidemiology of acute promyelocytic leukemia - report for the cancer registry for Los Angeles County. *Blood.* 1997;90:72a.

Douer D, Preston-Martin S, Chang E, Nichols PW, Watkins KJ, Levine AM. High frequency of acute promyelocytic leukemia among Latinos with acute myeloid leukemia. *Blood*. Jan 1 1996;87(1):308-313.

Douer D, Preston-Martin S, Levine AM. Prominence of acute promyelocytic leukemia subtype in Latino AML patients: clinical observation confirmed by population-based data. *J Registry Management*. 1996;23:88-91.

Downing SR, Cadogan KA, Ortega G, et al. Early-stage gallbladder cancer in the Surveillance, Epidemiology, and End Results database: effect of extended surgical resection. *Arch Surg*. Jun 2011;146(6):734-738.

Dowty JG, Win AK, Buchanan DD, et al. Cancer Risks for MLH1 and MSH2 Mutation Carriers. *Hum Mutat*. Mar 2013;34(3):490-497.

Doyle JJ, Neugut AI, Jacobson JS, Grann VR, Hershman DL. Chemotherapy and cardiotoxicity in older breast cancer patients: a population-based study. *J Clin Oncol*. Dec 1 2005;23(34):8597-8605.

Doyle JJ, Neugut AI, Jacobson JS, et al. Radiation therapy, cardiac risk factors, and cardiac toxicity in early-stage breast cancer patients. *Int J Radiat Oncol Biol Phys*. May 1 2007;68(1):82-93.

Drahos J, Wu M, Anderson WF, et al. Regional variations in esophageal cancer rates by census region in the United States, 1999-2008. *PLoS One*. 2013;8(7):e67913.

Du X, Freeman JL, Goodwin JS. Information on radiation treatment in patients with breast cancer: the advantages of the linked medicare and SEER data. *Surveillance, Epidemiology and End Results. Journal of clinical epidemiology*. May 1999;52(5):463-470.

Du X, Freeman JL, Nattinger AB, Goodwin JS. Survival of women after breast conserving surgery for early stage breast cancer. *Breast Cancer Res Treat*. Mar 2002;72(1):23-31.

Du X, Freeman JL, Warren JL, Nattinger AB, Zhang D, Goodwin JS. Accuracy and completeness of Medicare claims data for surgical treatment of breast cancer. *Med Care*. Jul 2000;38(7):719-727.

Du X, Goodwin JS. Increase of chemotherapy use in older women with breast carcinoma from 1991 to 1996. *Cancer*. Aug 15 2001;92(4):730-737.

Du X, Goodwin JS. Patterns of use of chemotherapy for breast cancer in older women: findings from Medicare claims data. *J Clin Oncol*. Mar 1 2001;19(5):1455-1461.

Du XL, Cai Y, Symanski E. Association between chemotherapy and cognitive impairments in a large cohort of patients with colorectal cancer. International journal of oncology. Jun 2013;42(6):2123-2133.

Du XL, Chan W, Giordano S, et al. Variation in modes of chemotherapy administration for breast carcinoma and association with hospitalization for chemotherapy-related toxicity. Cancer. Sep 1 2005;104(5):913-924.

Du XL, Fang S, Coker AL, et al. Racial disparity and socioeconomic status in association with survival in older men with local/regional stage prostate carcinoma: findings from a large community-based cohort. Cancer. Mar 15 2006;106(6):1276-1285.

Du XL, Fang S, Meyer TE. Impact of treatment and socioeconomic status on racial disparities in survival among older women with breast cancer. Am J Clin Oncol. Apr 2008;31(2):125-132.

Du XL, Fang S, Vernon SW, et al. Racial disparities and socioeconomic status in association with survival in a large population-based cohort of elderly patients with colon cancer. Cancer. Aug 1 2007;110(3):660-669.

Du XL, Jones DV, Zhang D. Effectiveness of adjuvant chemotherapy for node-positive operable breast cancer in older women. J Gerontol A Biol Sci Med Sci. Sep 2005;60(9):1137-1144.

Du XL, Key CR, Dickie L, et al. Information on chemotherapy and hormone therapy from tumor registry had moderate agreement with chart reviews. Journal of clinical epidemiology. Jan 2006;59(1):53-60.

Du XL, Key CR, Dickie L, Darling R, Geraci JM, Zhang D. External validation of medicare claims for breast cancer chemotherapy compared with medical chart reviews. Med Care. Feb 2006;44(2):124-131.

Du XL, Key CR, Osborne C, Mahnken JD, Goodwin JS. Discrepancy between consensus recommendations and actual community use of adjuvant chemotherapy in women with breast cancer. Ann Intern Med. Jan 21 2003;138(2):90-97.

Du XL, Lairson DR, Begley CE, Fang S. Temporal and geographic variation in the use of hematopoietic growth factors in older women receiving breast cancer chemotherapy: findings from a large population-based cohort. J Clin Oncol. Dec 1 2005;23(34):8620-8628.

Du XL, Lin CC, Johnson NJ, Altekruse S. Effects of individual-level socioeconomic factors on racial disparities in cancer treatment and survival: findings from the National Longitudinal Mortality Study, 1979-2003. Cancer. Jul 15 2011;117(14):3242-3251.

Du XL, Liu CC. Racial/Ethnic disparities in socioeconomic status, diagnosis, treatment and survival among medicare-insured men and women with head and neck cancer. J Health Care Poor Underserved. Aug 2010;21(3):913-930.

Du XL, Osborne C, Goodwin JS. Population-based assessment of hospitalizations for toxicity from chemotherapy in older women with breast cancer. *J Clin Oncol*. Dec 15 2002;20(24):4636-4642.

Du XL, Xia R, Burau K, Liu CC. Cardiac risk associated with the receipt of anthracycline and trastuzumab in a large nationwide cohort of older women with breast cancer, 1998-2005. *Med Oncol*. Dec 2011;28 Suppl 1:80-90.

Duan L, Wu AH, Sullivan-Halley J, Bernstein L. Nonsteroidal anti-inflammatory drugs and risk of esophageal and gastric adenocarcinomas in Los Angeles County. *Cancer Epidemiol Biomarkers Prev*. Jan 2008;17(1):126-134.

Duan L, Wu AH, Sullivan-Halley J, Bernstein L. Antacid drug use and risk of esophageal and gastric adenocarcinomas in Los Angeles County. *Cancer Epidemiol Biomarkers Prev*. Feb 2009;18(2):526-533.

Duan L, Xu X, Koebnick C, et al. Bilateral oophorectomy is not associated with increased mortality: the California Teachers Study. *Fertil Steril*. Jan 2012;97(1):111-117.

Dubecz A, Gall I, Solymosi N, et al. Temporal trends in long-term survival and cure rates in esophageal cancer: a SEER database analysis. *J Thorac Oncol*. Feb 2012;7(2):443-447.

Dubecz A, Solymosi N, Schweigert M, et al. Time trends and disparities in lymphadenectomy for gastrointestinal cancer in the United States: a population-based analysis of 326,243 patients. *J Gastrointest Surg*. Apr 2013;17(4):611-619.

Duggan C, Ballard-Barbash R, Baumgartner RN, Baumgartner KB, Bernstein L, McTiernan A. Associations between null mutations in and the IleVal polymorphism, and mortality in breast cancer survivors. *SpringerPlus*. 2013;2:450.

Duggan C, Irwin ML, Xiao L, et al. Associations of insulin resistance and adiponectin with mortality in women with breast cancer. *J Clin Oncol*. Jan 1 2011;29(1):32-39.

Duggan C, Wang CY, Neuhouser ML, et al. Associations of insulin-like growth factor and insulin-like growth factor binding protein-3 with mortality in women with breast cancer. *Int J Cancer*. Mar 1 2013;132(5):1191-1200.

Dulabon LM, Lowrance WT, Russo P, Huang WC. Trends in renal tumor surgery delivery within the United States. *Cancer*. Mar 11 2010;116(10):2316-2321.

Dumitrescu L, Carty CL, Franceschini N, et al. No evidence of interaction between known lipid-associated genetic variants and smoking in the multi-ethnic PAGE population. *Hum Genet*. Dec 2013;132(12):1427-1431.

Dunning AM, Healey CS, Baynes C, et al. Association of ESR1 gene tagging SNPs with breast cancer risk. *Hum Mol Genet*. Mar 15 2009;18(6):1131-1139.

Duong LA, Richardson LC. Descriptive Epidemiology of Malignant Primary Osteosarcoma Using Population-based Registries, United States, 1999-2008. *J Registry Manag*. Summer 2013;40(2):59-64.

Duong LM, McCarthy BJ, McLendon RE, et al. Descriptive epidemiology of malignant and nonmalignant primary spinal cord, spinal meninges, and cauda equina tumors, United States, 2004-2007. *Cancer*. Sep 1 2012;118(17):4220-4227.

Dwojak SM, Sequist TD, Emerick K, Deschler DG. Survival differences among American Indians/Alaska natives with head and neck squamous cell carcinoma. *Head Neck*. Aug 2013;35(8):1114-1118.

Dworsky R, Baptista J, Parker J, et al. Immune function in healthy relatives of patients with malignant disease. *J Natl Cancer Inst*. Jan 1978;60(1):27-30.

Dworsky R, Paganini-Hill A, Spicer D. Breast cancer screening in high risk women. In: Anderson PN, Engstrom PF, Mortenson LE, eds. *Advances in Cancer Control: Innovations and Research*. New York, NY: Alan R. Liss, Inc.; 1989:115-124.

Dworsky RL, Henderson BE. Hodgkin's disease clustering in families and communities. *Cancer Res*. May 1974;34(5):1161-1163.

Earle CC. Influenza vaccination in elderly patients with advanced colorectal cancer. *J Clin Oncol*. Mar 15 2003;21(6):1161-1166.

Earle CC, Burstein HJ, Winer EP, Weeks JC. Quality of non-breast cancer health maintenance among elderly breast cancer survivors. *J Clin Oncol*. Apr 15 2003;21(8):1447-1451.

Earle CC, Nattinger AB, Potosky AL, et al. Identifying cancer relapse using SEER-Medicare data. *Med Care*. Aug 2002;40(8 Suppl):IV-75-81.

Earle CC, Neumann PJ, Gelber RD, Weinstein MC, Weeks JC. Impact of referral patterns on the use of chemotherapy for lung cancer. *J Clin Oncol*. Apr 1 2002;20(7):1786-1792.

Earle CC, Neville BA, Landrum MB, Ayanian JZ, Block SD, Weeks JC. Trends in the aggressiveness of cancer care near the end of life. *J Clin Oncol*. Jan 15 2004;22(2):315-321.

Earle CC, Neville BA, Landrum MB, et al. Evaluating claims-based indicators of the intensity of end-of-life cancer care. *International journal for quality in health care : journal of the International Society for Quality in Health Care / ISQua*. Dec 2005;17(6):505-509.

Earle CC, Schrag D, Neville BA, et al. Effect of surgeon specialty on processes of care and outcomes for ovarian cancer patients. *J Natl Cancer Inst.* Feb 1 2006;98(3):172-180.

Earle CC, Tsai JS, Gelber RD, Weinstein MC, Neumann PJ, Weeks JC. Effectiveness of chemotherapy for advanced lung cancer in the elderly: instrumental variable and propensity analysis. *J Clin Oncol.* Feb 15 2001;19(4):1064-1070.

Earle CC, Venditti LN, Neumann PJ, et al. Who gets chemotherapy for metastatic lung cancer? *Chest.* May 2000;117(5):1239-1246.

Easton DF, Pooley KA, Dunning AM, et al. Genome-wide association study identifies novel breast cancer susceptibility loci. *Nature.* Jun 28 2007;447(7148):1087-1093.

Eaton BR, Kim S, Marcus DM, et al. Effect of prophylactic cranial irradiation on survival in elderly patients with limited-stage small cell lung cancer. *Cancer.* Nov 1 2013;119(21):3753-3760.

Edmondson HA, Henderson B, Benton B. Liver-cell adenomas associated with use of oral contraceptives. *N Engl J Med.* Feb 26 1976;294(9):470-472.

Edwards BK, Ward E, Kohler BA, et al. Annual report to the nation on the status of cancer, 1975-2006, featuring colorectal cancer trends and impact of interventions (risk factors, screening, and treatment) to reduce future rates. *Cancer.* Feb 1 2010;116(3):544-573.

Edwards QT, Li A, Pike MC, Kolonel L, Henderson BE, McKean-Cowdin R. Patterns of regular use of mammography--body weight and ethnicity: the Multiethnic Cohort. *J Am Acad Nurse Pract.* Mar 2010;22(3):162-169.

Edwards QT, Li AX, Pike MC, et al. Ethnic differences in the use of regular mammography: the multiethnic cohort. *Breast Cancer Res Treat.* May 21 2008.

Edwards QT, Li AX, Pike MC, et al. Ethnic differences in the use of regular mammography: the multiethnic cohort. *Breast Cancer Res Treat.* May 2009;115(1):163-170.

Eeles RA, Olama AA, Benlloch S, et al. Identification of 23 new prostate cancer susceptibility loci using the iCOGS custom genotyping array. *Nat Genet.* Apr 2013;45(4):385-391, 391e381-382.

Efird JT, Holly EA, Cordier S, et al. Beauty product-related exposures and childhood brain tumors in seven countries: results from the SEARCH International Brain Tumor Study. *J Neurooncol.* Apr 2005;72(2):133-147.

Efird JT, Holly EA, Preston-Martin S, et al. Farm-related exposures and childhood brain tumours in seven countries: results from the SEARCH International Brain Tumour Study. *Paediatric and perinatal epidemiology.* Apr 2003;17(2):201-211.

Egger ME, Huber KM, Dunki-Jacobs EM, et al. Incidence of Sentinel Lymph Node Involvement in a Modern, Large Series of Desmoplastic Melanoma. *J Am Coll Surg.* Jul 2013;217(1):37-44.

Egyud MR, Gajdos ZK, Butler JL, et al. Use of weighted reference panels based on empirical estimates of ancestry for capturing untyped variation. *Hum Genet.* Apr 2009;125(3):295-303.

Ehdaie B, Atoria CL, Gupta A, et al. Androgen deprivation and thromboembolic events in men with prostate cancer. *Cancer.* Jul 1 2012;118(13):3397-3406.

Eheman CR, Shaw KM, Ryerson AB, Miller JW, Ajani UA, White MC. The changing incidence of in situ and invasive ductal and lobular breast carcinomas: United States, 1999-2004. *Cancer Epidemiol Biomarkers Prev.* Jun 2009;18(6):1763-1769.

Ehrlich JR, Schwartz MJ, Ng CK, Kauffman EC, Scherr DS. The impact of multiple malignancies on patients with bladder carcinoma: a population-based study using the SEER database. *Adv Urol.* 2009;406965.

Ek WE, Levine DM, D'Amato M, et al. Germline Genetic Contributions to Risk for Esophageal Adenocarcinoma, Barrett's Esophagus, and Gastroesophageal Reflux. *J Natl Cancer Inst.* Nov 20 2013;105(22):1711-1718.

Ekstrom Smedby K, Vajdic CM, Falster M, et al. Autoimmune disorders and risk of non-Hodgkin lymphoma subtypes: a pooled analysis within the InterLymph Consortium. *Blood.* Apr 15 2008;111(8):4029-4038.

Ekwueme DU, Guy GP, Jr., Li C, Rim SH, Parelkar P, Chen SC. The health burden and economic costs of cutaneous melanoma mortality by race/ethnicity-United States, 2000 to 2006. *J Am Acad Dermatol.* Nov 2011;65(5 Suppl 1):S133-143.

Elkin EB, Hurria A, Mitra N, Schrag D, Panageas KS. Adjuvant chemotherapy and survival in older women with hormone receptor-negative breast cancer: assessing outcome in a population-based, observational cohort. *J Clin Oncol.* Jun 20 2006;24(18):2757-2764.

Elkin EB, Ishill N, Riley GF, et al. Disenrollment from Medicare managed care among beneficiaries with and without a cancer diagnosis. *J Natl Cancer Inst.* Jul 16 2008;100(14):1013-1021.

Ellington CL, Goodman M, Kono SA, et al. Adenoid cystic carcinoma of the head and neck: Incidence and survival trends based on 1973-2007 Surveillance, Epidemiology, and End Results data. *Cancer.* Sep 15 2012;118(18):4444-4451.

Elliott SP, Adejoro OO, Konety BR, Jarosek SL, Dusenbery KE, Virnig BA. Intensity modulated radiation therapy replaces 3-dimensional conformal radiotherapy as prostate cancer treatment. *J Urol.* Apr 2012;187(4):1253-1258.

Elliott SP, Jarosek SL, Alanee SR, Konety BR, Dusenbery KE, Virnig BA. Three-dimensional external beam radiotherapy for prostate cancer increases the risk of hip fracture. *Cancer*. Oct 1 2011;117(19):4557-4565.

Elliott SP, Jarosek SL, Wilt TJ, Virnig BA. Reduction in physician reimbursement and use of hormone therapy in prostate cancer. *J Natl Cancer Inst*. Dec 15 2010;102(24):1826-1834.

Elliott SP, Johnson DP, Jarosek SL, Konety BR, Adejoro OO, Virnig BA. Bias Due to Missing SEER Data in D'Amico Risk Stratification of Prostate Cancer. *J Urol*. Jun 2012;187(6):2026-2031.

Ellison GL, Warren JL, Knopf KB, Brown ML. Racial differences in the receipt of bowel surveillance following potentially curative colorectal cancer surgery. *Health services research*. Dec 2003;38(6 Pt 2):1885-1903.

Ellison LM, Trock BJ, Poe NR, Partin AW. The effect of hospital volume on cancer control after radical prostatectomy. *J Urol*. Jun 2005;173(6):2094-2098.

El-Serag HB, Siegel AB, Davila JA, et al. Treatment and outcomes of treating of hepatocellular carcinoma among Medicare recipients in the United States: a population-based study. *J Hepatol*. Jan 2006;44(1):158-166.

Eltawil KM, Gustafsson BI, Kidd M, Modlin IM. Neuroendocrine tumors of the gallbladder: an evaluation and reassessment of management strategy. *J Clin Gastroenterol*. Nov-Dec 2010;44(10):687-695.

Embry JR, Kelly MG, Post MD, Spillman MA. Large cell neuroendocrine carcinoma of the cervix: prognostic factors and survival advantage with platinum chemotherapy. *Gynecol Oncol*. Mar 2011;120(3):444-448.

Emerick KS, Leavitt ER, Michaelson JS, Diephuis B, Clark JR, Deschler DG. Initial clinical findings of a mathematical model to predict survival of head and neck cancer. *Otolaryngol Head Neck Surg*. Oct 2013;149(4):572-578.

Enewold L, Zhu K, Ron E, et al. Rising thyroid cancer incidence in the United States by demographic and tumor characteristics, 1980-2005. *Cancer Epidemiol Biomarkers Prev*. Mar 2009;18(3):784-791.

Engels EA. Human immunodeficiency virus infection, aging, and cancer. *Journal of clinical epidemiology*. Dec 2001;54 Suppl 1:S29-34.

Engels EA. Epidemiology of thymoma and associated malignancies. *J Thorac Oncol*. Oct 2010;5(10 Suppl 4):S260-265.

Engels EA, Cerhan JR, Linet MS, et al. Immune-related conditions and immune-modulating medications as risk factors for non-Hodgkin's lymphoma: a case-control study. *Am J Epidemiol.* Dec 15 2005;162(12):1153-1161.

Engels EA, Chatterjee N, Cerhan JR, et al. Hepatitis C virus infection and non-Hodgkin lymphoma: results of the NCI-SEER multi-center case-control study. *Int J Cancer.* Aug 10 2004;111(1):76-80.

Engels EA, Chen J, Hartge P, et al. Antibody responses to simian virus 40 T antigen: a case-control study of non-Hodgkin lymphoma. *Cancer Epidemiol Biomarkers Prev.* Feb 2005;14(2):521-524.

Engels EA, Frisch M, Goedert JJ, Biggar RJ, Miller RW. Merkel cell carcinoma and HIV infection. *Lancet.* Feb 9 2002;359(9305):497-498.

Engels EA, Frisch M, Lubin JH, Gail MH, Biggar RJ, Goedert JJ. Prevalence of hepatitis C virus infection and risk for hepatocellular carcinoma and non-Hodgkin lymphoma in AIDS. *Journal of acquired immune deficiency syndromes* (1999). Dec 15 2002;31(5):536-541.

Engels EA, Pfeiffer RM, Fraumeni JF, Jr., et al. Spectrum of cancer risk among US solid organ transplant recipients. *Jama.* Nov 2 2011;306(17):1891-1901.

Engels EA, Pfeiffer RM, Goedert JJ, et al. Trends in cancer risk among people with AIDS in the United States 1980-2002. *AIDS (London, England).* Aug 1 2006;20(12):1645-1654.

Engels EA, Pfeiffer RM, Ricker W, Wheeler W, Parsons R, Warren JL. Use of surveillance, epidemiology, and end results-medicare data to conduct case-control studies of cancer among the US elderly. *Am J Epidemiol.* Oct 1 2011;174(7):860-870.

Engels EA, Rodman LH, Frisch M, Goedert JJ, Biggar RJ. Childhood exposure to simian virus 40-contaminated poliovirus vaccine and risk of AIDS-associated non-Hodgkin's lymphoma. *Int J Cancer.* Aug 20 2003;106(2):283-287.

Engels EA, Rollison DE, Hartge P, et al. Antibodies to JC and BK viruses among persons with non-Hodgkin lymphoma. *Int J Cancer.* Dec 20 2005;117(6):1013-1019.

Engels EA, Rosenberg PS, Frisch M, Goedert JJ. Cancers associated with Kaposi's sarcoma (KS) in AIDS: a link between KS herpesvirus and immunoblastic lymphoma. *Br J Cancer.* Nov 2 2001;85(9):1298-1303.

Engels EA, Viscidi RP, Galloway DA, et al. Case-control study of simian virus 40 and non-Hodgkin lymphoma in the United States. *J Natl Cancer Inst.* Sep 15 2004;96(18):1368-1374.

Enger SM, Bernstein L. Exercise activity, body size and premenopausal breast cancer survival. *Br J Cancer.* Jun 1 2004;90(11):2138-2141.

Enger SM, Ross RK, Henderson B, Bernstein L. Breastfeeding history, pregnancy experience and risk of breast cancer. *Br J Cancer*. 1997;76(1):118-123.

Enger SM, Ross RK, Paganini-Hill A, Bernstein L. Breastfeeding experience and breast cancer risk among postmenopausal women. *Cancer Epidemiol Biomarkers Prev*. May 1998;7(5):365-369.

Enger SM, Ross RK, Paganini-Hill A, Carpenter CL, Bernstein L. Body size, physical activity, and breast cancer hormone receptor status: results from two case-control studies. *Cancer Epidemiol Biomarkers Prev*. Jul 2000;9(7):681-687.

Enger SM, Ross RK, Paganini-Hill A, Longnecker MP, Bernstein L. Alcohol consumption and breast cancer oestrogen and progesterone receptor status. *Br J Cancer*. Mar 1999;79(7-8):1308-1314.

Enyioha C, Roman SA, Sosa JA. Central lymph node dissection in patients with papillary thyroid cancer: a population level analysis of 14,257 cases. *American journal of surgery*. Jun 2013;205(6):655-661.

Epplein M, Franke AA, Cooney RV, et al. Association of plasma micronutrient levels and urinary isoprostanate with risk of lung cancer: the multiethnic cohort study. *Cancer Epidemiol Biomarkers Prev*. Jul 2009;18(7):1962-1970.

Epplein M, Nomura AM, Wilkens LR, Henderson BE, Kolonel LN. Nonsteroidal antiinflammatory drugs and risk of gastric adenocarcinoma: the multiethnic cohort study. *Am J Epidemiol*. Aug 15 2009;170(4):507-514.

Epplein M, Shvetsov YB, Wilkens LR, et al. Plasma carotenoids, retinol, and tocopherols and postmenopausal breast cancer risk in the Multiethnic Cohort Study: a nested case-control study. *Breast Cancer Res*. Jul 20 2009;11(4):R49.

Epplein M, Wilkens LR, Tiirikainen M, et al. Urinary isothiocyanates; glutathione s-transferase m1, t1, and p1 polymorphisms; and risk of colorectal cancer: the multiethnic cohort study. *Cancer Epidemiol Biomarkers Prev*. Jan 2009;18(1):314-320.

Eppsteiner RW, Swick BL, Milhem MM, Hoffman HT, Pagedar NA. Sentinel node biopsy for head and neck desmoplastic melanoma: not a given. *Otolaryngol Head Neck Surg*. Aug 2012;147(2):271-274.

Epstein AJ, Johnson SJ. Physician response to financial incentives when choosing drugs to treat breast cancer. *International journal of health care finance and economics*. Dec 2012;12(4):285-302.

Erber E, Lim U, Maskarinec G, Kolonel LN. Common immune-related risk factors and incident non-Hodgkin lymphoma: the multiethnic cohort. *Int J Cancer*. Sep 15 2009;125(6):1440-1445.

Erber E, Maskarinec G, Gill JK, Park SY, Kolonel LN. Dietary patterns and the risk of non-Hodgkin lymphoma: the Multiethnic Cohort. *Leuk Lymphoma*. Aug 2009;50(8):1269-1275.

Erber E, Maskarinec G, Lim U, Kolonel LN. Dietary vitamin D and risk of non-Hodgkin lymphoma: the multiethnic cohort. *Br J Nutr*. Feb 2010;103(4):581-584.

Esiashvili N, Goodman M, Marcus RB, Jr. Changes in incidence and survival of Ewing sarcoma patients over the past 3 decades: Surveillance Epidemiology and End Results data. *J Pediatr Hematol Oncol*. Jun 2008;30(6):425-430.

Espey DK, Wu XC, Swan J, et al. Annual report to the nation on the status of cancer, 1975-2004, featuring cancer in American Indians and Alaska Natives. *Cancer*. Nov 15 2007;110(10):2119-2152.

Etzioni DA, Cannom RR, Madoff RD, Ault GT, Beart RW, Jr. Colorectal procedures: what proportion is performed by American board of colon and rectal surgery-certified surgeons? *Dis Colon Rectum*. May 2010;53(5):713-720.

Etzioni R, Berry KM, Legler JM, Shaw P. Prostate-specific antigen testing in black and white men: an analysis of medicare claims from 1991-1998. *Urology*. Feb 2002;59(2):251-255.

Etzioni R, Penson DF, Legler JM, et al. Overdiagnosis due to prostate-specific antigen screening: lessons from U.S. prostate cancer incidence trends. *J Natl Cancer Inst*. Jul 3 2002;94(13):981-990.

Etzioni R, Ramsey SD, Berry K, Brown M. The impact of including future medical care costs when estimating the costs attributable to a disease: a colorectal cancer case study. *Health Econ*. Apr 2001;10(3):245-256.

Etzioni R, Riley GF, Ramsey SD, Brown M. Measuring costs: administrative claims data, clinical trials, and beyond. *Med Care*. Jun 2002;40(6 Suppl):III63-72.

Etzioni R, Urban N, Baker M. Estimating the costs attributable to a disease with application to ovarian cancer. *Journal of clinical epidemiology*. Jan 1996;49(1):95-103.

Evens AM, Antillon M, Aschebrook-Kilfoy B, Chiu BC. Racial disparities in Hodgkin's lymphoma: a comprehensive population-based analysis. *Ann Oncol*. Aug 2012;23(8):2128-2137.

Faber MT, Kjaer SK, Dehlendorff C, et al. Cigarette smoking and risk of ovarian cancer: a pooled analysis of 21 case-control studies. *Cancer Causes Control*. May 2013;24(5):989-1004.

Fagerlin A, Lakhani I, Lantz PM, et al. An informed decision? Breast cancer patients and their knowledge about treatment. *Patient Educ Couns*. Dec 2006;64(1-3):303-312.

Fairfield KM, Murray K, Lucas FL, et al. Completion of adjuvant chemotherapy and use of health services for older women with epithelial ovarian cancer. *J Clin Oncol.* Oct 10 2011;29(29):3921-3926.

Fairfield KM, Murray KM, Wierman HR, et al. Disparities in hospice care among older women dying with ovarian cancer. *Gynecol Oncol.* Apr 2012;125(1):14-18.

Fairley TL, Cardinez CJ, Martin J, et al. Colorectal cancer in U.S. adults younger than 50 years of age, 1998-2001. *Cancer.* Sep 1 2006;107(5 Suppl):1153-1161.

Falk RT, Fears TR, Xu X, et al. Urinary estrogen metabolites and their ratio among Asian American women. *Cancer Epidemiol Biomarkers Prev.* Jan 2005;14(1):221-226.

Fan J, McKean-Cowdin R, Bernstein L, et al. An association between a common variant (G972R) in the IRS-1 gene and sex hormone levels in post-menopausal breast cancer survivors. *Breast Cancer Res Treat.* Oct 2006;99(3):323-331.

Farioli A, Violante FS, Mattioli S, Curti S, Kriebel D. Risk of mesothelioma following external beam radiotherapy for prostate cancer: a cohort analysis of SEER database. *Cancer Causes Control.* Aug 2013;24(8):1535-1545.

Farjah F, Flum DR, Ramsey SD, Heagerty PJ, Symons RG, Wood DE. Multi-modality mediastinal staging for lung cancer among medicare beneficiaries. *J Thorac Oncol.* Mar 2009;4(3):355-363.

Farjah F, Flum DR, Varghese TK, Jr., Symons RG, Wood DE. Surgeon specialty and long-term survival after pulmonary resection for lung cancer. *Ann Thorac Surg.* Apr 2009;87(4):995-1004; discussion 1005-1006.

Farjah F, Wood DE, Varghese TK, Massarweh NN, Symons RG, Flum DR. Health care utilization among surgically treated Medicare beneficiaries with lung cancer. *Ann Thorac Surg.* Dec 2009;88(6):1749-1756.

Farjah F, Wood DE, Varghese TK, Jr., Symons RG, Flum DR. Trends in the operative management and outcomes of T4 lung cancer. *Ann Thorac Surg.* Aug 2008;86(2):368-374.

Farjah F, Wood DE, Yanez D, 3rd, Symons RG, Krishnadasan B, Flum DR. Temporal trends in the management of potentially resectable lung cancer. *Ann Thorac Surg.* Jun 2008;85(6):1850-1855; discussion 1856.

Farjah F, Wood DE, Yanez ND, 3rd, et al. Racial disparities among patients with lung cancer who were recommended operative therapy. *Arch Surg.* Jan 2009;144(1):14-18.

Farrell PJ, Groshen S, Macgibbon B, Tomberlin TJ. Outlier detection for a hierarchical Bayes model in a study of hospital variation in surgical procedures. *Stat Methods Med Res.* Dec 2010;19(6):601-619.

Fedewa SA, Jemal A. Prostate cancer disease severity and country of origin among black men in the United States. *Prostate Cancer Prostatic Dis.* Jun 2013;16(2):176-180.

Feifer AH, Elkin EB, Lowrance WT, et al. Temporal trends and predictors of pelvic lymph node dissection in open or minimally invasive radical prostatectomy. *Cancer.* Sep 1 2011;117(17):3933-3942.

Feigelson HS, Coetzee GA, Kolonel LN, Ross RK, Henderson BE. A polymorphism in the CYP17 gene increases the risk of breast cancer. *Cancer Res.* Mar 15 1997;57(6):1063-1065.

Feigelson HS, Cox DG, Cann HM, et al. Haplotype analysis of the HSD17B1 gene and risk of breast cancer: a comprehensive approach to multicenter analyses of prospective cohort studies. *Cancer Res.* Feb 15 2006;66(4):2468-2475.

Feigelson HS, McKean-Cowdin R, Coetzee GA, Stram DO, Kolonel LN, Henderson BE. Building a multigenic model of breast cancer susceptibility: CYP17 and HSD17B1 are two important candidates. *Cancer Res.* Jan 15 2001;61(2):785-789.

Feigelson HS, Ross RK, Yu MC, Coetzee GA, Reichardt JK, Henderson BE. Genetic susceptibility to cancer from exogenous and endogenous exposures. *Journal of cellular biochemistry. Supplement.* 1996;25:15-22.

Feigelson HS, Ross RK, Yu MC, Coetzee GA, Reichardt JK, Henderson BE. Sex steroid hormones and genetic susceptibility to breast and prostate cancer. *Drug metabolism reviews.* May 1998;30(2):421-434.

Feinstein AJ, Ciarleglio MM, Cong X, Otremska MD, Judson BL. Parotid gland lymphoma: Prognostic analysis of 2140 patients. *The Laryngoscope.* May 2013;123(5):1199-1203.

Fejerman L, Chen GK, Eng C, et al. Admixture mapping identifies a locus on 6q25 associated with breast cancer risk in US Latinas. *Hum Mol Genet.* Apr 15 2012;21(8):1907-1917.

Fejerman L, Haiman CA, Reich D, et al. An admixture scan in 1,484 african american women with breast cancer. *Cancer Epidemiol Biomarkers Prev.* Nov 2009;18(11):3110-3117.

Felix AS, Cook LS, Gaudet MM, et al. The etiology of uterine sarcomas: a pooled analysis of the epidemiology of endometrial cancer consortium. *Br J Cancer.* Feb 19 2013;108(3):727-734.

Feng Z, Wu X, Chen V, Velie E, Zhang Z. Incidence and survival of desmoplastic melanoma in the United States, 1992-2007. *J Cutan Pathol.* Aug 2011;38(8):616-624.

Feng Z, Zhang Z, Wu XC. Lifetime risks of cutaneous melanoma by histological subtype and race/ethnicity in the United States. *The Journal of the Louisiana State Medical Society : official organ of the Louisiana State Medical Society*. Jul-Aug 2013;165(4):201-208.

Fenton JJ, Cai Y, Green P, Beckett LA, Franks P, Baldwin LM. Trends in colorectal cancer testing among Medicare subpopulations. *American journal of preventive medicine*. Sep 2008;35(3):194-202.

Fenton JJ, Foote SB, Green P, Baldwin LM. Diffusion of computer-aided mammography after mandated Medicare coverage. *Arch Intern Med*. Jun 14 2010;170(11):987-989.

Fenton JJ, Green P, Baldwin LM. Internal validation of procedure codes on Medicare claims for digital mammograms and computer-aided detection. *Cancer Epidemiol Biomarkers Prev*. Aug 2009;18(8):2186-2189.

Fenton JJ, Tancredi DJ, Green P, Franks P, Baldwin LM. Persistent racial and ethnic disparities in up-to-date colorectal cancer testing in medicare enrollees. *J Am Geriatr Soc*. Mar 2009;57(3):412-418.

Fenton JJ, Xing G, Elmore JG, et al. Short-term outcomes of screening mammography using computer-aided detection: a population-based study of medicare enrollees. *Ann Intern Med*. Apr 16 2013;158(8):580-587.

Fernandes AT, Shinohara ET, Guo M, et al. The role of radiation therapy in malignant thymoma: a Surveillance, Epidemiology, and End Results database analysis. *J Thorac Oncol*. Sep 2010;5(9):1454-1460.

Fernandez FG, Crabtree TD, Liu J, Meyers BF. Incremental risk of prior coronary arterial stents for pulmonary resection. *Ann Thorac Surg*. Apr 2013;95(4):1212-1220.

Fernandez FG, Force SD, Pickens A, Kilgo PD, Luu T, Miller DL. Impact of laterality on early and late survival after pneumonectomy. *Ann Thorac Surg*. Jul 2011;92(1):244-249.

Ferrante JM, Lee JH, McCarthy EP, et al. Primary Care Utilization and Colorectal Cancer Incidence and Mortality Among Medicare Beneficiaries: A Population-Based, Case-Control Study. *Ann Intern Med*. Oct 1 2013;159(7):437-446.

Ferrante JM, McCarthy EP, Gonzalez EC, et al. Primary care utilization and colorectal cancer outcomes among Medicare beneficiaries. *Arch Intern Med*. Oct 24 2011;171(19):1747-1757.

Fesinmeyer MD, Goulart B, Blough DK, Buchwald D, Ramsey SD. Lung cancer histology, stage, treatment, and survival in American Indians and Alaska Natives and whites. *Cancer*. Oct 15 2010;116(20):4810-4816.

Fesinmeyer MD, Mehta V, Blough D, Tock L, Ramsey SD. Effect of radiotherapy interruptions on survival in medicare enrollees with local and regional head-and-neck cancer. *Int J Radiat Oncol Biol Phys.* Nov 1 2010;78(3):675-681.

Fesinmeyer MD, Mehta V, Tock L, Blough D, McDermott C, Ramsey SD. Completion of radiotherapy for local and regional head and neck cancer in medicare. *Arch Otolaryngol Head Neck Surg.* Sep 2009;135(9):860-867.

Fesinmeyer MD, North KE, Lim U, et al. Effects of smoking on the genetic risk of obesity: the population architecture using genomics and epidemiology study. *BMC medical genetics.* 2013;14:6.

Fesinmeyer MD, North KE, Ritchie MD, et al. Genetic risk factors for BMI and obesity in an ethnically diverse population: Results from the population architecture using genomics and epidemiology (PAGE) study. *Obesity* (Silver Spring, Md.). Apr 2013;21(4):835-846.

Feuer EJ, Lee M, Mariotto AB, et al. The Cancer Survival Query System: Making survival estimates from the Surveillance, Epidemiology, and End Results program more timely and relevant for recently diagnosed patients. *Cancer.* Nov 15 2012;118(22):5652-5662.

Fields EC, DeWitt P, Fisher CM, Rabinovitch R. Management of male breast cancer in the United States: a surveillance, epidemiology and end results analysis. *Int J Radiat Oncol Biol Phys.* Nov 15 2013;87(4):747-752.

Figueiredo JC, Bernstein L, Capanu M, et al. Oral contraceptives, postmenopausal hormones, and risk of asynchronous bilateral breast cancer: the WECARE Study Group. *J Clin Oncol.* Mar 20 2008;26(9):1411-1418.

Figueiredo JC, Brooks JD, Conti DV, et al. Risk of contralateral breast cancer associated with common variants in BRCA1 and BRCA2: potential modifying effect of BRCA1/BRCA2 mutation carrier status. *Breast Cancer Res Treat.* Jun 2011;127(3):819-829.

Figueiredo JC, Haile RW, Bernstein L, et al. Oral contraceptives and postmenopausal hormones and risk of contralateral breast cancer among BRCA1 and BRCA2 mutation carriers and noncarriers: the WECARE Study. *Breast Cancer Res Treat.* Feb 2010;120(1):175-183.

Figueiredo JC, Levine AJ, Lee WH, et al. Genes involved with folate uptake and distribution and their association with colorectal cancer risk. *Cancer Causes Control.* Apr 2010;21(4):597-608.

Filion EJ, McClure LA, Huang D, et al. Higher incidence of head and neck cancers among Vietnamese American men in California. *Head Neck.* Oct 2010;32(10):1336-1344.

Filippini G, Maisonneuve P, McCredie M, et al. Relation of childhood brain tumors to exposure of parents and children to tobacco smoke: the SEARCH international case-control study. Surveillance of Environmental Aspects Related to Cancer in Humans. Int J Cancer. Jul 10 2002;100(2):206-213.

Fisher KJ, Lee JH, Ferrante JM, et al. The effects of primary care on breast cancer mortality and incidence among Medicare beneficiaries. Cancer. Aug 15 2013;119(16):2964-2972.

Fishman PA, Hornbrook MC, Ritzwoller DP, O'Keeffe-Rosetti MC, Lafata JE, Salloum RG. The Challenge of Conducting Comparative Effectiveness Research in Cancer: The Impact of a Fragmented US Health-Care System. Journal of the National Cancer Institute. Monographs. 2013;2013(46):99-105.

Fitzgerald TL, Biswas T, O'Brien K, Zervos EE, Wong JH. Neoadjuvant radiotherapy for rectal cancer: adherence to evidence-based guidelines in clinical practice. World J Surg. Mar 2013;37(3):639-645.

Fitzgerald TL, Zervos E, Wong JH. Patterns of Pelvic Radiotherapy in Patients with Stage II/III Rectal Cancer. Journal of cancer epidemiology. 2013;2013:408460.

Flagg EW, Coates RJ, Jones DP, et al. Dietary glutathione intake and the risk of oral and pharyngeal cancer. Am J Epidemiol. Mar 1 1994;139(5):453-465.

Fleming ST, Pearce KA, McDavid K, Pavlov D. The development and validation of a comorbidity index for prostate cancer among Black men. Journal of clinical epidemiology. Nov 2003;56(11):1064-1075.

Flores RM, Riedel E, Donington JS, et al. Frequency of use and predictors of cancer-directed surgery in the management of malignant pleural mesothelioma in a community-based (Surveillance, Epidemiology, and End Results [SEER]) population. J Thorac Oncol. Oct 2010;5(10):1649-1654.

Folger SG, Marchbanks PA, McDonald JA, et al. Risk of breast cancer associated with short-term use of oral contraceptives. Cancer Causes Control. Mar 2007;18(2):189-198.

Fontham ET, Correa P, Reynolds P, et al. Environmental tobacco smoke and lung cancer in nonsmoking women. A multicenter study. Jama. Jun 8 1994;271(22):1752-1759.

Fontham ET, Correa P, WuWilliams A, et al. Lung cancer in nonsmoking women: a multicenter case-control study. Cancer Epidemiol Biomarkers Prev. Nov-Dec 1991;1(1):35-43.

Forsythe LP, Alfano CM, George SM, et al. Pain in long-term breast cancer survivors: the role of body mass index, physical activity, and sedentary behavior. Breast Cancer Res Treat. Jan 2013;137(2):617-630.

Fossa SD, Cvancarova M, Chen L, et al. Adverse prognostic factors for testicular cancer-specific survival: a population-based study of 27,948 patients. *J Clin Oncol*. Mar 10 2011;29(8):963-970.

Franceschi S, Preston-Martin S, Dal Maso L, et al. A pooled analysis of case-control studies of thyroid cancer. IV. Benign thyroid diseases. *Cancer Causes Control*. Dec 1999;10(6):583-595.

Frankenfeld CL, Cerhan JR, Cozen W, et al. Dietary flavonoid intake and non-Hodgkin lymphoma risk. *The American journal of clinical nutrition*. May 2008;87(5):1439-1445.

Franko J, Feng W, Yip L, Genovese E, Moser AJ. Non-functional neuroendocrine carcinoma of the pancreas: incidence, tumor biology, and outcomes in 2,158 patients. *J Gastrointest Surg*. Mar 2010;14(3):541-548.

Franko J, Hugec V, Lopes TL, Goldman CD. Survival Among Pancreaticoduodenectomy Patients Treated for Pancreatic Head Cancer <1 or 2 cm. *Ann Surg Oncol*. Feb 2013;20(2):357-361.

Freedman DM, Curtis RE, Daugherty SE, Goedert JJ, Kuncl RW, Tucker MA. The association between cancer and amyotrophic lateral sclerosis. *Cancer Causes Control*. Jan 2013;24(1):55-60.

Freedman ML, Haiman CA, Patterson N, et al. Admixture mapping identifies 8q24 as a prostate cancer risk locus in African-American men. *Proc Natl Acad Sci U S A*. Sep 19 2006;103(38):14068-14073.

Freedman ML, Penney KL, Stram DO, et al. Common variation in BRCA2 and breast cancer risk: a haplotype-based analysis in the Multiethnic Cohort. *Hum Mol Genet*. Oct 15 2004;13(20):2431-2441.

Freedman ML, Penney KL, Stram DO, et al. A haplotype-based case-control study of BRCA1 and sporadic breast cancer risk. *Cancer Res*. Aug 15 2005;65(16):7516-7522.

Freedman ND, Murray LJ, Kamangar F, et al. Alcohol intake and risk of oesophageal adenocarcinoma: a pooled analysis from the BEACON Consortium. *Gut*. Aug 2011;60(8):1029-1037.

Freedman ND, Park Y, Abnet CC, Hollenbeck AR, Sinha R. Association of coffee drinking with total and cause-specific mortality. *N Engl J Med*. May 17 2012;366(20):1891-1904.

Freedman RA, He Y, Winer EP, Keating NL. Racial/Ethnic differences in receipt of timely adjuvant therapy for older women with breast cancer: are delays influenced by the hospitals where patients obtain surgical care? *Health services research*. Oct 2013;48(5):1669-1683.

Freeman JL, Goodwin JS, Zhang D, Nattinger AB, Freeman DH, Jr. Measuring the performance of screening mammography in community practice with Medicare claims data. *Women Health*. 2003;37(2):1-15.

Freeman JL, Klabunde CN, Schussler N, Warren JL, Virnig BA, Cooper GS. Measuring breast, colorectal, and prostate cancer screening with medicare claims data. *Med Care*. Aug 2002;40(8 Suppl):IV-36-42.

Freeman JL, Zhang D, Freeman DH, Goodwin JS. An approach to identifying incident breast cancer cases using Medicare claims data. *Journal of clinical epidemiology*. Jun 2000;53(6):605-614.

Fridley BL, Serie D, Jenkins G, et al. Bayesian mixture models for the incorporation of prior knowledge to inform genetic association studies. *Genet Epidemiol*. Jul 2010;34(5):418-426.

Friese CR, Abel GA, Magazu LS, Neville BA, Richardson LC, Earle CC. Diagnostic delay and complications for older adults with multiple myeloma. *Leuk Lymphoma*. Mar 2009;50(3):392-400.

Friese CR, Earle CC, Magazu LS, et al. Timeliness and quality of diagnostic care for medicare recipients with chronic lymphocytic leukemia. *Cancer*. Apr 1 2011;117(7):1470-1477.

Friese CR, Neville BA, Edge SB, Hassett MJ, Earle CC. Breast biopsy patterns and outcomes in Surveillance, Epidemiology, and End Results-Medicare data. *Cancer*. Feb 15 2009;115(4):716-724.

Friese CR, Pini TM, Li Y, et al. Adjuvant endocrine therapy initiation and persistence in a diverse sample of patients with breast cancer. *Breast Cancer Res Treat*. Apr 2013;138(3):931-939.

Frisch M, Biggar RJ, Engels EA, Goedert JJ. Association of cancer with AIDS-related immunosuppression in adults. *Jama*. Apr 4 2001;285(13):1736-1745.

Frisch M, Biggar RJ, Goedert JJ. Human papillomavirus-associated cancers in patients with human immunodeficiency virus infection and acquired immunodeficiency syndrome. *J Natl Cancer Inst*. Sep 20 2000;92(18):1500-1510.

Fritsch VA, Lentsch EJ. Basaloid squamous cell carcinoma of the oropharynx: an analysis of 650 cases. *Otolaryngol Head Neck Surg*. Apr 2013;148(4):611-618.

Fuhrman BJ, Pfeiffer R, Xu X, et al. Soy intake is associated with increased 2-hydroxylation and decreased 16alpha-hydroxylation of estrogens in Asian-American women. *Cancer Epidemiol Biomarkers Prev*. Oct 2009;18(10):2751-2760.

Fuller CD, Wang SJ, Choi M, et al. Multimodality therapy for locoregional extrahepatic cholangiocarcinoma: a population-based analysis. *Cancer*. Nov 15 2009;115(22):5175-5183.

Fung C, Fossa SD, Milano MT, Oldenburg J, Travis LB. Solid tumors after chemotherapy or surgery for testicular nonseminoma: a population-based study. *J Clin Oncol.* Oct 20 2013;31(30):3807-3814.

Gadalla SM, Amr S, Langenberg P, et al. Breast cancer risk in elderly women with systemic autoimmune rheumatic diseases: a population-based case-control study. *Br J Cancer.* Mar 10 2009;100(5):817-821.

Gadgeel SM, Harlan LC, Zeruto CA, Osswald M, Schwartz AG. Patterns of care in a population-based sample of soft tissue sarcoma patients in the United States. *Cancer.* Jun 15 2009;115(12):2744-2754.

Gago-Dominguez M, Bell DA, Watson MA, et al. Permanent hair dyes and bladder cancer: risk modification by cytochrome P4501A2 and N-acetyltransferases 1 and 2. *Carcinogenesis.* Mar 2003;24(3):483-489.

Gago-Dominguez M, Castelao JE, Yuan JM, Ross RK, Yu MC. Increased risk of renal cell carcinoma subsequent to hysterectomy. *Cancer Epidemiol Biomarkers Prev.* Nov 1999;8(11):999-1003.

Gago-Dominguez M, Castelao JE, Yuan JM, Ross RK, Yu MC. Lipid peroxidation: a novel and unifying concept of the etiology of renal cell carcinoma (United States). *Cancer Causes Control.* Apr 2002;13(3):287-293.

Gago-Dominguez M, Castelao JE, Yuan JM, Yu MC, Ross RK. Use of permanent hair dyes and bladder-cancer risk. *Int J Cancer.* Feb 15 2001;91(4):575-579.

Gago-Dominguez M, Chan KK, Ross RK, Yu MC. Permanent hair dyes and bladder cancer risk. *Int J Cancer.* 2001;94:905-906.

Gago-Dominguez M, Jiang X, Conti DV, et al. Genetic variations on chromosomes 5p15 and 15q25 and bladder cancer risk: findings from the Los Angeles-Shanghai bladder case-control study. *Carcinogenesis.* Feb 2011;32(2):197-202.

Gago-Dominguez M, Yuan JM, Castelao JE, Ross RK, Yu MC. Regular use of analgesics is a risk factor for renal cell carcinoma. *Br J Cancer.* Oct 1999;81(3):542-548.

Gago-Dominguez M, Yuan JM, Castelao JE, Ross RK, Yu MC. Family history and risk of renal cell carcinoma. *Cancer Epidemiol Biomarkers Prev.* Sep 2001;10(9):1001-1004.

Gago-Dominguez M, Yuan JM, Sun CL, Lee HP, Yu MC. Opposing effects of dietary n-3 and n-6 fatty acids on mammary carcinogenesis: The Singapore Chinese Health Study. *Br J Cancer.* Nov 3 2003;89(9):1686-1692.

Gail MH, Costantino JP, Pee D, et al. Projecting individualized absolute invasive breast cancer risk in African American women. *J Natl Cancer Inst.* Dec 5 2007;99(23):1782-1792.

Gajdos ZK, Butler JL, Henderson KD, et al. Association studies of common variants in 10 hypogonadotropic hypogonadism genes with age at menarche. *J Clin Endocrinol Metab.* Nov 2008;93(11):4290-4298.

Gal TJ, Shinn J, Huang B. Current epidemiology and management trends in acoustic neuroma. *Otolaryngol Head Neck Surg.* May 2010;142(5):677-681.

Gale RP, Cozen W, Goodman MT, Wang FF, Bernstein L. Decreased chronic lymphocytic leukemia incidence in Asians in Los Angeles County. *Leuk Res.* Aug 2000;24(8):665-669.

Galic V, Herzog TJ, Lewin SN, et al. Prognostic significance of adenocarcinoma histology in women with cervical cancer. *Gynecol Oncol.* May 2012;125(2):287-291.

Galic V, Schiavone MB, Herzog TJ, et al. Prognostic significance of mucinous differentiation of endometrioid adenocarcinoma of the endometrium. *Cancer Invest.* Aug 2013;31(7):500-504.

Gallicchio L, Helzlsouer KJ, Chow WH, et al. Circulating 25-hydroxyvitamin D and the risk of rarer cancers: Design and methods of the Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. *Am J Epidemiol.* Jul 1 2010;172(1):10-20.

Gallicchio L, Moore LE, Stevens VL, et al. Circulating 25-hydroxyvitamin d and risk of kidney cancer: cohort consortium vitamin d pooling project of rarer cancers. *Am J Epidemiol.* Jul 1 2010;172(1):47-57.

Gamba CS, Clarke CA, Keegan TH, Tao L, Swetter SM. Melanoma survival disadvantage in young, non-Hispanic white males compared with females. *JAMA dermatology (Chicago, Ill.).* Aug 1 2013;149(8):912-920.

Gan J, Skipper PL, Gago-Dominguez M, et al. Alkyylaniline-hemoglobin adducts and risk of non-smoking-related bladder cancer. *J Natl Cancer Inst.* Oct 6 2004;96(19):1425-1431.

Gandhi R, Babu R, Cummings TJ, Adamson C. Adult primitive neuroectodermal tumors: the prognostic value of supratentorial location. *J Neurooncol.* Aug 2013;114(1):141-148.

Gao P, Song YX, Wang ZN, et al. Is the prediction of prognosis not improved by the seventh edition of the TNM classification for colorectal cancer? Analysis of the surveilla006Ece, epidemiology, and end results (SEER) database. *BMC Cancer.* Mar 17 2013;13(1):123.

Gao P, Song YX, Wang ZN, et al. Integrated Ratio of Metastatic to Examined Lymph Nodes and Number of Metastatic Lymph Nodes into the AJCC Staging System for Colon Cancer. *PLoS One.* 2012;7(4):e35021.

Gao P, Song YX, Xu YY, et al. Does the prognosis of colorectal mucinous carcinoma depend upon the primary tumour site? Results from two independent databases. *Histopathology*. Nov 2013;63(5):603-615.

Garabrant DH, Held J, Langholz B, Bernstein L. Mortality of aircraft manufacturing workers in southern California. *American journal of industrial medicine*. 1988;13(6):683-693.

Garabrant DH, Peters JM, Mack TM, Bernstein L. Job activity and colon cancer risk. *Am J Epidemiol*. Jun 1984;119(6):1005-1014.

Garabrant DH, Peters RK, Homa DM. Asbestos and colon cancer: lack of association in a large case-control study. *Am J Epidemiol*. Apr 15 1992;135(8):843-853.

Garcia-Closas M, Couch FJ, Lindstrom S, et al. Genome-wide association studies identify four ER negative-specific breast cancer risk loci. *Nat Genet*. Apr 2013;45(4):392-398.

Garcia-Closas M, Hall P, Nevanlinna H, et al. Heterogeneity of breast cancer associations with five susceptibility loci by clinical and pathological characteristics. *PLoS Genet*. Apr 2008;4(4):e1000054.

Gardner J, Xiong L, Xiao Y, et al. SHARE: system design and case studies for statistical health information release. *Journal of the American Medical Informatics Association : JAMIA*. Jan 1 2013;20(1):109-116.

Gardner TB, Glass LM, Smith KD, et al. Pancreatic Cyst Prevalence and the Risk of Mucin-Producing Adenocarcinoma in US Adults. *The American journal of gastroenterology*. Oct 2013;108(10):1546-1550.

Garg G, Gao F, Wright JD, et al. The risk of lymph node metastasis with positive peritoneal cytology in endometrial cancer. *Int J Gynecol Cancer*. Jan 2013;23(1):90-97.

Garg G, Shah JP, Toy EP, Bryant CS, Kumar S, Morris RT. Stage IA vs. IB endometrial stromal sarcoma: does the new staging system predict survival? *Gynecol Oncol*. Jul 2010;118(1):8-13.

Gargano JW, Wilkinson EJ, Unger ER, et al. Prevalence of Human Papillomavirus Types in Invasive Vulvar Cancers and Vulvar Intraepithelial Neoplasia 3 in the United States Before Vaccine Introduction. *Journal of lower genital tract disease*. Oct 2012;16(4):471-479.

Gathany AH, Hartge P, Davis S, et al. Relationship between interferon regulatory factor 4 genetic polymorphisms, measures of sun sensitivity and risk for non-Hodgkin lymphoma. *Cancer Causes Control*. Apr 28 2009;20(8):1291-1302.

Gatto NM, Frucht H, Sundararajan V, Jacobson JS, Grann VR, Neugut AI. Risk of perforation after colonoscopy and sigmoidoscopy: a population-based study. *J Natl Cancer Inst*. Feb 5 2003;95(3):230-236.

Gatto NM, Longnecker MP, Press MF, Sullivan-Halley J, McKean-Cowdin R, Bernstein L. Serum organochlorines and breast cancer: a case-control study among African-American women. *Cancer Causes Control*. Feb 2007;18(1):29-39.

Gaudet MM, Milne RL, Cox A, et al. Five polymorphisms and breast cancer risk: results from the Breast Cancer Association Consortium. *Cancer Epidemiol Biomarkers Prev*. May 2009;18(5):1610-1616.

Gaudet MM, Olshan AF, Chuang SC, et al. Body mass index and risk of head and neck cancer in a pooled analysis of case-control studies in the International Head and Neck Cancer Epidemiology (INHANCE) Consortium. *Int J Epidemiol*. Aug 2010;39(4):1091-1102.

Gaur P, Leary C, Yao JC. Thymic neuroendocrine tumors: a SEER database analysis of 160 patients. *Ann Surg*. Jun 2010;251(6):1117-1121.

Gayther SA, Song H, Ramus SJ, et al. Tagging single nucleotide polymorphisms in cell cycle control genes and susceptibility to invasive epithelial ovarian cancer. *Cancer Res*. Apr 1 2007;67(7):3027-3035.

Gearhart SL, Nathan H, Pawlik TM, Wick E, Efron J, Shore AD. Outcomes from IBD-associated and non-IBD-associated colorectal cancer: a Surveillance Epidemiology and End Results Medicare study. *Dis Colon Rectum*. Mar 2012;55(3):270-277.

Gebregziabher M, Bernstein L, Wang Y, Cozen W. Risk patterns of multiple myeloma in Los Angeles County, 1972-1999 (United States). *Cancer Causes Control*. Sep 2006;17(7):931-938.

Gebregziabher M, Guimaraes P, Cozen W, Conti DV. A polytomous conditional likelihood approach for combining matched and unmatched case-control studies. *Stat Med*. Apr 30 2010;29(9):1004-1013.

Gebregziabher M, Langholz B. A semiparametric missing-data-induced intensity method for missing covariate data in individually matched case-control studies. *Biometrics*. Sep 2010;66(3):845-854.

Geiger AM, Chen W, Bernstein L. Myocardial infarction risk and tamoxifen therapy for breast cancer. *Br J Cancer*. May 9 2005;92(9):1614-1620.

Geiger AM, Fischberg GM, Chen W, Bernstein L. Stroke risk and tamoxifen therapy for breast cancer. *J Natl Cancer Inst*. Oct 20 2004;96(20):1528-1536.

Genkinger JM, Li R, Spiegelman D, et al. Coffee, tea, and sugar-sweetened carbonated soft drink intake and pancreatic cancer risk: a pooled analysis of 14 cohort studies. *Cancer Epidemiol Biomarkers Prev*. Feb 2012;21(2):305-318.

Genkinger JM, Spiegelman D, Anderson KE, et al. Alcohol intake and pancreatic cancer risk: a pooled analysis of fourteen cohort studies. *Cancer Epidemiol Biomarkers Prev.* Mar 2009;18(3):765-776.

Genkinger JM, Spiegelman D, Anderson KE, et al. A pooled analysis of 14 cohort studies of anthropometric factors and pancreatic cancer risk. *Int J Cancer.* Oct 1 2011;129(7):1708-1717.

George EM, Herzog TJ, Neugut AI, et al. Carcinosarcoma of the ovary: Natural history, patterns of treatment, and outcome. *Gynecol Oncol.* Oct 2013;131(1):42-45.

George SM, Alfano CM, Smith AW, et al. Sedentary behavior, health-related quality of life, and fatigue among breast cancer survivors. *Journal of physical activity & health.* Mar 2013;10(3):350-358.

George SM, Irwin ML, Smith AW, et al. Postdiagnosis diet quality, the combination of diet quality and recreational physical activity, and prognosis after early-stage breast cancer. *Cancer Causes Control.* Apr 2011;22(4):589-598.

George SM, Neuhouser ML, Mayne ST, et al. Postdiagnosis diet quality is inversely related to a biomarker of inflammation among breast cancer survivors. *Cancer Epidemiol Biomarkers Prev.* Sep 2010;19(9):2220-2228.

George SM, Smith AW, Alfano CM, et al. The association between television watching time and all-cause mortality after breast cancer. *J Cancer Surviv.* Jun 2013;7(2):247-252.

German RR, Fink AK, Heron M, et al. The accuracy of cancer mortality statistics based on death certificates in the United States. *Cancer Epidemiol.* Apr 2011;35(2):126-131.

German RR, Wike JM, Bauer KR, et al. Quality of cancer registry data: findings from CDC-NPCR's Breast and Prostate Cancer Data Quality and Patterns of Care Study. *J Registry Manag.* Summer 2011;38(2):75-86.

Geyer SM, Morton LM, Habermann TM, et al. Smoking, alcohol use, obesity, and overall survival from non-Hodgkin lymphoma: a population-based study. *Cancer.* Jun 15 2010;116(12):2993-3000.

Ghazarian AA, Murphy MA, Khan MR, Saksvig BI, Altekruse SF. Area-level attributes and esophageal adenocarcinoma in surveillance, epidemiology and end results registries. *PLoS One.* 2013;8(11):e81613.

Ghia AJ, Allen PK, Mahajan A, Penas-Prado M, McCutcheon IE, Brown PD. Intracranial hemangiopericytoma and the role of radiation therapy: a population based analysis. *Neurosurgery.* Feb 2013;72(2):203-209.

Ghia AJ, Gonzalez VJ, Tward JD, Stroup AM, Pappas L, Gaffney DK. Primary vaginal cancer and chemoradiotherapy: a patterns-of-care analysis. *Int J Gynecol Cancer*. Feb 2011;21(2):378-384.

Ghia AJ, Mahajan A, Allen PK, et al. Supratentorial gross-totally resected non-anaplastic ependymoma: population based patterns of care and outcomes analysis. *J Neurooncol*. Dec 2013;115(3):513-520.

Ghia AJ, Shrieve DC, Tward JD. Adjuvant Radiotherapy Use and Patterns of Care Analysis for Margin-positive Prostate Adenocarcinoma with Extracapsular Extension: Postprostatectomy Adjuvant Radiotherapy: A SEER Analysis. *Urology*. Aug 13 2010;76(5):1169-1174.

Ghogomu NT, Kallogjeri D, Nussenbaum B, Piccirillo JF. Iatrogenic esophageal perforation in patients with head and neck cancer: evaluation of the SEER-Medicare database. *Otolaryngol Head Neck Surg*. May 2010;142(5):728-734.

Ghosh JK, Heck JE, Cockburn M, Su J, Jerrett M, Ritz B. Prenatal Exposure to Traffic-related Air Pollution and Risk of Early Childhood Cancers. *Am J Epidemiol*. Oct 15 2013;178(8):1233-1239.

Gibson TM, Smedby KE, Skibola CF, et al. Smoking, variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma: a pooled analysis within the InterLymph consortium. *Cancer Causes Control*. Jan 2013;24(1):125-134.

Gibson TM, Wang SS, Cerhan JR, et al. Inherited genetic variation and overall survival following follicular lymphoma. *American journal of hematology*. Jul 2012;87(7):724-726.

Giddings BH, Kwong SL, Parikh-Patel A, Bates JH, Snipes KP. Going against the tide: increasing incidence of colorectal cancer among Koreans, Filipinos, and South Asians in California, 1988-2007. *Cancer Causes Control*. May 2012;23(5):691-702.

Gilbert SM, Kuo YF, Shahinian VB. Prevalent and incident use of androgen deprivation therapy among men with prostate cancer in the United States. *Urol Oncol*. Nov 17 2009.

Gilbert SM, Kuo YF, Shahinian VB. Prevalent and incident use of androgen deprivation therapy among men with prostate cancer in the United States. *Urol Oncol*. Nov 2011;29(6):647-653.

Gill JK, Franke AA, Steven Morris J, et al. Association of selenium, tocopherols, carotenoids, retinol, and 15-isoprostane F(2t) in serum or urine with prostate cancer risk: the multiethnic cohort. *Cancer Causes Control*. Sep 2009;20(7):1161-1171.

Gill JK, Maskarinec G, Wilkens LR, Pike MC, Henderson BE, Kolonel LN. Nonsteroidal antiinflammatory drugs and breast cancer risk: the multiethnic cohort. *Am J Epidemiol*. Nov 15 2007;166(10):1150-1158.

Gill JK, Press MF, Patel AV, Bernstein L. Oral contraceptive use and risk of breast carcinoma in situ (United States). *Cancer Causes Control*. Nov 2006;17(9):1155-1162.

Gill JK, Wilkens LR, Pollak MN, Stanczyk FZ, Kolonel LN. Androgens, growth factors, and risk of prostate cancer: the Multiethnic Cohort. *Prostate*. Jun 1 2010;70(8):906-915.

Gillessen S, Templeton A, Marra G, Kuo YF, Valtorta E, Shahinian VB. Risk of colorectal cancer in men on long-term androgen deprivation therapy for prostate cancer. *J Natl Cancer Inst*. Dec 1 2010;102(23):1760-1770.

Gilligan MA, Neuner J, Zhang X, Sparapani R, Laud PW, Nattinger AB. Relationship between number of breast cancer operations performed and 5-year survival after treatment for early-stage breast cancer. *Am J Public Health*. Mar 2007;97(3):539-544.

Gilliland FD, Hoffman RM, Hamilton A, et al. Predicting extracapsular extension of prostate cancer in men treated with radical prostatectomy: results from the population based prostate cancer outcomes study. *J Urol*. Oct 1999;162(4):1341-1345.

Giordano SH, Duan Z, Kuo YF, Hortobagyi GN, Goodwin JS. Use and outcomes of adjuvant chemotherapy in older women with breast cancer. *J Clin Oncol*. Jun 20 2006;24(18):2750-2756.

Giordano SH, Kuo YF, Duan Z, Hortobagyi GN, Freeman J, Goodwin JS. Limits of observational data in determining outcomes from cancer therapy. *Cancer*. Jun 2008;112(11):2456-2466.

Giordano SH, Lee A, Kuo YF, Freeman J, Goodwin JS. Late gastrointestinal toxicity after radiation for prostate cancer. *Cancer*. Jul 15 2006;107(2):423-432.

Giuffrida AY, Burgueno JE, Koniaris LG, Gutierrez JC, Duncan R, Scully SP. Chondrosarcoma in the United States (1973 to 2003): an analysis of 2890 cases from the SEER database. *The Journal of bone and joint surgery. American volume*. May 2009;91(5):1063-1072.

Gleason MX, Mdzinarishvili T, Are C, et al. Prognostic estimator of survival for patients with localized and extended pancreatic ductal adenocarcinoma. *Cancer informatics*. 2013;12:103-114.

Gleisner AL, Mogal H, Dodson R, et al. Nodal status, number of lymph nodes examined, and lymph node ratio: what defines prognosis after resection of colon adenocarcinoma? *J Am Coll Surg*. Dec 2013;217(6):1090-1100.

Godley PA, Schenck AP, Amamoo MA, et al. Racial differences in mortality among Medicare recipients after treatment for localized prostate cancer. *J Natl Cancer Inst*. Nov 19 2003;95(22):1702-1710.

Goedert JJ, Cote TR. Conjunctival malignant disease with AIDS in USA. *Lancet*. Jul 22 1995;346(8969):257-258.

Goedert JJ, Cote TR, Virgo P, et al. Spectrum of AIDS-associated malignant disorders. *Lancet*. Jun 20 1998;351(9119):1833-1839.

Goedert JJ, Purdue MP, McNeel TS, McGlynn KA, Engels EA. Risk of germ cell tumors among men with HIV/acquired immunodeficiency syndrome. *Cancer Epidemiol Biomarkers Prev*. Jun 2007;16(6):1266-1269.

Goedert JJ, Schairer C, McNeel TS, Hessol NA, Rabkin CS, Engels EA. Risk of breast, ovary, and uterine corpus cancers among 85,268 women with AIDS. *Br J Cancer*. Sep 4 2006;95(5):642-648.

Goffredo P, Cheung K, Roman SA, Sosa JA. Can Minimally Invasive Follicular Thyroid Cancer be Approached as a Benign Lesion? : A Population-Level Analysis of Survival Among 1,200 Patients. *Ann Surg Oncol*. Mar 2013;20(3):767-772.

Goffredo P, Roman SA, Sosa JA. Hurthle cell carcinoma: A population-level analysis of 3311 patients. *Cancer*. Feb 1 2013;119(3):504-511.

Goffredo P, Sosa JA, Roman SA. Malignant pheochromocytoma and paraganglioma: A population level analysis of long-term survival over two decades. *J Surg Oncol*. May 2013;107(6):659-664.

Goffredo P, Sosa JA, Roman SA. Differentiated thyroid cancer presenting with distant metastases: a population analysis over two decades. *World J Surg*. Jul 2013;37(7):1599-1605.

Goggins WB. Re: Second primary cancers in patients with nasopharyngeal carcinoma: a pooled analysis of 13 cancer registries. *Cancer Causes Control*. Dec 2008;19(10):1409-1410.

Goggins WB, Lo FF. Racial and ethnic disparities in survival of US children with acute lymphoblastic leukemia: evidence from the SEER database 1988-2008. *Cancer Causes Control*. May 2012;23(5):737-743.

Goggins WB, Wong G. Cancer among Asian Indians/Pakistanis living in the United States: low incidence and generally above average survival. *Cancer Causes Control*. Jul 2009;20(5):635-643.

Goggins WB, Wong GK. Poor survival for US Pacific Islander cancer patients: evidence from the Surveillance, Epidemiology, and End Results database: 1991 to 2004. *J Clin Oncol*. Dec 20 2007;25(36):5738-5741.

Gold HT, Do HT. Evaluation of three algorithms to identify incident breast cancer in Medicare claims data. *Health services research*. Oct 2007;42(5):2056-2069.

Gold JS, Al Natour RH, Saund MS, et al. Population-Based Outcome of Stage IA-IIA Resected Gastric Adenocarcinoma: Who Should Get Adjuvant Treatment? *Ann Surg Oncol*. Jul 2013;20(7):2304-2310.

Goldberg DW, Cockburn MG. Improving Geocode Accuracy with Candidate Selection Criteria. *T Gis.* Jul 2010;14:149-176.

Goldberg DW, Cockburn MG. The effect of administrative boundaries and geocoding error on cancer rates in California. *Spatial and spatio-temporal epidemiology.* Apr 2012;3(1):39-54.

Goldberg SW, Mulshine JL, Hagstrom D, Pyenson BS. An actuarial approach to comparing early stage and late stage lung cancer mortality and survival. *Popul Health Manag.* Feb 2010;13(1):33-46.

Goldin GH, Sheets NC, Meyer AM, et al. Comparative effectiveness of intensity-modulated radiotherapy and conventional conformal radiotherapy in the treatment of prostate cancer after radical prostatectomy. *JAMA internal medicine.* Jun 24 2013;173(12):1136-1143.

Goldsmith B, Cesaretti J, Wisnivesky JP. Radiotherapy planning complexity and survival after treatment of advanced stage lung cancer in the elderly. *Cancer.* Jun 30 2009;115(19):4645-4653.

Goldstein AM, Blot WJ, Greenberg RS, et al. Familial risk in oral and pharyngeal cancer. *Eur J Cancer B Oral Oncol.* Sep 1994;30B(5):319-322.

Goldstein AM, Haile RW, Hodge SE, Paganini-Hill A, Spence MA. Possible heterogeneity in the segregation pattern of breast cancer in families with bilateral breast cancer. *Genet Epidemiol.* 1988;5(2):121-133.

Goldstein AM, Haile RW, Marazita ML, Paganini-Hill A. A genetic epidemiologic investigation of breast cancer in families with bilateral breast cancer. I. Segregation analysis. *J Natl Cancer Inst.* May 1987;78(5):911-918.

Goldstein AM, Haile RW, Spence MA, Sparkes RS, Paganini-Hill A. A genetic epidemiologic investigation of breast cancer in families with bilateral breast cancer. II. Linkage analysis. *Clin Genet.* Aug 1989;36(2):100-106.

Gomez SL, Clarke CA, Shema SJ, Chang ET, Keegan TH, Glaser SL. Disparities in breast cancer survival among Asian women by ethnicity and immigrant status: a population-based study. *Am J Public Health.* May 2010;100(5):861-869.

Gomez SL, Glaser SL, McClure LA, et al. The California Neighborhoods Data System: a new resource for examining the impact of neighborhood characteristics on cancer incidence and outcomes in populations. *Cancer Causes Control.* Apr 2011;22(4):631-647.

Gomez SL, Lichtensztajn D, Kurian AW, et al. Increasing mastectomy rates for early-stage breast cancer? Population-based trends from California. *J Clin Oncol.* Apr 1 2010;28(10):e155-157; author reply e158.

Gomez SL, Noone AM, Lichtensztajn DY, et al. Cancer Incidence Trends Among Asian American Populations in the United States, 1990-2008. *J Natl Cancer Inst.* Aug 7 2013;105(15):1096-1110.

Gomez SL, O'Malley CD, Stroup A, Shema SJ, Satariano WA. Longitudinal, population-based study of racial/ethnic differences in colorectal cancer survival: impact of neighborhood socioeconomic status, treatment and comorbidity. *BMC Cancer.* 2007;7:193.

Gomez SL, Quach T, Horn-Ross PL, et al. Hidden breast cancer disparities in Asian women: disaggregating incidence rates by ethnicity and migrant status. *Am J Public Health.* Apr 1 2010;100 Suppl 1:S125-131.

Gondos A, Hiripi E, Holleczek B, Luttmann S, Eberle A, Brenner H. Survival among adolescents and young adults with cancer in Germany and the United States: An international comparison. *Int J Cancer.* Nov 2013;133(9):2207-2215.

Gonen M, Schrag D, Weiser MR. Nodal staging score: a tool to assess adequate staging of node-negative colon cancer. *J Clin Oncol.* Dec 20 2009;27(36):6166-6171.

Gong G, Oakley-Girvan I, Wu AH, et al. Segregation analysis of prostate cancer in 1,719 white, African-American and Asian-American families in the United States and Canada. *Cancer Causes Control.* Jun 2002;13(5):471-482.

Gong J, Schumacher F, Lim U, et al. Fine Mapping and Identification of BMI Loci in African Americans. *American journal of human genetics.* Oct 3 2013;93(4):661-671.

Gonzalez L, Magno P, Ortiz AP, et al. Esophageal cancer incidence rates by histological type and overall: Puerto Rico versus the United States Surveillance, Epidemiology, and End Results population, 1992-2005. *Cancer Epidemiol.* Feb 2013;37(1):5-10.

Goode EL, Chenevix-Trench G, Song H, et al. A genome-wide association study identifies susceptibility loci for ovarian cancer at 2q31 and 8q24. *Nat Genet.* Oct 2010;42(10):874-879.

Gooden KM, Howard DL, Carpenter WR, et al. The effect of hospital and surgeon volume on racial differences in recurrence-free survival after radical prostatectomy. *Med Care.* Nov 2008;46(11):1170-1176.

Goodman KJ, Bible ML, London S, Mack TM. Proportional melanoma incidence and occupation among white males in Los Angeles County (California, United States). *Cancer Causes Control.* Sep 1995;6(5):451-459.

Goodman M, Liu L, Ward K, et al. Invasion characteristics of oral tongue cancer: frequency of reporting and effect on survival in a population-based study. *Cancer.* Sep 1 2009;115(17):4010-4020.

Goodman MT, Hernandez BY, Hewitt S, et al. Tissues from population-based cancer registries: a novel approach to increasing research potential. *Human pathology*. Jul 2005;36(7):812-820.

Goodman MT, Shvetsov YB. Incidence of ovarian, peritoneal, and fallopian tube carcinomas in the United States, 1995-2004. *Cancer Epidemiol Biomarkers Prev*. Jan 2009;18(1):132-139.

Goodman MT, Shvetsov YB. Rapidly increasing incidence of papillary serous carcinoma of the peritoneum in the United States: fact or artifact? *Int J Cancer*. May 1 2009;124(9):2231-2235.

Goodman MT, Shvetsov YB, Wilkens LR, et al. Urinary phytoestrogen excretion and postmenopausal breast cancer risk: the multiethnic cohort study. *Cancer Prev Res (Phila Pa)*. Oct 2009;2(10):887-894.

Goodman MT, Wilkens LR, Hankin JH, Lyu LC, Wu AH, Kolonel LN. Association of soy and fiber consumption with the risk of endometrial cancer. *Am J Epidemiol*. Aug 15 1997;146(4):294-306.

Goodman MT, Wu AH, Tung KH, et al. Association of galactose-1-phosphate uridylyltransferase activity and N314D genotype with the risk of ovarian cancer. *Am J Epidemiol*. Oct 15 2002;156(8):693-701.

Goodman MT, Wu AH, Tung KH, et al. Association of dairy products, lactose, and calcium with the risk of ovarian cancer. *Am J Epidemiol*. Jul 15 2002;156(2):148-157.

Goodwin JS, Zhang DD, Ostir GV. Effect of depression on diagnosis, treatment, and survival of older women with breast cancer. *J Am Geriatr Soc*. Jan 2004;52(1):106-111.

Goodwin TL, Sainani K, Fisher PG. Incidence patterns of central nervous system germ cell tumors: a SEER Study. *J Pediatr Hematol Oncol*. Aug 2009;31(8):541-544.

Gore JL, Lai J, Setodji CM, Litwin MS, Saigal CS. Mortality increases when radical cystectomy is delayed more than 12 weeks : results From a Surveillance, Epidemiology, and End Results-Medicare Analysis. *Cancer*. Jan 13 2009;115(5):988-996.

Gore JL, Litwin MS, Lai J, et al. Use of radical cystectomy for patients with invasive bladder cancer. *J Natl Cancer Inst*. Jun 2 2010;102(11):802-811.

Gore JL, Saigal CS, Hanley JM, Schonlau M, Litwin MS. Variations in reconstruction after radical cystectomy. *Cancer*. Aug 15 2006;107(4):729-737.

Gorin SS, Heck JE, Albert S, Hershman D. Treatment for breast cancer in patients with Alzheimer's disease. *J Am Geriatr Soc*. Nov 2005;53(11):1897-1904.

Gorin SS, Heck JE, Cheng B, Smith SJ. Delays in breast cancer diagnosis and treatment by racial/ethnic group. *Arch Intern Med*. Nov 13 2006;166(20):2244-2252.

Goulart BH, Reyes CM, Fedorenko CR, et al. Referral and Treatment Patterns Among Patients With Stages III and IV Non-Small-Cell Lung Cancer. *J Oncol Pract.* Jan 2013;9(1):42-50.

Gould-Martin K, Paganini-Hill A, Casagrande C, Mack T, Ross RK. Behavioral and biological determinants of surgical stage of breast cancer. *Preventive medicine.* Jul 1982;11(4):429-440.

Govindarajan A, Coburn NG, Kiss A, Rabeneck L, Smith AJ, Law CH. Population-based assessment of the surgical management of locally advanced colorectal cancer. *J Natl Cancer Inst.* Oct 18 2006;98(20):1474-1481.

Grabowski J, Saltzstein SL, Sadler GR, Tahir Z, Blair S. A comparison of merkel cell carcinoma and melanoma: results from the california cancer registry. *Clinical medicine. Oncology.* 2008;2:327-333.

Grabowski J, Silberstein J, Saltzstein SL, Saenz N. Renal tumors in the second decade of life: results from the California Cancer Registry. *J Pediatr Surg.* Jun 2009;44(6):1148-1151.

Graff M, Gordon-Larsen P, Lim U, et al. The Influence of Obesity-Related Single Nucleotide Polymorphisms on BMI Across the Life Course: The PAGE Study. *Diabetes.* May 2013;62(5):1763-1767.

Graham JA, Melancon JK, Shetty K, Johnson LB. Liver transplantation should be offered to patients with small solitary hepatocellular carcinoma and a positive serum alpha fetoprotein rather than resection. *American journal of surgery.* Apr 2013;205(4):374-380.

Graham JA, Newman DA, Smirniotopolous J, Shetty K, Slidell MB, Johnson LB. Transplantation for hepatocellular carcinoma in younger patients has an equivocal survival advantage as compared with resection. *Transplantation proceedings.* Jan 2013;45(1):265-271.

Grann VR, Hershman D, Jacobson JS, et al. Outcomes and diffusion of doxorubicin-based chemotherapy among elderly patients with aggressive non-Hodgkin lymphoma. *Cancer.* Oct 1 2006;107(7):1530-1541.

Grann VR, Jacobson JS, Whang W, et al. Prevention with tamoxifen or other hormones versus prophylactic surgery in BRCA1/2-positive women: a decision analysis. *Cancer J Sci Am.* Jan-Feb 2000;6(1):13-20.

Gray GE, Henderson BE, Pike MC. Changing ratio of breast cancer incidence rates with age of black females compared with white females in the United States. *J Natl Cancer Inst.* Mar 1980;64(3):461-463.

Gray SH, Hawn MT, Kilgore ML, Yun H, Christein JD. Does cholecystectomy prior to the diagnosis of pancreatic cancer affect outcome? *The American surgeon.* Jul 2008;74(7):602-605; discussion 605-606.

Gray SW, Landrum MB, Lamont EB, McNeil BJ, Jaklitsch MT, Keating NL. Improved outcomes associated with higher surgery rates for older patients with early stage nonsmall cell lung cancer. *Cancer*. Mar 1 2012;118(5):1404-1411.

Gray-McGuire C, Guda K, Adrianto I, et al. Confirmation of linkage to and localization of familial colon cancer risk haplotype on chromosome 9q22. *Cancer Res*. Jul 1 2010;70(13):5409-5418.

Greenberg CC, Lipsitz SR, Neville B, et al. Receipt of appropriate surgical care for Medicare beneficiaries with cancer. *Arch Surg*. Oct 2011;146(10):1128-1134.

Greenberg RS, Haber MJ, Clark WS, et al. The relation of socioeconomic status to oral and pharyngeal cancer. *Epidemiology*. May 1991;2(3):194-200.

Greenblatt DY, Weber SM, O'Connor ES, LoConte NK, Liou JI, Smith MA. Readmission after colectomy for cancer predicts one-year mortality. *Ann Surg*. Apr 2010;251(4):659-669.

Greenlee RT, Goodman MT, Lynch CF, Platz CE, Havener LA, Howe HL. The occurrence of rare cancers in U.S. adults, 1995-2004. *Public Health Rep*. Jan-Feb 2010;125(1):28-43.

Greenlee RT, Howe HL. County-level poverty and distant stage cancer in the United States. *Cancer Causes Control*. Aug 2009;20(6):989-1000.

Gridley G, McLaughlin JK, Block G, et al. Diet and oral and pharyngeal cancer among blacks. *Nutr Cancer*. 1990;14(3-4):219-225.

Griffiths R, Mikhael J, Gleeson M, Danese M, Dreyling M. Addition of rituximab to chemotherapy alone as first-line therapy improves overall survival in elderly patients with mantle cell lymphoma. *Blood*. Nov 3 2011;118(18):4808-4816.

Griffiths RI, Barron RL, Gleeson ML, et al. Granulocyte-colony stimulating factor use and medical costs after initial adjuvant chemotherapy in older patients with early-stage breast cancer. *Pharmacoeconomics*. Feb 1 2012;30(2):103-118.

Griffiths RI, Danese MD, Gleeson ML, Valderas JM. Epidemiology and outcomes of previously undiagnosed diabetes in older women with breast cancer: an observational cohort study based on seer-medicare. *BMC Cancer*. Dec 22 2012;12(1):613.

Griffiths RI, Gleeson ML, Danese MD, O'Hagan A. Inverse Probability Weighted Least Squares Regression in the Analysis of Time-Censored Cost Data: An Evaluation of the Approach Using SEER-Medicare. *Value Health*. Jul 2012;15(5):656-663.

Griffiths RI, Gleeson ML, Mikhael J, Danese MD. Impact on Medical Cost, Cumulative Survival, and Cost-Effectiveness of Adding Rituximab to First-Line Chemotherapy for Follicular Lymphoma in Elderly Patients: An Observational Cohort Study Based on SEER-Medicare. *Journal of cancer epidemiology*. 2012;2012:978391.

Griffiths RI, Gleeson ML, Mikhael J, Dreyling MH, Danese MD. Comparative effectiveness and cost of adding rituximab to first-line chemotherapy for elderly patients diagnosed with diffuse large B-cell lymphoma. *Cancer*. Dec 15 2012;118(24):6079-6088.

Griffiths RI, Lalla D, Herbert RJ, Doan JF, Brammer MG, Danese MD. Infused therapy and survival in older patients diagnosed with metastatic breast cancer who received trastuzumab. *Cancer Invest*. Nov 2011;29(9):573-584.

Griffiths RI, O'Malley CD, Herbert RJ, Danese MD. Misclassification of incident conditions using claims data: impact of varying the period used to exclude pre-existing disease. *BMC medical research methodology*. Mar 6 2013;13(1):32.

Griggs JJ, Hawley ST, Graff JJ, et al. Factors associated with receipt of breast cancer adjuvant chemotherapy in a diverse population-based sample. *J Clin Oncol*. Sep 1 2012;30(25):3058-3064.

Grimley PM, Matsuno RK, Rosenberg PS, Henson DE, Schwartz AM, Anderson WF. Qualitative age interactions between low-grade and high-grade serous ovarian carcinomas. *Cancer Epidemiol Biomarkers Prev*. Aug 2009;18(8):2256-2261.

Groeschl RT, Christians KK, Turaga KK, Gamblin TC. Management of primary hepatopancreatobiliary small cell carcinoma. *J Surg Oncol*. Jun 2013;107(7):692-695.

Groeschl RT, Clark Gamblin T, Turaga KK. Surgical resection in hepatocellular carcinoma patients with minimal background fibrosis: a strategy in the era of organ shortage. *Ann Surg Oncol*. Jun 2013;20(6):2043-2048.

Groeschl RT, Gamblin TC, Turaga KK. Ablation for Hepatocellular Carcinoma: Validating the 3-cm Breakpoint. *Ann Surg Oncol*. Oct 2013;20(11):3591-3595.

Groeschl RT, Turaga KK, Gamblin TC. Transplantation versus resection for patients with combined hepatocellular carcinoma-cholangiocarcinoma. *J Surg Oncol*. May 2013;107(6):608-612.

Groome PA, Mackillop WJ, Rothwell DM, et al. Management and outcome of glottic cancer: a population-based comparison between Ontario, Canada and the SEER areas of the United States. *Surveillance, Epidemiology and End Results*. J Otolaryngol. Apr 2000;29(2):67-77.

Groome PA, O'Sullivan B, Irish JC, et al. Glottic cancer in Ontario, Canada and the SEER areas of the United States. Do different management philosophies produce different outcome profiles? *Journal of clinical epidemiology*. Mar 2001;54(3):301-315.

Gross CP, Andersen MS, Krumholz HM, McAvay GJ, Proctor D, Tinetti ME. Relation between Medicare screening reimbursement and stage at diagnosis for older patients with colon cancer. *Jama*. Dec 20 2006;296(23):2815-2822.

Gross CP, Galusha DH, Krumholz HM. The impact of venous thromboembolism on risk of death or hemorrhage in older cancer patients. *J Gen Intern Med*. Mar 2007;22(3):321-326.

Gross CP, Guo Z, McAvay GJ, Allore HG, Young M, Tinetti ME. Multimorbidity and survival in older persons with colorectal cancer. *J Am Geriatr Soc*. Dec 2006;54(12):1898-1904.

Gross CP, Long JB, Ross JS, et al. The cost of breast cancer screening in the medicare population. *JAMA internal medicine*. Feb 11 2013;173(3):220-226.

Gross CP, McAvay GJ, Krumholz HM, Paltiel AD, Bhasin D, Tinetti ME. The effect of age and chronic illness on life expectancy after a diagnosis of colorectal cancer: implications for screening. *Ann Intern Med*. Nov 7 2006;145(9):646-653.

Gross CP, Smith BD, Wolf E, Andersen M. Racial disparities in cancer therapy: did the gap narrow between 1992 and 2002? *Cancer*. Feb 15 2008;112(4):900-908.

Groth SS, Virnig BA, Whitson BA, et al. Determination of the minimum number of lymph nodes to examine to maximize survival in patients with esophageal carcinoma: data from the Surveillance Epidemiology and End Results database. *J Thorac Cardiovasc Surg*. Mar 2010;139(3):612-620.

Grover S, Showalter S, Kraft KH, Suneja G, Lin L. The impact of race and partner status on patterns of care and survival in young women with early-stage cervical cancer. *Int J Gynecol Cancer*. Mar 2013;23(3):494-499.

Grulich AE, Vajdic CM, Cozen W. Altered immunity as a risk factor for non-Hodgkin lymphoma. *Cancer Epidemiol Biomarkers Prev*. Mar 2007;16(3):405-408.

Grulich AE, Vajdic CM, Falster MO, et al. Birth order and risk of non-hodgkin lymphoma--true association or bias? *Am J Epidemiol*. Sep 15 2010;172(6):621-630.

Gruschkus SK, Lairson D, Dunn JK, Risser J, Du XL. Comparative effectiveness of white blood cell growth factors on neutropenia, infection, and survival in older people with non-Hodgkin's lymphoma treated with chemotherapy. *J Am Geriatr Soc*. Oct 2010;58(10):1885-1895.

Gruschkus SK, Lairson D, Dunn JK, Risser J, Du XL. Cost-effectiveness of white blood cell growth factor use among a large nationwide cohort of elderly non-Hodgkin's lymphoma patients treated with chemotherapy. *Value Health*. Mar-Apr 2011;14(2):253-262.

Gu F, Schumacher FR, Canzian F, et al. Eighteen insulin-like growth factor pathway genes, circulating levels of IGF-I and its binding protein, and risk of prostate and breast cancer. *Cancer Epidemiol Biomarkers Prev*. Nov 2010;19(11):2877-2887.

Guadagnolo BA, Huo J, Liao KP, Buchholz TA, Das P. Changing trends in radiation therapy technologies in the last year of life for patients diagnosed with metastatic cancer in the United States. *Cancer*. Mar 1 2013;119(5):1089-1097.

Guadagnolo BA, Liao KP, Elting L, Giordano S, Buchholz TA, Shih YC. Use of radiation therapy in the last 30 days of life among a large population-based cohort of elderly patients in the United States. *J Clin Oncol*. Jan 1 2013;31(1):80-87.

Guadagnolo BA, Liu CC, Cormier JN, Du XL. Evaluation of trends in the use of intensity-modulated radiotherapy for head and neck cancer from 2000 through 2005: socioeconomic disparity and geographic variation in a large population-based cohort. *Cancer*. Jul 15 2010;116(14):3505-3512.

Guech-Ongey M, Engels EA, Goedert JJ, Biggar RJ, Mbulaiteye SM. Elevated risk for squamous cell carcinoma of the conjunctiva among adults with AIDS in the United States. *Int J Cancer*. Jun 1 2008;122(11):2590-2593.

Guech-Ongey M, Simard EP, Anderson WF, et al. AIDS-related Burkitt lymphoma in the United States: what do age and CD4 lymphocyte patterns tell us about etiology and/or biology? *Blood*. Dec 16 2010;116(25):5600-5604.

Guidotti S, Wright WE, Peters JM. Multiple myeloma in cosmetologists. *American journal of industrial medicine*. 1982;3(2):169-171.

Gulati R, Inoue L, Katcher J, Hazelton W, Etzioni R. Calibrating disease progression models using population data: a critical precursor to policy development in cancer control. *Biostatistics*. Oct 2010;11(4):707-719.

Gullett NP, Rizzo M, Johnstone PA. National surgical patterns of care for primary surgery and axillary staging of phyllodes tumors. *Breast J*. Jan-Feb 2009;15(1):41-44.

Gumpertz ML, Pickle LW, Miller BA, Bell BS. Geographic patterns of advanced breast cancer in Los Angeles: associations with biological and sociodemographic factors (United States). *Cancer Causes Control*. Apr 2006;17(3):325-339.

Gunderson LL, Jessup JM, Sargent DJ, Greene FL, Stewart A. Revised tumor and node categorization for rectal cancer based on surveillance, epidemiology, and end results and rectal pooled analysis outcomes. *J Clin Oncol.* Jan 10 2010;28(2):256-263.

Gundrum JD, Mathiason MA, Moore DB, Go RS. Primary testicular diffuse large B-cell lymphoma: a population-based study on the incidence, natural history, and survival comparison with primary nodal counterpart before and after the introduction of rituximab. *J Clin Oncol.* Nov 1 2009;27(31):5227-5232.

Gurney JG, Mueller BA, Preston-Martin S, et al. A study of pediatric brain tumors and their association with epilepsy and anticonvulsant use. *Neuroepidemiology.* 1997;16(5):248-255.

Gurney JG, Pogoda JM, Holly EA, Hecht SS, Preston-Martin S. Aspartame consumption in relation to childhood brain tumor risk: results from a case-control study. *J Natl Cancer Inst.* Jul 16 1997;89(14):1072-1074.

Gurney JG, Preston-Martin S, McDaniel AM, Mueller BA, Holly EA. Head injury as a risk factor for brain tumors in children: results from a multicenter case-control study. *Epidemiology.* Sep 1996;7(5):485-489.

Gustafsson BI, Siddique L, Chan A, et al. Uncommon cancers of the small intestine, appendix and colon: An analysis of SEER 1973-2004, and current diagnosis and therapy. *International journal of oncology.* Dec 2008;33(6):1121-1131.

Haas JS, Brawarsky P, Iyer A, Fitzmaurice GM, Neville BA, Earle C. Association of area sociodemographic characteristics and capacity for treatment with disparities in colorectal cancer care and mortality. *Cancer.* Sep 15 2011;117(18):4267-4276.

Haas JS, Earle CC, Orav JE, et al. Racial segregation and disparities in breast cancer care and mortality. *Cancer.* Oct 15 2008;113(8):2166-2172.

Habermann EB, Abbott A, Parsons HM, Virnig BA, Al-Refaie WB, Tuttle TM. Are mastectomy rates really increasing in the United States? *J Clin Oncol.* Jul 20 2010;28(21):3437-3441.

Habermann EB, Virnig BA, Durham SB, Baxter NN. Managed care enrollment and chronically disabled women with breast cancer. *Am J Manag Care.* Aug 2008;14(8):514-520.

Habermann EB, Virnig BA, Riley GF, Baxter NN. The impact of a change in Medicare reimbursement policy and HEDIS measures on stage at diagnosis among Medicare HMO and fee-for-service female breast cancer patients. *Med Care.* Aug 2007;45(8):761-766.

Habermann TM, Wang SS, Maurer MJ, et al. Host immune gene polymorphisms in combination with clinical and demographic factors predict late survival in diffuse large B-cell lymphoma patients in the pre-rituximab era. *Blood.* Oct 1 2008;112(7):2694-2702.

Hadley J, Yabroff KR, Barrett MJ, Penson DF, Saigal CS, Potosky AL. Comparative effectiveness of prostate cancer treatments: evaluating statistical adjustments for confounding in observational data. *J Natl Cancer Inst.* Dec 1 2010;102(23):1780-1793.

Haggstrom DA, Quale C, Smith-Bindman R. Differences in the quality of breast cancer care among vulnerable populations. *Cancer.* Dec 1 2005;104(11):2347-2358.

Hagiwara M, Hackshaw MD, Oster G. Economic burden of selected adverse events in patients aged  $\geq 65$  years with metastatic renal cell carcinoma. *Journal of medical economics.* Nov 2013;16(11):1300-1306.

Haile RW, Goldstein AM, Weeks DE, Sparkes RS, Paganini-Hill A. Genetic epidemiology of bilateral breast cancer: a linkage analysis using the affected-pedigree-member method. *Genet Epidemiol.* 1990;7(1):47-55.

Haile RW, John EM, Levine AJ, et al. A review of cancer in u.s. Hispanic populations. *Cancer Prev Res (Phila).* Feb 2012;5(2):150-163.

Haile RW, Siegmund KD, Gauderman WJ, Thomas DC. Study-design issues in the development of the University of Southern California Consortium's Colorectal Cancer Family Registry. *Journal of the National Cancer Institute. Monographs.* 1999(26):89-93.

Haile RW, Witte JS, Ursin G, et al. A case-control study of reproductive variables, alcohol, and smoking in premenopausal bilateral breast cancer. *Breast Cancer Res Treat.* 1996;37(1):49-56.

Haiman CA, Bernstein L, Berg D, Ingles SA, Salane M, Ursin G. Genetic determinants of mammographic density. *Breast Cancer Res.* 2002;4(3):R5.

Haiman CA, Chen GK, Blot WJ, et al. Characterizing genetic risk at known prostate cancer susceptibility loci in African Americans. *PLoS Genet.* May 2011;7(5):e1001387.

Haiman CA, Chen GK, Blot WJ, et al. Genome-wide association study of prostate cancer in men of African ancestry identifies a susceptibility locus at 17q21. *Nat Genet.* Jun 2011;43(6):570-573.

Haiman CA, Chen GK, Vachon CM, et al. A common variant at the TERT-CLPTM1L locus is associated with estrogen receptor-negative breast cancer. *Nat Genet.* Dec 2011;43(12):1210-1214.

Haiman CA, Dossus L, Setiawan VW, et al. Genetic variation at the CYP19A1 locus predicts circulating estrogen levels but not breast cancer risk in postmenopausal women. *Cancer Res.* Mar 1 2007;67(5):1893-1897.

Haiman CA, Garcia RR, Hsu C, et al. Screening and association testing of common coding variation in steroid hormone receptor co-activator and co-repressor genes in relation to breast cancer risk: the Multiethnic Cohort. *BMC Cancer*. 2009;9:43.

Haiman CA, Garcia RR, Kolonel LN, Henderson BE, Wu AH, Le Marchand L. A promoter polymorphism in the CASP8 gene is not associated with cancer risk. *Nat Genet*. Mar 2008;40(3):259-260; author reply 260-251.

Haiman CA, Han Y, Feng Y, et al. Genome-wide testing of putative functional exonic variants in relationship with breast and prostate cancer risk in a multiethnic population. *PLoS Genet*. Mar 2013;9(3):e1003419.

Haiman CA, Hsu C, de Bakker PI, et al. Comprehensive association testing of common genetic variation in DNA repair pathway genes in relationship with breast cancer risk in multiple populations. *Hum Mol Genet*. Mar 15 2008;17(6):825-834.

Haiman CA, Le Marchand L, Yamamoto J, et al. A common genetic risk factor for colorectal and prostate cancer. *Nat Genet*. Aug 2007;39(8):954-956.

Haiman CA, Patterson N, Freedman ML, et al. Multiple regions within 8q24 independently affect risk for prostate cancer. *Nat Genet*. May 2007;39(5):638-644.

Haiman CA, Riley SE, Freedman ML, Setiawan VW, Conti DV, Le Marchand L. Common genetic variation in the sex steroid hormone-binding globulin (SHBG) gene and circulating shbg levels among postmenopausal women: the Multiethnic Cohort. *J Clin Endocrinol Metab*. Apr 2005;90(4):2198-2204.

Haiman CA, Setiawan VW, Xia LY, et al. A variant in the cytochrome p450 oxidoreductase gene is associated with breast cancer risk in African Americans. *Cancer Res*. Apr 15 2007;67(8):3565-3568.

Haiman CA, Stram DO, Cheng I, et al. Common genetic variation at PTEN and risk of sporadic breast and prostate cancer. *Cancer Epidemiol Biomarkers Prev*. May 2006;15(5):1021-1025.

Haiman CA, Stram DO, Pike MC, et al. A comprehensive haplotype analysis of CYP19 and breast cancer risk: the Multiethnic Cohort. *Hum Mol Genet*. Oct 15 2003;12(20):2679-2692.

Haiman CA, Stram DO, Vickers AJ, et al. Levels of Beta-microseminoprotein in blood and risk of prostate cancer in multiple populations. *J Natl Cancer Inst*. Feb 6 2013;105(3):237-243.

Haiman CA, Stram DO, Wilkens LR, et al. Ethnic and racial differences in the smoking-related risk of lung cancer. *N Engl J Med*. Jan 26 2006;354(4):333-342.

Halasz LM, Weeks JC, Neville BA, Taback N, Punglia RS. Use of stereotactic radiosurgery for brain metastases from non-small cell lung cancer in the United States. *Int J Radiat Oncol Biol Phys.* Feb 1 2013;85(2):e109-116.

Hall EC, Engels EA, Montgomery RA, Segev DL. Cancer Risk After ABO-Incompatible Living-Donor Kidney Transplantation. *Transplantation.* Sep 15 2013;96(5):476-479.

Hall EC, Pfeiffer RM, Segev DL, Engels EA. Cumulative incidence of cancer after solid organ transplantation. *Cancer.* Jun 15 2013;119(12):2300-2308.

Hall EC, Segev DL, Engels EA. Racial/ethnic differences in cancer risk after kidney transplantation. *American journal of transplantation : official journal of the American Society of Transplantation and the American Society of Transplant Surgeons.* Mar 2013;13(3):714-720.

Hall WA, Ali AN, Gullett N, et al. Comparing central nervous system (CNS) and extra-CNS hemangiopericytomas in the Surveillance, Epidemiology, and End Results program: Analysis of 655 patients and review of current literature. *Cancer.* Nov 1 2012;118(21):5331-5338.

Halpern MT, Holden DJ. Disparities in timeliness of care for U.S. Medicare patients diagnosed with cancer. *Current oncology (Toronto, Ont.).* Dec 2012;19(6):e404-413.

Hamajima N, Hirose K, Tajima K, et al. Alcohol, tobacco and breast cancer--collaborative reanalysis of individual data from 53 epidemiological studies, including 58,515 women with breast cancer and 95,067 women without the disease. *Br J Cancer.* Nov 18 2002;87(11):1234-1245.

Hamidi R, Cockburn MG, Peng DH. Prevalence and predictors of skin self-examination: prospects for melanoma prevention and early detection. *Int J Dermatol.* Oct 2008;47(10):993-1003.

Hamilton A, Cockburn M, Chen X, Deapen D. Factors associated with the use of complementary and alternative medicine by cancer patients in Los Angeles County. *Journal of Cancer Integrative Medicine.* 2005;3:51-61.

Hamilton AS, Albertsen PC, Johnson TK, et al. Trends in the treatment of localized prostate cancer using supplemented cancer registry data. *BJU Int.* Feb 2011;107(4):576-584.

Hamilton AS, Hofer TP, Hawley ST, et al. Latinas and breast cancer outcomes: population-based sampling, ethnic identity, and acculturation assessment. *Cancer Epidemiol Biomarkers Prev.* Jul 2009;18(7):2022-2029.

Hamilton AS, Miller MF, Arora NK, Bellizzi KM, Rowland JH. Predictors of use of complementary and alternative medicine by non-hodgkin lymphoma survivors and relationship to quality of life. *Integrative cancer therapies.* May 2013;12(3):225-235.

Hamilton AS, Radka SF, Bernstein L, et al. Relationship of serum levels of oncostatin M to AIDS-related and classic Kaposi's sarcoma. *Journal of acquired immune deficiency syndromes* (1999). Apr 1994;7(4):410-414.

Hamilton AS, Stanford JL, Gilliland FD, et al. Health outcomes after external-beam radiation therapy for clinically localized prostate cancer: results from the Prostate Cancer Outcomes Study. *J Clin Oncol*. May 1 2001;19(9):2517-2526.

Hamilton AS, Wu XC, Lipscomb J, et al. Regional, provider, and economic factors associated with the choice of active surveillance in the treatment of men with localized prostate cancer. *Journal of the National Cancer Institute. Monographs*. 2012;2012(45):213-220.

Han K, Milosevic M, Fyles A, Pintilie M, Viswanathan AN. Trends in the utilization of brachytherapy in cervical cancer in the United States. *Int J Radiat Oncol Biol Phys*. Sep 1 2013;87(1):111-119.

Han X, Kilfoy B, Zheng T, et al. Lymphoma survival patterns by WHO subtype in the United States, 1973-2003. *Cancer Causes Control*. Oct 2008;19(8):841-858.

Hankinson TC, Fields EC, Torok MR, et al. Limited utility despite accuracy of the national SEER dataset for the study of craniopharyngioma. *J Neurooncol*. Nov 2012;110(2):271-278.

Hanna N, Bikov KA, McNally D, Onwudiwe NC, Dalal M, Mullins CD. Impact of Venous Thromboembolism on Mortality of Elderly Medicare Patients with Stage III Colon Cancer. *The oncologist*. 2012;17(9):1191-1197.

Hanna NN, Onukwugha E, Choti MA, et al. Comparative analysis of various prognostic nodal factors, adjuvant chemotherapy and survival among stage III colon cancer patients over 65 years: an analysis using Surveillance, Epidemiology and End Results (SEER)-Medicare data. *Colorectal Dis*. Jan 2012;14(1):48-55.

Hao Y, Jemal A, Zhang X, Ward EM. Trends in colorectal cancer incidence rates by age, race/ethnicity, and indices of access to medical care, 1995-2004 (United States). *Cancer Causes Control*. Jun 19 2009;20(10):1855-1863.

Hardy D, Chan W, Liu CC, et al. Racial disparities in the use of hospice services according to geographic residence and socioeconomic status in an elderly cohort with nonsmall cell lung cancer. *Cancer*. Apr 1 2011;117(7):1506-1515.

Hardy D, Chan W, Liu CC, et al. Racial disparities in length of stay in hospice care by tumor stage in a large elderly cohort with non-small cell lung cancer. *Palliative medicine*. Jan 2012;26(1):61-71.

Hardy D, Cormier JN, Xing Y, Liu CC, Xia R, Du XL. Chemotherapy-associated toxicity in a large cohort of elderly patients with non-small cell lung cancer. *J Thorac Oncol*. Jan 2010;5(1):90-98.

Hardy D, Liu CC, Cormier JN, Xia R, Du XL. Cardiac toxicity in association with chemotherapy and radiation therapy in a large cohort of older patients with non-small-cell lung cancer. *Ann Oncol*. Sep 2010;21(9):1825-1833.

Hardy D, Liu CC, Xia R, et al. Racial disparities and treatment trends in a large cohort of elderly black and white patients with nonsmall cell lung cancer. *Cancer*. May 15 2009;115(10):2199-2211.

Hari DM, Goff SL, Reich HJ, et al. Small bowel carcinoid: Location isn't everything! *World journal of gastrointestinal surgery*. Aug 27 2013;5(8):239-244.

Hari DM, Howard JH, Leung AM, Chui CG, Sim MS, Bilchik AJ. A 21-year analysis of stage I gallbladder carcinoma: is cholecystectomy alone adequate? *HPB (Oxford)*. Jan 2013;15(1):40-48.

Hari DM, Leung AM, Lee JH, et al. AJCC Cancer Staging Manual 7(th) Edition Criteria for Colon Cancer: Do the Complex Modifications Improve Prognostic Assessment? *J Am Coll Surg*. Aug 2013;217(2):181-190.

Harlan LC, Klabunde CN, Ambs AH, et al. Comorbidities, therapy, and newly diagnosed conditions for women with early stage breast cancer. *J Cancer Surviv*. Jun 2009;3(2):89-98.

Harlan LC, Lynch CF, Keegan TH, et al. Recruitment and follow-up of adolescent and young adult cancer survivors: the AYA HOPE Study. *J Cancer Surviv*. Sep 2011;5(3):305-314.

Harlan LC, Potosky A, Gilliland FD, et al. Factors associated with initial therapy for clinically localized prostate cancer: prostate cancer outcomes study. *J Natl Cancer Inst*. Dec 19 2001;93(24):1864-1871.

Harlan LC, Zujewski JA, Goodman MT, Stevens JL. Breast cancer in men in the United States: a population-based study of diagnosis, treatment, and survival. *Cancer*. Aug 1 2010;116(15):3558-3568.

Harper S, Lynch J, Meersman SC, Breen N, Davis WW, Reichman MC. Trends in area-socioeconomic and race-ethnic disparities in breast cancer incidence, stage at diagnosis, screening, mortality, and survival among women ages 50 years and over (1987-2005). *Cancer Epidemiol Biomarkers Prev*. Jan 2009;18(1):121-131.

Hartge P, Colt JS, Severson RK, et al. Residential herbicide use and risk of non-Hodgkin lymphoma. *Cancer Epidemiol Biomarkers Prev*. Apr 2005;14(4):934-937.

Hartge P, Lim U, Freedman DM, et al. Ultraviolet radiation, dietary vitamin D, and risk of non-Hodgkin lymphoma (United States). *Cancer Causes Control*. Oct 2006;17(8):1045-1052.

Haselkorn T, Bernstein L, Preston-Martin S, Cozen W, Mack WJ. Descriptive epidemiology of thyroid cancer in Los Angeles County, 1972-1995. *Cancer Causes Control*. Feb 2000;11(2):163-170.

Hashibe M, Brennan P, Chuang SC, et al. Interaction between tobacco and alcohol use and the risk of head and neck cancer: pooled analysis in the International Head and Neck Cancer Epidemiology Consortium. *Cancer Epidemiol Biomarkers Prev*. Feb 2009;18(2):541-550.

Hashibe M, Morgenstern H, Cui Y, et al. Marijuana use and the risk of lung and upper aerodigestive tract cancers: results of a population-based case-control study. *Cancer Epidemiol Biomarkers Prev*. Oct 2006;15(10):1829-1834.

Hassanein MT, Lyon HN, Nguyen TT, et al. Fine mapping of the association with obesity at the FTO locus in African-derived populations. *Hum Mol Genet*. Jul 15 2010;19(14):2907-2916.

Hattangadi JA, Taback N, Neville BA, Harris JR, Punglia RS. Accelerated partial breast irradiation using brachytherapy for breast cancer: patterns in utilization and guideline concordance. *J Natl Cancer Inst*. Jan 4 2012;104(1):29-41.

Hausauer AK, Keegan TH, Chang ET, Glaser SL, Howe H, Clarke CA. Recent trends in breast cancer incidence in US white women by county-level urban/rural and poverty status. *BMC Med*. 2009;7:31.

Hausauer AK, Swetter SM, Cockburn MG, Clarke CA. Increases in melanoma among adolescent girls and young women in California: trends by socioeconomic status and UV radiation exposure. *Arch Dermatol*. Jul 2011;147(7):783-789.

Havrilesky LJ, Chino JP, Myers ER. How much is another randomized trial of lymph node dissection in endometrial cancer worth? A value of information analysis. *Gynecol Oncol*. Oct 2013;131(1):140-146.

Hawley ST, Fagerlin A, Janz NK, Katz SJ. Racial/Ethnic Disparities in Knowledge about Risks and Benefits of Breast Cancer Treatment: Does It Matter Where You Go? *Health services research*. Apr 1 2008.

Hawley ST, Griggs JJ, Hamilton AS, et al. Decision involvement and receipt of mastectomy among racially and ethnically diverse breast cancer patients. *J Natl Cancer Inst*. Oct 7 2009;101(19):1337-1347.

Hawley ST, Hofer TP, Janz NK, et al. Correlates of between-surgeon variation in breast cancer treatments. *Med Care*. Jul 2006;44(7):609-616.

Hawley ST, Janz NK, Hamilton A, et al. Latina patient perspectives about informed treatment decision making for breast cancer. *Patient Educ Couns*. Sep 9 2008.

Hawley ST, Janz NK, Lillie SE, et al. Perceptions of care coordination in a population-based sample of diverse breast cancer patients. *Patient Educ Couns*. Dec 2010;81 Suppl:S34-40.

Hawley ST, Lantz PM, Janz NK, et al. Factors associated with patient involvement in surgical treatment decision making for breast cancer. *Patient Educ Couns*. Mar 2007;65(3):387-395.

Hawley ST, Lillie SE, Morris A, Graff JJ, Hamilton A, Katz SJ. Surgeon-level variation in patients' appraisals of their breast cancer treatment experiences. *Ann Surg Oncol*. Jan 2013;20(1):7-14.

Hayden Gephart MG, Lober RM, Arrigo RT, et al. Trends in the diagnosis and treatment of pediatric primary spinal cord tumors. *Journal of neurosurgery. Pediatrics*. Dec 2012;10(6):555-559.

Hayes-Lattin B, Nichols CR. Testicular cancer: a prototypic tumor of young adults. *Semin Oncol*. Oct 2009;36(5):432-438.

Hayman JA, Abrahamse PH, Lakhani I, Earle CC, Katz SJ. Use of palliative radiotherapy among patients with metastatic non-small-cell lung cancer. *Int J Radiat Oncol Biol Phys*. Nov 15 2007;69(4):1001-1007.

Hays RD, Smith AW, Reeve BB, Spritzer KL, Marcus SE, Clauzer SB. Cigarette smoking and health-related quality of life in Medicare beneficiaries. *Health care financing review*. Summer 2008;29(4):57-67.

Hazard L, Tward JD, Szabo A, Shrieve DC. Radiation therapy is associated with improved survival in patients with pancreatic adenocarcinoma: Results of a study from the surveillance, epidemiology, and end results (SEER) registry data. *Cancer*. Nov 15 2007;110(10):2191-2201.

Hazard LJ, Shrieve DC, Sklow B, Pappas L, Boucher KM. Local Excision vs. Radical Resection in T1-2 Rectal Carcinoma: Results of a Study From the Surveillance, Epidemiology, and End Results (SEER) Registry Data. *Gastrointest Cancer Res*. May 2009;3(3):105-114.

He J, Stram DO, Kolonel LN, Henderson BE, Le Marchand L, Haiman CA. The association of diabetes with colorectal cancer risk: the Multiethnic Cohort. *Br J Cancer*. Jun 29 2010;103(1):120-126.

He J, Wilkens LR, Stram DO, et al. Generalizability and epidemiologic characterization of eleven colorectal cancer GWAS hits in multiple populations. *Cancer Epidemiol Biomarkers Prev*. Jan 2011;20(1):70-81.

Heck JE, Albert SM, Franco R, Gorin SS. Patterns of Dementia Diagnosis in Surveillance, Epidemiology, and End Results Breast Cancer Survivors Who Use Chemotherapy. *J Am Geriatr Soc.* Aug 4 2008.

Heck JE, Berthiller J, Vaccarella S, et al. Sexual behaviours and the risk of head and neck cancers: a pooled analysis in the International Head and Neck Cancer Epidemiology (INHANCE) consortium. *Int J Epidemiol.* Feb 2010;39(1):166-181.

Heck JE, Lombardi CA, Cockburn M, Meyers TJ, Wilhelm M, Ritz B. Epidemiology of rhabdoid tumors of early childhood. *Pediatr Blood Cancer.* Jan 2013;60(1):77-81.

Heck JE, Lombardi CA, Meyers TJ, Cockburn M, Wilhelm M, Ritz B. Perinatal characteristics and retinoblastoma. *Cancer Causes Control.* Sep 2012;23(9):1567-1575.

Heck JE, Meyers TJ, Lombardi C, et al. Case-control study of birth characteristics and the risk of hepatoblastoma. *Cancer Epidemiol.* Aug 2013;37(4):390-395.

Heck JE, Park AS, Qiu J, Cockburn M, Ritz B. An exploratory study of ambient air toxics exposure in pregnancy and the risk of neuroblastoma in offspring. *Environ Res.* Nov 2013;127:1-6.

Heck JE, Wu J, Lombardi C, et al. Childhood Cancer and Traffic-Related Air Pollution Exposure in Pregnancy and Early Life. *Environ Health Perspect.* 11-12 2013;121(11-12):1385-1391.

Hein R, Maranian M, Hopper JL, et al. Comparison of 6q25 Breast Cancer Hits from Asian and European Genome Wide Association Studies in the Breast Cancer Association Consortium (BCAC). *PLoS One.* 2012;7(8):e42380.

Heineman EF, Bernstein L, Stark AD, Spirtas R. Mesothelioma, asbestos, and reported history of cancer in first-degree relatives. *Cancer.* Feb 1 1996;77(3):549-554.

Hellenthal NJ, Mansour AM, Hayn MH, Schwaab T. Renal cell carcinoma in octogenarians: nephron sparing surgery should remain the standard of care. *J Urol.* Feb 2011;185(2):415-420.

Henderson BE, Benton B, Jing J, Yu MC, Pike MC. Risk factors for cancer of the testis in young men. *Int J Cancer.* May 15 1979;23(5):598-602.

Henderson BE, Benton BD, Weaver PT, Linden G, Nolan JF. Stilbestrol and urogenital-tract cancer in adolescents and young adults. *N Engl J Med.* Feb 15 1973;288(7):354.

Henderson BE, Bernstein L. The international variation in breast cancer rates: an epidemiological assessment. *Breast Cancer Res Treat.* May 1991;18 Suppl 1:S11-17.

Henderson BE, Bernstein L. Etiology and pathogenesis: endogenous and exogenous hormonal factors. In: Harris JR, Lippman ME, Morrow M, Hellman S, eds. Diseases of the Breast. Philadelphia, PA: J.B. Lippincott-Raven Press; 1996:185-200.

Henderson BE, Bernstein L, Ross RK. Hormones and the etiology of cancer. In: Holland JF, Frei E, Bast RC, Kine DW, Morton DL, Weischselbaum RR, eds. Cancer Medicine. Vol 1. 4th ed. Philadelphia, PA: Lei and Freiberger; 1993:223-232.

Henderson BE, Bernstein L, Ross RK. Cancer prevention: Hormones. In: DeVita VT, Hellman S, Rosenberg SA, eds. Cancer: Principles and Practice of Oncology. Philadelphia, PA: J.B. Lippincott; 1993:474-480.

Henderson BE, Bernstein L, Ross RK. Etiology of cancer: hormones. In: Devita V, Hellman S, Rosenberg SA, eds. Cancer: Principles and Practices of Oncology. 5th ed. Philadelphia, PA: Lippincott-Raven; 1997:219-229.

Henderson BE, Bernstein L, Ross RK. Hormones and the etiology of cancer. In: Bast RC, Kufe DW, Pollock RE, Weichselbaum RR, Holland JF, Frei E, eds. Cancer Medicine. 5th ed. Hamilton, Ontario, Canada: B.C. Decker, Inc.; 2000:195-206.

Henderson BE, Bernstein L, Ross RK. Hormones and the etiology of cancer. In: Kufe D, Pollock RE, Weichselbaum R, et al., eds. Cancer Medicine. 6th ed. Hamilton, Ontario, Canada: B.C. Decker, Inc.; 2003.

Henderson BE, Casagrande JT, Pike MC, Mack T, Rosario I, Duke A. The epidemiology of endometrial cancer in young women. Br J Cancer. Jun 1983;47(6):749-756.

Henderson BE, Dworsky R, Menck H, et al. Case-control study of Hodgkin's disease. II. Herpesvirus group antibody titers and HL-A type. J Natl Cancer Inst. Nov 1973;51(5):1443-1447.

Henderson BE, Dworsky R, Pike MC, et al. Risk factors for nodular sclerosis and other types of Hodgkin's disease. Cancer Res. Nov 1979;39(11):4507-4511.

Henderson BE, Gerkins VR, Pike MC. Sexual factors and pregnancy. In: Fraumeni JF, ed. Persons at High Risk to Cancer: An Approach to Cancer Etiology and Control: Academic Press, Inc., J Natl Cancer Inst Monogr; 1975.

Henderson BE, Gordon RJ, Menck H, Soohoo J, Martin SP, Pike MC. Lung cancer and air pollution in southcentral Los Angeles County. Am J Epidemiol. Jun 1975;101(6):477-488.

Henderson BE, Louie E. Discussion of risk factors for nasopharyngeal carcinoma. In: deThe' G, Ito Y, Davis W, eds. Nasopharyngeal Carcinoma: Etiology and Control: IARC Publ No. 20; 1978:251-260.

Henderson BE, Louie E, Bogdanoff E, Henie W, Alena B, Henie G. Antibodies to herpes group viruses in patients with nasopharyngeal and other head and neck cancers. *Cancer Res.* May 1974;34(5):1207-1210.

Henderson BE, Louie E, SooHoo Jing J, Buell P, Gardner MB. Risk factors associated with nasopharyngeal carcinoma. *N Engl J Med.* Nov 11 1976;295(20):1101-1106.

Henderson BE, Pike MC, Gerkins VR, Casagrande JT. Hormonal basis of breast cancer: elevated plasma levels of estrogen, prolactin and progesterone. In: Hiatt HH, Watson JD, Winsten JA, eds. *Origins of Human Cancer.* Vol 41977:77-86.

Henderson BE, Pike MC, Ross RK. Epidemiology and risk factors. In: Bonadonna G, ed. *Breast Disease: Recent Advances in Diagnosis and Treatment.* Chichester: John Wiley and Sons, Inc; 1983:15-33.

Henderson BE, Pike MC, Ross RK. Breast cancer. In: Schottenfeld D, Fraumeni J, eds. *Cancer Epidemiology and Prevention.* 2nd ed. New York, NY: Oxford University Press; 1996:1022-1039.

Henderson BE, Powell D, Rosario I, et al. An epidemiologic study of breast cancer. *J Natl Cancer Inst.* Sep 1974;53(3):609-614.

Henderson BE, Preston-Martin S, Edmondson HA, Peters RL, Pike MC. Hepatocellular carcinoma and oral contraceptives. *Br J Cancer.* Sep 1983;48(3):437-440.

Henderson BE, Ross R, Bernstein L. Estrogens as a cause of human cancer: the Richard and Hinda Rosenthal Foundation award lecture. *Cancer Res.* Jan 15 1988;48(2):246-253.

Henderson BE, Ross RK, Judd HL, Krailo MD, Pike MC. Do regular ovulatory cycles increase breast cancer risk? *Cancer.* Sep 1 1985;56(5):1206-1208.

Henderson BE, Ross RK, Pike MC. Breast neoplasia. In: Mischell D, ed. *The Menopause.* Chicago, IL: Yearbook Medical Publishing; 1986:261-274.

Henderson BE, Ross RK, Pike MC. Epidemiology of testicular cancer. In: Skinner DG, Lieskovsky G, eds. *Diagnosis and Management of Genitourinary Cancer.* Philadelphia: W.B. Saunders & Co.; 1988:46-51.

Henderson BE, Ross RK, Pike MC, Casagrande JT. Endogenous hormones as a major factor in human cancer. *Cancer Res.* Aug 1982;42(8):3232-3239.

Henderson BE, Ross RK, Pike MC, Depue RH. Epidemiology of testis cancer. In: Skinner DG, ed. *Urological Cancer.* Grune & Stratton, Inc.; 1983:237-250.

Henderson BE, Ross RK, Yu MC, Bernstein L. An explanation for the increasing incidence of testis cancer: decreasing age at first full-term pregnancy. *J Natl Cancer Inst.* Jun 4 1997;89(11):818-820.

Henderson BR, Gerkins V, Rosario I, Casagrande J, Pike MC. Elevated serum levels of estrogen and prolactin in daughters of patients with breast cancer. *N Engl J Med.* Oct 16 1975;293(16):790-795.

Henderson KD, Bernstein L, Henderson B, Kolonel L, Pike MC. Predictors of the timing of natural menopause in the Multiethnic Cohort Study. *Am J Epidemiol.* Jun 1 2008;167(11):1287-1294.

Henderson KD, Sullivan-Halley J, Reynolds P, et al. Incomplete pregnancy is not associated with breast cancer risk: the California Teachers Study. *Contraception.* Jun 2008;77(6):391-396.

Henderson SO, Coetzee GA, Ross RK, Yu MC, Henderson BE. Elevated mortality rates from circulatory disease in African American men and women of Los Angeles County, California--a possible genetic susceptibility? *The American journal of the medical sciences.* Jul 2000;320(1):18-23.

Hendifar A, Yang D, Lenz F, et al. Gender disparities in metastatic colorectal cancer survival. *Clin Cancer Res.* Oct 15 2009;15(20):6391-6397.

Hendren S, Birkmeyer JD, Yin H, Banerjee M, Sonnenday C, Morris AM. Surgical complications are associated with omission of chemotherapy for stage III colorectal cancer. *Dis Colon Rectum.* Dec 2010;53(12):1587-1593.

Hendrickson SJ, Lindstrom S, Eliassen AH, et al. Plasma Carotenoid- and Retinol-Weighted Multi-SNP Scores and Risk of Breast Cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. *Cancer Epidemiol Biomarkers Prev.* May 2013;22(5):927-936.

Henry KA, Boscoe FP, Johnson CJ, Goldberg DW, Sherman R, Cockburn M. Breast cancer stage at diagnosis: is travel time important? *J Community Health.* Dec 2011;36(6):933-942.

Henry KA, Sherman R, Farber S, Cockburn M, Goldberg DW, Stroup AM. The joint effects of census tract poverty and geographic access on late-stage breast cancer diagnosis in 10 US States. *Health & place.* May 2013;21:110-121.

Henson KE, McGale P, Taylor C, Darby SC. Radiation-related mortality from heart disease and lung cancer more than 20 years after radiotherapy for breast cancer. *Br J Cancer.* Jan 15 2013;108(1):179-182.

Hernandez BY, Park SY, Wilkens LR, Henderson BE, Kolonel LN. Relationship of body mass, height, and weight gain to prostate cancer risk in the multiethnic cohort. *Cancer Epidemiol Biomarkers Prev.* Sep 2009;18(9):2413-2421.

Hernandez LV, Bhutani MS, Eisner M, et al. Non-surgical tissue biopsy among patients with advanced pancreatic cancer: effect on survival. *Pancreas*. Apr 2009;38(3):289-292.

Hershman D, Fleischauer AT, Jacobson JS, Grann VR, Sundararajan V, Neugut AI. Patterns and outcomes of chemotherapy for elderly patients with stage II ovarian cancer: a population-based study. *Gynecol Oncol*. Jan 2004;92(1):293-299.

Hershman D, Hall MJ, Wang X, et al. Timing of adjuvant chemotherapy initiation after surgery for stage III colon cancer. *Cancer*. Dec 1 2006;107(11):2581-2588.

Hershman D, Neugut AI, Jacobson JS, et al. Acute myeloid leukemia or myelodysplastic syndrome following use of granulocyte colony-stimulating factors during breast cancer adjuvant chemotherapy. *J Natl Cancer Inst*. Feb 7 2007;99(3):196-205.

Hershman DL, Buono D, Jacobson JS, et al. Surgeon characteristics and use of breast conservation surgery in women with early stage breast cancer. *Ann Surg*. May 2009;249(5):828-833.

Hershman DL, Buono D, McBride RB, et al. Surgeon characteristics and receipt of adjuvant radiotherapy in women with breast cancer. *J Natl Cancer Inst*. Feb 6 2008;100(3):199-206.

Hershman DL, Buono DL, Malin J, McBride R, Tsai WY, Neugut AI. Patterns of use and risks associated with erythropoiesis-stimulating agents among Medicare patients with cancer. *J Natl Cancer Inst*. Dec 2 2009;101(23):1633-1641.

Hershman DL, McBride RB, Eisenberger A, Tsai WY, Grann VR, Jacobson JS. Doxorubicin, cardiac risk factors, and cardiac toxicity in elderly patients with diffuse B-cell non-Hodgkin's lymphoma. *J Clin Oncol*. Jul 1 2008;26(19):3159-3165.

Hershman DL, Wang X, McBride R, Jacobson JS, Grann VR, Neugut AI. Delay in initiating adjuvant radiotherapy following breast conservation surgery and its impact on survival. *Int J Radiat Oncol Biol Phys*. Aug 1 2006;65(5):1353-1360.

Hershman DL, Wang X, McBride R, Jacobson JS, Grann VR, Neugut AI. Delay of adjuvant chemotherapy initiation following breast cancer surgery among elderly women. *Breast Cancer Res Treat*. Oct 2006;99(3):313-321.

Hershman DL, Wilde ET, Wright JD, et al. Uptake and economic impact of first-cycle colony-stimulating factor use during adjuvant treatment of breast cancer. *J Clin Oncol*. Mar 10 2012;30(8):806-812.

Hershman DL, Wright JD, Lim E, Buono DL, Tsai WY, Neugut AI. Contraindicated use of bevacizumab and toxicity in elderly patients with cancer. *J Clin Oncol*. Oct 1 2013;31(28):3592-3599.

Hill DA, Preston-Martin S, Ross RK, Bernstein L. Medical radiation, family history of cancer, and benign breast disease in relation to breast cancer risk in young women, USA. *Cancer Causes Control.* Oct 2002;13(8):711-718.

Hill DA, Wang SS, Cerhan JR, et al. Risk of non-Hodgkin lymphoma (NHL) in relation to germline variation in DNA repair and related genes. *Blood.* Nov 1 2006;108(9):3161-3167.

Hill JS, McPhee JT, McDade TP, et al. Pancreatic neuroendocrine tumors: the impact of surgical resection on survival. *Cancer.* Feb 15 2009;115(4):741-751.

Hinch AG, Tandon A, Patterson N, et al. The landscape of recombination in African Americans. *Nature.* Aug 11 2011;476(7359):170-175.

Hinshaw HD, Smith A, Rungruang B, et al. The Risk of Subsequent Malignancies in Women With Uterine Papillary Serous or Clear Cell Endometrial Cancers. *Int J Gynecol Cancer.* Jul 2013;23(6):1044-1049.

Hiraki LT, Qu C, Hutter CM, et al. Genetic predictors of circulating 25-hydroxyvitamin d and risk of colorectal cancer. *Cancer Epidemiol Biomarkers Prev.* Nov 2013;22(11):2037-2046.

Hirko KA, Soliman AS, Banerjee M, et al. Characterizing inflammatory breast cancer among Arab Americans in the California, Detroit and New Jersey Surveillance, Epidemiology and End Results (SEER) registries (1988-2008). *SpringerPlus.* Dec 2013;2(1):3.

Hisserich JC, Martin SP, Henderson BE. An areawide cancer reporting network. *Public Health Rep.* Jan-Feb 1975;90(1):15-17.

Ho C, Kornfield R, Vittinghoff E, Inadomi J, Yee H, Somsouk M. Late presentation of colorectal cancer in a vulnerable population. *The American journal of gastroenterology.* Apr 2013;108(4):466-470.

Hodgson DC, Fuchs CS, Ayanian JZ. Impact of patient and provider characteristics on the treatment and outcomes of colorectal cancer. *J Natl Cancer Inst.* Apr 4 2001;93(7):501-515.

Hoffman KE, Neville BA, Mamon HJ, et al. Adjuvant therapy for elderly patients with resected gastric adenocarcinoma: Population-based practices and treatment effectiveness. *Cancer.* Jan 1 2012;118(1):248-257.

Hoffman KE, Nguyen PL, Chen MH, et al. Recommendations for post-prostatectomy radiation therapy in the United States before and after the presentation of randomized trials. *J Urol.* Jan 2011;185(1):116-120.

Hoffman RM, Barry MJ, Stanford JL, Hamilton AS, Hunt WC, Collins MM. Health outcomes in older men with localized prostate cancer: results from the Prostate Cancer Outcomes Study. *Am J Med.* May 2006;119(5):418-425.

Hoffman RM, Denberg T, Hunt WC, Hamilton AS. Prostate cancer testing following a negative prostate biopsy: over testing the elderly. *J Gen Intern Med.* Aug 2007;22(8):1139-1143.

Hoffman RM, Gilliland FD, Eley JW, et al. Racial and ethnic differences in advanced-stage prostate cancer: the Prostate Cancer Outcomes Study. *J Natl Cancer Inst.* Mar 7 2001;93(5):388-395.

Hoffman RM, Hunt WC, Gilliland FD, Stephenson RA, Potosky AL. Patient satisfaction with treatment decisions for clinically localized prostate carcinoma. Results from the Prostate Cancer Outcomes Study. *Cancer.* Apr 1 2003;97(7):1653-1662.

Hoffman RM, Koyama T, Fan KH, et al. Mortality after radical prostatectomy or external beam radiotherapy for localized prostate cancer. *J Natl Cancer Inst.* May 15 2013;105(10):711-718.

Hoggatt KJ, Bernstein L, Reynolds P, et al. Correlates of vitamin supplement use in the United States: data from the California Teachers Study cohort. *Cancer Causes Control.* Oct 2002;13(8):735-740.

Hollenbeak CS, Boltz MM, Schaefer EW, Saunders BD, Goldenberg D. Recurrence of differentiated thyroid cancer in the elderly. *European journal of endocrinology / European Federation of Endocrine Societies.* Jan 21 2013;168(4):549-556.

Hollenbeak CS, Nikkel LE, Schaefer EW, Alemao E, Ghahramani N, Raman JD. Determinants of medicare all-cause costs among elderly patients with renal cell carcinoma. *J Manag Care Pharm.* Oct 2011;17(8):610-620.

Hollenbeak CS, Stack BC, Jr., Daley SM, Piccirillo JF. Using comorbidity indexes to predict costs for head and neck cancer. *Arch Otolaryngol Head Neck Surg.* Jan 2007;133(1):24-27.

Hollenbeak CS, Wang L, Schneider P, Goldenberg D. Outcomes of thyroid cancer in African Americans. *Ethn Dis.* Spring 2011;21(2):210-215.

Hollenbeck BK, Dunn RL, Ye Z, Hollingsworth JM, Lee CT, Birkmeyer JD. Racial differences in treatment and outcomes among patients with early stage bladder cancer. *Cancer.* Jan 1 2010;116(1):50-56.

Hollenbeck BK, Hong J, Zaojun Y, Birkmeyer JD. Misclassification of hospital volume with Surveillance, Epidemiology, and End Results Medicare data. *Surgical innovation.* Sep 2007;14(3):192-198.

Hollenbeck BK, Wei Y, Birkmeyer JD. Volume, process of care, and operative mortality for cystectomy for bladder cancer. *Urology.* May 2007;69(5):871-875.

Hollenbeck BK, Ye Z, Dunn RL, Montie JE, Birkmeyer JD. Provider treatment intensity and outcomes for patients with early-stage bladder cancer. *J Natl Cancer Inst.* Apr 15 2009;101(8):571-580.

Hollenbeck BK, Ye Z, Wong SL, Montie JE, Birkmeyer JD. Hospital lymph node counts and survival after radical cystectomy. *Cancer.* Feb 15 2008;112(4):806-812.

Holliday MA, Tavaluc R, Zhuang T, Wang H, Davidson B. Oncologic Benefit of Tonsillectomy in Stage I and II Tonsil Cancer: A Surveillance Epidemiology and End Results Database Review. *JAMA otolaryngology-- head & neck surgery.* Apr 1 2013;139(4):362-366.

Hollingsworth JM, Zhang Y, Krein SL, Ye Z, Hollenbeck BK. Understanding the variation in treatment intensity among patients with early stage bladder cancer. *Cancer.* Aug 1 2010;116(15):3587-3594.

Hollowell KL, Agle SC, Zervos EE, Fitzgerald TL. Cutaneous apocrine adenocarcinoma: Defining epidemiology, outcomes, and optimal therapy for a rare neoplasm. *J Surg Oncol.* Mar 15 2012;105(4):415-419.

Holly EA, Bracci PM, Hong MK, Mueller BA, Preston-Martin S. West Coast study of childhood brain tumours and maternal use of hair-colouring products. Paediatric and perinatal epidemiology. Jul 2002;16(3):226-235.

Holly EA, Bracci PM, Mueller BA, Preston-Martin S. Farm and animal exposures and pediatric brain tumors: results from the United States West Coast Childhood Brain Tumor Study. *Cancer Epidemiol Biomarkers Prev.* Sep 1998;7(9):797-802.

Holmes JA, Wang AZ, Hoffman KE, et al. Is primary prostate cancer treatment influenced by likelihood of extraprostatic disease? A surveillance, epidemiology and end results patterns of care study. *Int J Radiat Oncol Biol Phys.* Sep 1 2012;84(1):88-94.

Holmes L, Jr., Chan W, Jiang Z, Ward D, Essien EJ, Du XL. Impact of androgen deprivation therapy on racial/ethnic disparities in the survival of older men treated for locoregional prostate cancer. *Cancer Control.* Apr 2009;16(2):176-185.

Honda GD, Bernstein L, Ross RK, Greenland S, Gerkins V, Henderson BE. Vasectomy, cigarette smoking, and age at first sexual intercourse as risk factors for prostate cancer in middle-aged men. *Br J Cancer.* Mar 1988;57(3):326-331.

Hong JC, Kruser TJ, Gondi V, et al. Risk of cerebrovascular events in elderly patients after radiation therapy versus surgery for early-stage glottic cancer. *Int J Radiat Oncol Biol Phys.* Oct 1 2013;87(2):290-296.

Hong JC, Murphy JD, Wang SJ, Koong AC, Chang DT. Chemoradiotherapy Before and After Surgery for Locally Advanced Esophageal Cancer: A SEER-Medicare Analysis. *Ann Surg Oncol.* Nov 2013;20(12):3999-4007.

Hornbrook M, Fishman P, O'Keeffe-Rosetti M, et al. PS1-27: Costs of Breast Cancer Care by Phase of Care: Medicare HMO vs. FFS Sectors. *Clinical medicine & research.* Sep 2013;11(3):129.

Horner MJ, Altekruse SF, Zou Z, Wideroff L, Katki HA, Stinchcomb DG. U.S. geographic distribution of prevaccine era cervical cancer screening, incidence, stage, and mortality. *Cancer Epidemiol Biomarkers Prev.* Apr 2011;20(4):591-599.

Horn-Ross PL, Canchola AJ, Bernstein L, et al. Alcohol consumption and breast cancer risk among postmenopausal women following the cessation of hormone therapy use: the California teachers study. *Cancer Epidemiol Biomarkers Prev.* Nov 2012;21(11):2006-2013.

Horn-Ross PL, Canchola AJ, Ma H, Reynolds P, Bernstein L. Hormonal factors and the risk of papillary thyroid cancer in the California Teachers Study cohort. *Cancer Epidemiol Biomarkers Prev.* Aug 2011;20(8):1751-1759.

Horn-Ross PL, Canchola AJ, West DW, et al. Patterns of alcohol consumption and breast cancer risk in the California Teachers Study cohort. *Cancer Epidemiol Biomarkers Prev.* Mar 2004;13(3):405-411.

Horn-Ross PL, Hoggatt KJ, West DW, et al. Recent diet and breast cancer risk: the California Teachers Study (USA). *Cancer Causes Control.* Jun 2002;13(5):407-415.

Horn-Ross PL, Lee VS, Collins CN, et al. Dietary assessment in the California Teachers Study: reproducibility and validity. *Cancer Causes Control.* Aug 2008;19(6):595-603.

Horn-Ross PL, McClure LA, Chang ET, et al. Papillary thyroid cancer incidence rates vary significantly by birthplace in Asian American women. *Cancer Causes Control.* Mar 2011;22(3):479-485.

Hosgood HD, 3rd, Purdue MP, Wang SS, et al. A pooled analysis of three studies evaluating genetic variation in innate immunity genes and non-Hodgkin lymphoma risk. *Br J Haematol.* Mar 2011;152(6):721-726.

Hosmer W, Malin J, Wong M. Development and validation of a prediction model for the risk of developing febrile neutropenia in the first cycle of chemotherapy among elderly patients with breast, lung, colorectal, and prostate cancer. *Support Care Cancer.* Mar 2011;19(3):333-341.

Hossain A, Sehbai A, Abraham R, Abraham J. Cancer health disparities among Indian and Pakistani immigrants in the United States: a Surveillance, Epidemiology, and End Results-based study from 1988 to 2003. *Cancer.* Sep 15 2008;113(6):1423-1430.

Hou N, Huo D. A trend analysis of breast cancer incidence rates in the United States from 2000 to 2009 shows a recent increase. *Breast Cancer Res Treat*. Apr 2013;138(2):633-641.

Hou WH, Daly ME, Lee NY, Farwell DG, Luu Q, Chen AM. Racial disparities in the use of voice preservation therapy for locally advanced laryngeal cancer. *Arch Otolaryngol Head Neck Surg*. Jul 1 2012;138(7):644-649.

Howard DH, Kauh J, Lipscomb J. The value of new chemotherapeutic agents for metastatic colorectal cancer. *Arch Intern Med*. Mar 22 2010;170(6):537-542.

Howarth NC, Murphy SP, Wilkens LR, Henderson BE, Kolonel LN. The association of glycemic load and carbohydrate intake with colorectal cancer risk in the Multiethnic Cohort Study. *The American journal of clinical nutrition*. Oct 2008;88(4):1074-1082.

Howe GR, Aronson KJ, Benito E, et al. The relationship between dietary fat intake and risk of colorectal cancer: evidence from the combined analysis of 13 case-control studies. *Cancer Causes Control*. Mar 1997;8(2):215-228.

Howe GR, Benito E, Castelletto R, et al. Dietary intake of fiber and decreased risk of cancers of the colon and rectum: evidence from the combined analysis of 13 case-control studies. *J Natl Cancer Inst*. Dec 16 1992;84(24):1887-1896.

Howe HL, Carozza S, O'Malley C, et al., eds. *Cancer in U.S. Hispanics/Latinos, 1995-2000*: North American Association of Central Cancer Registries, Inc. (NAACCR); 2003.

Howell EA, Egorova N, Hayes MP, Wisnivesky J, Franco R, Bickell N. Racial disparities in the treatment of advanced epithelial ovarian cancer. *Obstet Gynecol*. Nov 2013;122(5):1025-1032.

Howlader N, Noone AM, Yu M, Cronin KA. Use of Imputed Population-based Cancer Registry Data as a Method of Accounting for Missing Information: Application to Estrogen Receptor Status for Breast Cancer. *Am J Epidemiol*. Aug 15 2012;176(4):347-356.

Howlader N, Ries LA, Mariotto AB, Reichman ME, Ruhl J, Cronin KA. Improved estimates of cancer-specific survival rates from population-based data. *J Natl Cancer Inst*. Oct 20 2010;102(20):1584-1598.

Howlader N, Ries LA, Stinchcomb DG, Edwards BK. The impact of underreported Veterans Affairs data on national cancer statistics: analysis using population-based SEER registries. *J Natl Cancer Inst*. Apr 1 2009;101(7):533-536.

Hoyo C, Cook MB, Kamangar F, et al. Body mass index in relation to oesophageal and oesophagogastric junction adenocarcinomas: a pooled analysis from the International BEACON Consortium. *Int J Epidemiol*. Dec 2012;41(6):1706-1718.

Hsiao FY, Mullins CD, Onukwugha E, Pandya N, Hanna N. Comparative effectiveness of different chemotherapeutic regimens on survival of people aged 66 and older with stage III colon cancer: a "real world" analysis using Surveillance, Epidemiology, and End Results-Medicare data. *J Am Geriatr Soc.* Sep 2011;59(9):1717-1723.

Hsiao W, Moses KA, Goodman M, Jani AB, Rossi PJ, Master VA. Stage IV prostate cancer: survival differences in clinical T4, nodal and metastatic disease. *J Urol.* Aug 2010;184(2):512-518.

Hsieh CL, Oakley-Girvan I, Balise RR, et al. A genome screen of families with multiple cases of prostate cancer: evidence of genetic heterogeneity. *American journal of human genetics.* Jul 2001;69(1):148-158.

Hsieh CL, Oakley-Girvan I, Gallagher RP, et al. Re: prostate cancer susceptibility locus on chromosome 1q: a confirmatory study. *J Natl Cancer Inst.* Dec 17 1997;89(24):1893-1894.

Hsieh MC, Wu XC, Andrews PA, Chen VW. Racial and Ethnic Disparities in the Incidence and Trends of Soft Tissue Sarcoma Among Adolescents and Young Adults in the United States, 1995-2008. *Journal of adolescent and young adult oncology.* Sep 2013;2(3):89-94.

Hsieh MC, Yu Q, Wu XC, et al. Evaluating Factors Associated with Unknown SEER Summary Stage 2000 Derived from Collaborative Stage at Central Registry Level. *J Registry Manag.* Fall 2012;39(3):101-106.

Hsieh MH, Meng MV, Walsh TJ, Matthay KK, Baskin LS. Increasing incidence of neuroblastoma and potentially higher associated mortality of children from nonmetropolitan areas: analysis of the surveillance, epidemiology, and end results database. *J Pediatr Hematol Oncol.* Dec 2009;31(12):942-946.

Hu CY, Delclos GL, Chan W, Du XL. Post-treatment surveillance in a large cohort of patients with colon cancer. *Am J Manag Care.* May 2011;17(5):329-336.

Hu CY, Delclos GL, Chan W, Du XL. Assessing the initiation and completion of adjuvant chemotherapy in a large nationwide and population-based cohort of elderly patients with stage-III colon cancer. *Med Oncol.* Dec 2011;28(4):1062-1074.

Hu CY, Xing Y, Cormier JN, Chang GJ. Assessing the utility of cancer-registry-processed cause of death in calculating cancer-specific survival. *Cancer.* May 15 2013;119(10):1900-1907.

Hu DN, Yu GP, McCormick SA. Population-based incidence of vulvar and vaginal melanoma in various races and ethnic groups with comparisons to other site-specific melanomas. *Melanoma Res.* Apr 2010;20(2):153-158.

Hu H, Dailey AB, Kan H, Xu X. The effect of atmospheric particulate matter on survival of breast cancer among US females. *Breast Cancer Res Treat.* May 2013;139(1):217-226.

Hu JC, Prasad SM, Gu X, et al. Determinants of performing radical prostatectomy pelvic lymph node dissection and the number of lymph nodes removed in elderly men. *Urology*. Feb 2011;77(2):402-406.

Hu YY, Kwok AC, Jiang W, et al. High-Cost Imaging in Elderly Patients with Stage IV Cancer. *J Natl Cancer Inst*. Aug 8 2012;104(15):1165-1173.

Huang GJ, Hamilton AS, Lo M, Stein JP, Penson DF. Predictors of Intravesical Therapy for Nonmuscle Invasive Bladder Cancer: Results From the Surveillance, Epidemiology and End Results Program 2003 Patterns of Care Project. *J Urol*. Jun 10 2008.

Huang L, Johnson KA, Mariotto AB, Dignam JJ, Feuer EJ. Population-based survival-cure analysis of ER-negative breast cancer. *Breast Cancer Res Treat*. Aug 2010;123(1):257-264.

Huang L, Midthune D, Krapcho M, Zou Z, Horner MJ, Feuer EJ. Adjusting for reporting delay in cancer incidence when combining different sets of cancer registries. *Biometrical journal. Biometrische Zeitschrift*. Sep 2013;55(5):755-770.

Huang WC, Elkin EB, Levey AS, Jang TL, Russo P. Partial nephrectomy versus radical nephrectomy in patients with small renal tumors--is there a difference in mortality and cardiovascular outcomes? *J Urol*. Jan 2009;181(1):55-61; discussion 61-52.

Hubbard MO, Fu P, Margevicius S, Dowlati A, Linden PA. Five-year survival does not equal cure in non-small cell lung cancer: A Surveillance, Epidemiology, and End Results-based analysis of variables affecting 10- to 18-year survival. *J Thorac Cardiovasc Surg*. Jun 2012;143(6):1307-1313.

Huberman M, Langholz B. Application of the missing-indicator method in matched case-control studies with incomplete data. *Am J Epidemiol*. Dec 15 1999;150(12):1340-1345.

Huebner WW, Schoenberg JB, Kelsey JL, et al. Oral and pharyngeal cancer and occupation: a case-control study. *Epidemiology*. Jul 1992;3(4):300-309.

Hughes DT, Haymart MR, Miller BS, Gauger PG, Doherty GM. The most commonly occurring papillary thyroid cancer in the United States is now a microcarcinoma in a patient older than 45 years. *Thyroid*. Mar 2011;21(3):231-236.

Hull CJ, Doyle E, Peters JM, Garabrant DH, Bernstein L, Preston-Martin S. Case-control study of lung cancer in Los Angeles county welders. *American journal of industrial medicine*. 1989;16(1):103-112.

Huo D, Hetzel JT, Roy H, Rubin DT. Association of colorectal cancer and prostate cancer and impact of radiation therapy. *Cancer Epidemiol Biomarkers Prev*. Jul 2009;18(7):1979-1985.

Hurley S, Goldberg D, Nelson DO, et al. Risk of colorectal cancer associated with active smoking among female teachers. *Cancer Causes Control*. Jul 2013;24(7):1291-1304.

Hurley S, Goldberg D, Von Behren J, Quach T, Layefsky M, Reynolds P. Birth size and breast cancer risk among young California-born women. *Cancer Causes Control*. Oct 2011;22(10):1461-1470.

Hurley SE, Reynolds P, Goldberg DE, et al. Residential mobility in the California Teachers Study: implications for geographic differences in disease rates. *Soc Sci Med*. Apr 2005;60(7):1547-1555.

Husing A, Canzian F, Beckmann L, et al. Prediction of breast cancer risk by genetic risk factors, overall and by hormone receptor status. *Journal of medical genetics*. Sep 2012;49(9):601-608.

Huskamp HA, Keating NL, Malin JL, et al. Discussions with physicians about hospice among patients with metastatic lung cancer. *Arch Intern Med*. May 25 2009;169(10):954-962.

Hyder O, Dodson RM, Mayo SC, et al. Post-treatment surveillance of patients with colorectal cancer with surgically treated liver metastases. *Surgery*. Aug 2013;154(2):256-265.

Hyder O, Dodson RM, Nathan H, et al. Referral patterns and treatment choices for patients with hepatocellular carcinoma: a United States population-based study. *J Am Coll Surg*. Nov 2013;217(5):896-906.

Hyder O, Dodson RM, Nathan H, et al. Influence of patient, physician, and hospital factors on 30-day readmission following pancreateoduodenectomy in the United States. *JAMA surgery*. Dec 1 2013;148(12):1095-1102.

Hyder O, Dodson RM, Weiss M, et al. Trends and Patterns of Utilization in Post-treatment Surveillance Imaging Among Patients Treated for Hepatocellular Carcinoma. *J Gastrointest Surg*. Oct 2013;17(10):1774-1783.

Hynes DM, Tarlov E, Durazo-Arvizu R, et al. Surgery and adjuvant chemotherapy use among veterans with colon cancer: insights from a California study. *J Clin Oncol*. May 20 2010;28(15):2571-2576.

Ibeanu OA, Diaz-Montes TP. Outcomes in Ovarian Cancer among Hispanic Women Living in the United States: A Population-Based Analysis. *Pathology research international*. 2013;2013:672710.

Iddings DM, Fleisig AJ, Chen SL, Faries MB, Morton DL. Practice patterns and outcomes for anorectal melanoma in the USA, reviewing three decades of treatment: is more extensive surgical resection beneficial in all patients? *Ann Surg Oncol*. Jan 2010;17(1):40-44.

Iezzoni LI, Ngo LH, Li D, Roetzheim RG, Drews RE, McCarthy EP. Early Stage Breast Cancer Treatments for Younger Medicare Beneficiaries with Different Disabilities. *Health services research*. May 12 2008.

Iezzoni LI, Ngo LH, Li D, Roetzheim RG, Drews RE, McCarthy EP. Treatment disparities for disabled medicare beneficiaries with stage I non-small cell lung cancer. *Arch Phys Med Rehabil*. Apr 2008;89(4):595-601.

Ignatius Ou SH, Zell JA. The applicability of the proposed IASLC staging revisions to small cell lung cancer (SCLC) with comparison to the current UICC 6th TNM Edition. *J Thorac Oncol*. Mar 2009;4(3):300-310.

Imam MH, Shenoy PJ, Flowers CR, Phillips A, Lechowicz MJ. Incidence and survival patterns of cutaneous T-cell lymphomas in the United States. *Leuk Lymphoma*. Apr 2013;54(4):752-759.

Imayama I, Alfano CM, Neuhouser ML, et al. Weight, inflammation, cancer-related symptoms and healthrelated quality of life among breast cancer survivors. *Breast Cancer Res Treat*. Jul 2013;140(1):159-176.

In H, Jiang W, Lipsitz SR, Neville BA, Weeks JC, Greenberg CC. Variation in the utilization of reconstruction following mastectomy in elderly women. *Ann Surg Oncol*. Jun 2013;20(6):1872-1879.

In H, Neville BA, Lipsitz SR, Corso KA, Weeks JC, Greenberg CC. The role of National Cancer Institute-designated cancer center status: observed variation in surgical care depends on the level of evidence. *Ann Surg*. May 2012;255(5):890-895.

Indurkhya A, Mitra N, Schrag D. Using propensity scores to estimate the cost-effectiveness of medical therapies. *Stat Med*. May 15 2006;25(9):1561-1576.

Ingles SA, Coetzee GA, Ross RK, et al. Association of prostate cancer with vitamin D receptor haplotypes in African-Americans. *Cancer Res*. Apr 15 1998;58(8):1620-1623.

Ingles SA, Haile R, Henderson B, Kolonel L, Coetzee G. Association of vitamin D receptor genetic polymorphism with breast cancer risk in African-American and Hispanic women. In: Norman AW, Bouillon R, Thomasset M, eds. *Vitamin D: Chemistry, Biology, and Clinical Applications of the Steroid Hormone*. Riverside, CA: University of California, Printing and Reprographics; 1997:813-814.

Ingles SA, Haile RW, Henderson BE, et al. Strength of linkage disequilibrium between two vitamin D receptor markers in five ethnic groups: implications for association studies. *Cancer Epidemiol Biomarkers Prev*. Feb 1997;6(2):93-98.

Ingles SA, Liu SV, Pinski J. LHRH and LHR genotypes and prostate cancer incidence and survival. *Int J Mol Epidemiol Genet*. 2013;4(4):228-234.

Ingles SA, Ross RK, Yu MC, et al. Association of prostate cancer risk with genetic polymorphisms in vitamin D receptor and androgen receptor. *J Natl Cancer Inst.* Jan 15 1997;89(2):166-170.

Ingles SA, Wang J, Coetze GA, Lee ER, Frankl HD, Haile RW. Vitamin D receptor polymorphisms and risk of colorectal adenomas (United States). *Cancer Causes Control.* Sep 2001;12(7):607-614.

Irvine RA, Yu MC, Ross RK, Coetze GA. The CAG and GGC microsatellites of the androgen receptor gene are in linkage disequilibrium in men with prostate cancer. *Cancer Res.* May 1 1995;55(9):1937-1940.

Irwin ML, Aiello EJ, McTiernan A, et al. Pre-diagnosis physical activity and mammographic density in breast cancer survivors. *Breast Cancer Res Treat.* Jan 2006;95(2):171-178.

Irwin ML, Aiello EJ, McTiernan A, et al. Physical activity, body mass index, and mammographic density in postmenopausal breast cancer survivors. *J Clin Oncol.* Mar 20 2007;25(9):1061-1066.

Irwin ML, Duggan C, Wang CY, et al. Fasting C-peptide levels and death resulting from all causes and breast cancer: the health, eating, activity, and lifestyle study. *J Clin Oncol.* Jan 1 2011;29(1):47-53.

Irwin ML, McTiernan A, Baumgartner RN, et al. Changes in body fat and weight after a breast cancer diagnosis: influence of demographic, prognostic, and lifestyle factors. *J Clin Oncol.* Feb 1 2005;23(4):774-782.

Irwin ML, McTiernan A, Bernstein L, et al. Relationship of obesity and physical activity with C-peptide, leptin, and insulin-like growth factors in breast cancer survivors. *Cancer Epidemiol Biomarkers Prev.* Dec 2005;14(12):2881-2888.

Irwin ML, Smith AW, McTiernan A, et al. Influence of pre- and postdiagnosis physical activity on mortality in breast cancer survivors: the health, eating, activity, and lifestyle study. *J Clin Oncol.* Aug 20 2008;26(24):3958-3964.

Iwamoto FM, Reiner AS, Nayak L, Panageas KS, Elkin EB, Abrey LE. Prognosis and patterns of care in elderly patients with glioma. *Cancer.* Dec 1 2009;115(23):5534-5540.

Iwamoto FM, Reiner AS, Panageas KS, Elkin EB, Abrey LE. Patterns of care in elderly glioblastoma patients. *Ann Neurol.* Dec 2008;64(6):628-634.

Iwashyna TJ, Lamont EB. Effectiveness of adjuvant fluorouracil in clinical practice: a population-based cohort study of elderly patients with stage III colon cancer. *J Clin Oncol.* Oct 1 2002;20(19):3992-3998.

Iyer NG, Morris LG, Tuttle RM, Shaha AR, Ganly I. Rising incidence of second cancers in patients with low-risk (T1N0) thyroid cancer who receive radioactive iodine therapy. *Cancer*. Oct 1 2011;117(19):4439-4446.

Izard JP, Salazar MA, Chatterjee S, Lin DW, Wright JL. Positive surgical margins at radical prostatectomy: Population-based averages within PSA and Gleason strata. *Canadian Urological Association journal = Journal de l'Association des urologues du Canada*. Sep 2013;7(9-10):E561-566.

Jackson-Thompson J, Ahmed F, German RR, Lai SM, Friedman C. Descriptive epidemiology of colorectal cancer in the United States, 1998-2001. *Cancer*. Sep 1 2006;107(5 Suppl):1103-1111.

Jacobs BL, Zhang Y, Schroock FR, et al. Use of Advanced Treatment Technologies Among Men at Low Risk of Dying From Prostate Cancer. *Jama*. Jun 26 2013;309(24):2587-2595.

Jacobs BL, Zhang Y, Skolarus TA, Hollenbeck BK. Growth of high-cost intensity-modulated radiotherapy for prostate cancer raises concerns about overuse. *Health affairs (Project Hope)*. Apr 2012;31(4):750-759.

Jacobs BL, Zhang Y, Skolarus TA, et al. Certificate of need legislation and the dissemination of robotic surgery for prostate cancer. *J Urol*. Jan 2013;189(1):80-85.

Jacobs BL, Zhang Y, Tan HJ, Ye Z, Skolarus TA, Hollenbeck BK. Hospitalization trends after prostate and bladder surgery: implications of potential payment reforms. *J Urol*. Jan 2013;189(1):59-65.

Jacobs ET, Martinez ME, Campbell PT, et al. Genetic variation in the retinoid X receptor and calcium-sensing receptor and risk of colorectal cancer in the Colon Cancer Family Registry. *Carcinogenesis*. Aug 2010;31(8):1412-1416.

Jagsi R, Abrahamse P, Hawley ST, Graff JJ, Hamilton AS, Katz SJ. Underascertainment of radiotherapy receipt in Surveillance, Epidemiology, and End Results registry data. *Cancer*. Jan 15 2012;118(2):333-341.

Jagsi R, Abrahamse P, Morrow M, Griggs JJ, Schwartz K, Katz SJ. Postmastectomy radiotherapy for breast cancer: patterns, correlates, communication, and insights into the decision process. *Cancer*. Mar 15 2009;115(6):1185-1193.

Jagsi R, Abrahamse P, Morrow M, Hamilton AS, Graff JJ, Katz SJ. Coordination of breast cancer care between radiation oncologists and surgeons: a survey study. *Int J Radiat Oncol Biol Phys*. Apr 1 2012;82(5):2072-2078.

Jagsi R, Abrahamse P, Morrow M, et al. Patterns and correlates of adjuvant radiotherapy receipt after lumpectomy and after mastectomy for breast cancer. *J Clin Oncol*. May 10 2010;28(14):2396-2403.

Jamison PM, Noone AM, Ries LA, Lee NC, Edwards BK. Trends in Endometrial Cancer Incidence by Race and Histology with a Correction for the Prevalence of Hysterectomy, SEER 1992 to 2008. *Cancer Epidemiol Biomarkers Prev*. Feb 2013;22(2):233-241.

Janda M, Youlden DR, Baade PD, Jackson D, Obermair A. Elderly patients with stage III or IV ovarian cancer: should they receive standard care? *Int J Gynecol Cancer*. Sep-Oct 2008;18(5):896-907.

Jane Henley S, Larson TC, Wu M, et al. Mesothelioma incidence in 50 states and the District of Columbia, United States, 2003-2008. *International journal of occupational and environmental health*. Jan-Mar 2013;19(1):1-10.

Jang TL, Bekelman JE, Liu Y, et al. Physician visits prior to treatment for clinically localized prostate cancer. *Arch Intern Med*. Mar 8 2010;170(5):440-450.

Jani AB, Johnstone PA, Liauw SL, Master VA, Brawley OW. Age and grade trends in prostate cancer (1974-2003): a Surveillance, Epidemiology, and End Results Registry analysis. *Am J Clin Oncol*. Aug 2008;31(4):375-378.

Jani AB, Johnstone PA, Liauw SL, Master VA, Rossi PJ. Prostate cancer modality time trend analyses from 1973 to 2004: a Surveillance, Epidemiology, and End Results registry analysis. *Am J Clin Oncol*. Apr 2010;33(2):168-172.

Janz NK, Hawley ST, Mujahid MS, et al. Correlates of worry about recurrence in a multiethnic population-based sample of women with breast cancer. *Cancer*. May 1 2011;117(9):1827-1836.

Janz NK, Mujahid M, Lantz PM, et al. Population-based study of the relationship of treatment and sociodemographics on quality of life for early stage breast cancer. *Quality of life research : an international journal of quality of life aspects of treatment, care and rehabilitation*. Aug 2005;14(6):1467-1479.

Janz NK, Mujahid MS, Hawley ST, et al. Racial/ethnic differences in quality of life after diagnosis of breast cancer. *J Cancer Surviv*. Sep 16 2009;3:212-222.

Janz NK, Mujahid MS, Hawley ST, Griggs JJ, Hamilton AS, Katz SJ. Racial/ethnic differences in adequacy of information and support for women with breast cancer. *Cancer*. Sep 1 2008;113(5):1058-1067.

Jawad MU, Cheung MC, Min ES, Schneiderbauer MM, Koniaris LG, Scully SP. Ewing sarcoma demonstrates racial disparities in incidence-related and sex-related differences in outcome: an analysis of 1631 cases from the SEER database, 1973-2005. *Cancer*. Aug 1 2009;115(15):3526-3536.

Jawad MU, Extein J, Min ES, Scully SP. Prognostic factors for survival in patients with epithelioid sarcoma: 441 cases from the SEER database. Clinical orthopaedics and related research. Nov 2009;467(11):2939-2948.

Jawad MU, Haleem AA, Scully SP. Malignant sarcoma of the pelvic bones: treatment outcomes and prognostic factors vary by histopathology. Cancer. Apr 1 2011;117(7):1529-1541.

Jawad MU, Scully SP. Skeletal Plasmacytoma: Progression of disease and impact of local treatment; an analysis of SEER database. J Hematol Oncol. 2009;2:41.

Jayadevappa R, Chhatre S, Johnson JC, Malkowicz SB. Association between ethnicity and prostate cancer outcomes across hospital and surgeon volume groups. Health Policy. Feb 2011;99(2):97-106.

Jayadevappa R, Malkowicz SB, Chhatre S, Gallo J, Schwartz JS. Racial and ethnic variation in health resource use and cost for prostate cancer. BJU Int. Sep 2010;106(6):801-808.

Jemal A, Center MM, Ward E. The convergence of lung cancer rates between blacks and whites under the age of 40, United States. Cancer Epidemiol Biomarkers Prev. Dec 2009;18(12):3349-3352.

Jemal A, Saraiya M, Patel P, et al. Recent trends in cutaneous melanoma incidence and death rates in the United States, 1992-2006. J Am Acad Dermatol. Nov 2011;65(5 Suppl 1):S17-25 e11-13.

Jemal A, Simard EP, Dorell C, et al. Annual Report to the Nation on the Status of Cancer, 1975-2009, Featuring the Burden and Trends in Human Papillomavirus (HPV)-Associated Cancers and HPV Vaccination Coverage Levels. J Natl Cancer Inst. Feb 6 2013;105(3):175-201.

Jemal A, Thun MJ, Ries LA, et al. Annual report to the nation on the status of cancer, 1975-2005, featuring trends in lung cancer, tobacco use, and tobacco control. J Natl Cancer Inst. Dec 3 2008;100(23):1672-1694.

Jensen RE, Arora NK, Bellizzi KM, et al. Health-related quality of life among survivors of aggressive non-Hodgkin lymphoma. Cancer. Feb 1 2013;119(3):672-680.

Ji H, Yu MC, Stillwell WG, et al. Urinary excretion of 2-amino-3,8-dimethylimidazo-[4,5-f]quinoxaline in white, black, and Asian men in Los Angeles County. Cancer Epidemiol Biomarkers Prev. Jul-Aug 1994;3(5):407-411.

Jiang X, Bernstein L, Tseng CC, Wu AH. Diabetes and risk of esophageal and gastric adenocarcinomas. Int J Cancer. Sep 15 2012;131(6):1417-1422.

Jiang X, Castelao JE, Groshen S, et al. Alcohol consumption and risk of bladder cancer in Los Angeles County. Int J Cancer. Aug 15 2007;121(4):839-845.

Jiang X, Castelao JE, Groshen S, et al. Water intake and bladder cancer risk in Los Angeles County. *Int J Cancer*. Oct 1 2008;123(7):1649-1656.

Jiang X, Castelao JE, Vandenberg D, et al. Genetic variations in SMAD7 are associated with colorectal cancer risk in the colon cancer family registry. *PLoS One*. 2013;8(4):e60464.

Jiang X, Castelao JE, Yuan JM, et al. Hypertension, diuretics and antihypertensives in relation to bladder cancer. *Carcinogenesis*. Nov 2010;31(11):1964-1971.

Jiang X, Castelao JE, Yuan JM, et al. Cigarette smoking and subtypes of bladder cancer. *Int J Cancer*. Feb 15 2012;130(4):896-901.

Jiang YZ, Liu YR, Yu KD, Zuo WJ, Shao ZM. Immediate postmastectomy breast reconstruction showed limited advantage in patient survival after stratifying by family income. *PLoS One*. 2013;8(12):e82807.

Jiao S, Hsu L, Berndt S, et al. Genome-wide search for gene-gene interactions in colorectal cancer. *PLoS One*. 2012;7(12):e52535.

Jing J, Louie E, Henderson BE, Terasaki P. HL-A patterns in nasopharyngeal carcinoma cases from California. *Journal of the National Cancer Institute. Monographs*. 1977;47:153-156.

Jenkins LJ, Parmar AD, Han Y, et al. Current trends in preoperative biliary stenting in patients with pancreatic cancer. *Surgery*. Aug 2013;154(2):179-189.

Johannesmeyer D, Smith V, Cole DJ, Esnaola NF, Camp ER. The impact of lymph node disease in extremity soft-tissue sarcomas: a population-based analysis. *American journal of surgery*. Sep 2013;206(3):289-295.

John EM, Schwartz GG, Koo J, Van Den Berg D, Ingles SA. Sun exposure, vitamin D receptor gene polymorphisms, and risk of advanced prostate cancer. *Cancer Res*. Jun 15 2005;65(12):5470-5479.

John EM, Whittemore AS, Wu AH, et al. Vasectomy and prostate cancer: results from a multiethnic case-control study. *J Natl Cancer Inst*. May 3 1995;87(9):662-669.

Johnatty SE, Beesley J, Chen X, et al. Evaluation of candidate stromal epithelial cross-talk genes identifies association between risk of serous ovarian cancer and TERT, a cancer susceptibility "hot-spot". *PLoS Genet*. 2010;6(7):e1001016.

Johnatty SE, Beesley J, Chen X, et al. Polymorphisms in the FGF2 gene and risk of serous ovarian cancer: results from the ovarian cancer association consortium. *Twin Res Hum Genet*. Jun 2009;12(3):269-275.

Johnson CJ, Weir HK, Yin D, Niu X. The impact of patient follow-up on population-based survival rates. *J Registry Manag.* Fall 2010;37(3):86-103.

Johnson DR, Brown PD, Galanis E, Hammack JE. Pilocytic astrocytoma survival in adults: analysis of the Surveillance, Epidemiology, and End Results Program of the National Cancer Institute. *J Neurooncol.* May 2012;108(1):187-193.

Johnson DR, Leeper HE, Uhm JH. Glioblastoma survival in the United States improved after Food and Drug Administration approval of bevacizumab: A population-based analysis. *Cancer.* Oct 1 2013;119(19):3489-3495.

Johnson DR, Ma DJ, Buckner JC, Hammack JE. Conditional probability of long-term survival in glioblastoma: A population-based analysis. *Cancer.* Nov 15 2012;118(22):5608-5613.

Johnson DR, O'Neill BP. Glioblastoma survival in the United States before and during the temozolomide era. *J Neurooncol.* Apr 2012;107(2):359-364.

Johnson KA, Aplenc R, Bagatell R. Survival by race among children with extracranial solid tumors in the United States between 1985 and 2005. *Pediatr Blood Cancer.* Mar 2011;56(3):425-431.

Johnson KJ, Carozza SE, Chow EJ, et al. Parental age and risk of childhood cancer: a pooled analysis. *Epidemiology.* Jul 2009;20(4):475-483.

Johnson RH, Chien FL, Bleyer A. Incidence of breast cancer with distant involvement among women in the United States, 1976 to 2009. *Jama.* Feb 27 2013;309(8):800-805.

Johnson TK, Gilliland FD, Hoffman RM, et al. Racial/Ethnic differences in functional outcomes in the 5 years after diagnosis of localized prostate cancer. *J Clin Oncol.* Oct 15 2004;22(20):4193-4201.

Johnson TV, Hsiao W, Delman KA, Canter DJ, Master VA. Scrotal cancer survival is influenced by histology: a SEER study. *World journal of urology.* Jun 2013;31(3):585-590.

Johnson TV, Hsiao W, Delman KA, Jani AB, Brawley OW, Master VA. Extensive inguinal lymphadenectomy improves overall 5-year survival in penile cancer patients: results from the Surveillance, Epidemiology, and End Results program. *Cancer.* Jun 15 2010;116(12):2960-2966.

Johnson TV, Hsiao W, Jani A, Master VA. Increased mortality among Hispanic testis cancer patients independent of neighborhood socioeconomic status: a SEER study. *J Immigr Minor Health.* Oct 2011;13(5):818-824.

Johnston LE, Tran Cao HS, Chang DC, Bouvet M. Sociodemographic Predictors of Survival in Differentiated Thyroid Cancer: Results from the SEER Database. *ISRN endocrinology.* 2012;2012:384707.

Johnstone PA, Miller ED, Moore MG. Preoperative radiotherapy decreases lymph node yield of neck dissections for head and neck cancer. *Otolaryngol Head Neck Surg.* Aug 2012;147(2):278-280.

Jones G, Arthurs B, Kaya H, et al. Overall Survival Analysis of Adjuvant Radiation Versus Observation in Stage I Testicular Seminoma: A Surveillance, Epidemiology, and End Results (SEER) Analysis. *Am J Clin Oncol.* Oct 2013;36(5):500-504.

Jones ME, van Leeuwen FE, Hoogendoorn WE, et al. Endometrial cancer survival after breast cancer in relation to tamoxifen treatment: pooled results from three countries. *Breast Cancer Res.* Jun 12 2012;14(3):R91.

Joshi AD, Corral R, Catsburg C, et al. Red meat and poultry, cooking practices, genetic susceptibility and risk of prostate cancer: results from a multiethnic case-control study. *Carcinogenesis.* Nov 2012;33(11):2108-2118.

Joshi AD, Corral R, Siegmund KD, et al. Red meat and poultry intake, polymorphisms in the nucleotide excision repair and mismatch repair pathways, and colorectal cancer risk. *Carcinogenesis.* Nov 24 2008.

Joshi AD, Corral R, Siegmund KD, et al. Red meat and poultry intake, polymorphisms in the nucleotide excision repair and mismatch repair pathways and colorectal cancer risk. *Carcinogenesis.* Mar 2009;30(3):472-479.

Joshi AD, John EM, Koo J, Ingles SA, Stern MC. Fish intake, cooking practices, and risk of prostate cancer: results from a multi-ethnic case-control study. *Cancer Causes Control.* Mar 2012;23(3):405-420.

Joshua TV, Rizzo JD, Zhang MJ, et al. Access to hematopoietic stem cell transplantation: effect of race and sex. *Cancer.* Jul 15 2010;116(14):3469-3476.

Jung S, Spiegelman D, Baglietto L, et al. Fruit and vegetable intake and risk of breast cancer by hormone receptor status. *J Natl Cancer Inst.* Feb 6 2013;105(3):219-236.

Kachare SD, Agle SC, Englert ZP, et al. Malignant blue nevus: clinicopathologically similar to melanoma. *The American surgeon.* Jul 2013;79(7):651-656.

Kahn KL, Adams JL, Weeks JC, et al. Adjuvant chemotherapy use and adverse events among older patients with stage III colon cancer. *Jama.* Mar 17 2010;303(11):1037-1045.

Kakarala M, Rozek L, Cote M, Liyanage S, Brenner DE. Breast cancer histology and receptor status characterization in Asian Indian and Pakistani women in the U.S.--a SEER analysis. *BMC Cancer.* 2010;10:191.

Kamel MH, Moore PC, Bissada NK, Heshmat SM. Potential Years of Life Lost Due to Urogenital Cancer in the United States: Trends From 1972 to 2006 Based on Data From the SEER Database. *J Urol.* Mar 2012;187(3):868-871.

Kao J, Lau KH, Tong CC, Chen CT. Competing causes of death in patients with oropharyngeal cancer treated with radiotherapy. *Experimental and therapeutic medicine.* May 2012;3(5):835-840.

Kaplan AL, Hu JC. Use of Testosterone Replacement Therapy in the United States and Its Effect on Subsequent Prostate Cancer Outcomes. *Urology.* Aug 2013;82(2):321-326.

Kaplan H, Malmgren J, De Roos AJ. Risk of myelodysplastic syndrome and acute myeloid leukemia post radiation treatment for breast cancer: a population-based study. *Breast Cancer Res Treat.* Feb 2013;137(3):863-867.

Kaplan HG, Malmgren JA, Li CI, Calip GS. Age related risk of myelodysplastic syndrome and acute myeloid leukemia among breast cancer survivors. *Breast Cancer Res Treat.* Dec 2013;142(3):629-636.

Kaplan JR, Kowalczyk KJ, Borza T, et al. Patterns of care and outcomes of radiotherapy for lymph node positivity after radical prostatectomy. *BJU Int.* Jun 2013;111(8):1208-1214.

Karam A, Dorigo O. Treatment outcomes in a large cohort of patients with invasive Extramammary Paget's disease. *Gynecol Oncol.* May 2012;125(2):346-351.

Karanikolas PJ, Elkin EB, Jacks LM, et al. Staging laparoscopy in the management of gastric cancer: a population-based analysis. *J Am Coll Surg.* Nov 2011;213(5):644-651, 651 e641.

Kargozaran H, Vu V, Ray P, et al. Invasive IPMN and MCN: same organ, different outcomes? *Ann Surg Oncol.* Feb 2011;18(2):345-351.

Kassira N, Pedroso FE, Cheung MC, Koniaris LG, Sola JE. Primary gastrointestinal tract lymphoma in the pediatric patient: review of 265 patients from the SEER registry. *J Pediatr Surg.* Oct 2011;46(10):1956-1964.

Kastrinos F, Steyerberg EW, Balmana J, et al. Comparison of the clinical prediction model PREMM1,2,6 and molecular testing for the systematic identification of Lynch syndrome in colorectal cancer. *Gut.* Feb 2013;62(2):272-279.

Kates M, Badalato GM, Pitman M, McKiernan JM. Increased risk of overall and cardiovascular mortality after radical nephrectomy for renal cell carcinoma 2 cm or less. *J Urol.* Oct 2011;186(4):1247-1253.

Kates M, Korets R, Sadeghi N, Pierorazio PM, McKiernan JM. Predictors of locally advanced and metastatic disease in patients with small renal masses. *BJU Int.* May 2012;109(10):1463-1467.

Kates M, Perez X, Gribetz J, Swanson SJ, McGinn T, Wisnivesky JP. Validation of a model to predict perioperative mortality from lung cancer resection in the elderly. *Am J Respir Crit Care Med.* Mar 1 2009;179(5):390-395.

Kates M, Swanson S, Wisnivesky JP. Survival following lobectomy and limited resection for the treatment of stage I non-small cell lung cancer $\leq$ 1 cm in size: a review of SEER data. *Chest.* Mar 2011;139(3):491-496.

Kates M, Whalen MJ, Badalato GM, McKiernan JM. The effect of race and gender on the surgical management of the small renal mass. *Urol Oncol.* Nov 2013;31(8):1794-1799.

Kato I, Yee CL, Ruterbusch J, Schwartz K. Patterns of cancer in first generation immigrants from the Arab League and other countries. *J Registry Manag.* Fall 2009;36(3):71-76; quiz 101-102.

Katz SJ, Hawley ST, Abrahamse P, et al. Does it matter where you go for breast surgery?: attending surgeon's influence on variation in receipt of mastectomy for breast cancer. *Med Care.* Oct 2010;48(10):892-899.

Katz SJ, Hawley ST, Morrow M, et al. Coordinating cancer care: patient and practice management processes among surgeons who treat breast cancer. *Med Care.* Jan 2010;48(1):45-51.

Katz SJ, Hofer TP, Hawley S, et al. Patterns and correlates of patient referral to surgeons for treatment of breast cancer. *J Clin Oncol.* Jan 20 2007;25(3):271-276.

Katz SJ, Lantz PM, Janz NK, et al. Surgeon perspectives about local therapy for breast carcinoma. *Cancer.* Nov 1 2005;104(9):1854-1861.

Katz SJ, Lantz PM, Janz NK, et al. Patient involvement in surgery treatment decisions for breast cancer. *J Clin Oncol.* Aug 20 2005;23(24):5526-5533.

Katz SJ, Lantz PM, Janz NK, et al. Patterns and correlates of local therapy for women with ductal carcinoma-in-situ. *J Clin Oncol.* May 1 2005;23(13):3001-3007.

Katz SJ, Lantz PM, Paredes Y, et al. Breast cancer treatment experiences of Latinas in Los Angeles County. *Am J Public Health.* Dec 2005;95(12):2225-2230.

Kaya H, Peressini B, Jawed I, et al. Impact of age, race and decade of treatment on overall survival in a critical population analysis of 40,000 multiple myeloma patients. *International journal of hematology.* Jan 2012;95(1):64-70.

Kazaure HS, Roman SA, Sosa JA. Aggressive Variants of Papillary Thyroid Cancer: Incidence, Characteristics and Predictors of Survival among 43,738 Patients. *Ann Surg Oncol.* Jun 2012;19(6):1874-1880.

Kazaure HS, Roman SA, Sosa JA. Insular thyroid cancer: A population-level analysis of patient characteristics and predictors of survival. *Cancer.* Jul 1 2012;118(13):3260-3267.

Keating NL, Kouri E, He Y, Weeks JC, Winer EP. Racial differences in definitive breast cancer therapy in older women: are they explained by the hospitals where patients undergo surgery? *Med Care.* Jul 2009;47(7):765-773.

Keating NL, Landrum MB, Brooks JM, et al. Outcomes following local therapy for early-stage breast cancer in non-trial populations. *Breast Cancer Res Treat.* Feb 2011;125(3):803-813.

Keating NL, Landrum MB, Guadagnoli E, Winer EP, Ayanian JZ. Factors related to underuse of surveillance mammography among breast cancer survivors. *J Clin Oncol.* Jan 1 2006;24(1):85-94.

Keating NL, Landrum MB, Lamont EB, Bozeman SR, McNeil BJ. Area-level variations in cancer care and outcomes. *Med Care.* May 2012;50(5):366-373.

Keating NL, Landrum MB, Lamont EB, Earle CC, Bozeman SR, McNeil BJ. End-of-life care for older cancer patients in the Veterans Health Administration versus the private sector. *Cancer.* Aug 1 2010;116(15):3732-3739.

Keating NL, O'Malley AJ, Smith MR. Diabetes and cardiovascular disease during androgen deprivation therapy for prostate cancer. *J Clin Oncol.* Sep 20 2006;24(27):4448-4456.

Keegan KA, Schupp CW, Chamie K, Hellenthal NJ, Evans CP, Koppie TM. Histopathology of surgically treated renal cell carcinoma: survival differences by subtype and stage. *J Urol.* Aug 2012;188(2):391-397.

Keegan TH, Derouen MC, Press DJ, Kurian AW, Clarke CA. Occurrence of breast cancer subtypes in adolescent and young adult women. *Breast Cancer Res.* Mar 27 2012;14(2):R55.

Keegan TH, John EM, Fish KM, Alfaro-Velcamp T, Clarke CA, Gomez SL. Breast cancer incidence patterns among California Hispanic women: differences by nativity and residence in an enclave. *Cancer Epidemiol Biomarkers Prev.* May 2010;19(5):1208-1218.

Keegan TH, Lichtensztajn DY, Kato I, et al. Unmet adolescent and young adult cancer survivors information and service needs: a population-based cancer registry study. *J Cancer Surviv.* Sep 2012;6(3):239-250.

Keegan TH, McClure LA, Foran JM, Clarke CA. Improvements in survival after follicular lymphoma by race/ethnicity and socioeconomic status: a population-based study. *J Clin Oncol*. Jun 20 2009;27(18):3044-3051.

Kelemen LE, Cerhan JR, Lim U, et al. Vegetables, fruit, and antioxidant-related nutrients and risk of non-Hodgkin lymphoma: a National Cancer Institute-Surveillance, Epidemiology, and End Results population-based case-control study. *The American journal of clinical nutrition*. Jun 2006;83(6):1401-1410.

Kelemen LE, Goodman MT, McGuire V, et al. Genetic variation in TYMS in the one-carbon transfer pathway is associated with ovarian carcinoma types in the Ovarian Cancer Association Consortium. *Cancer Epidemiol Biomarkers Prev*. Jul 2010;19(7):1822-1830.

Kelemen LE, Wang SS, Lim U, et al. Vegetables- and antioxidant-related nutrients, genetic susceptibility, and non-Hodgkin lymphoma risk. *Cancer Causes Control*. Jun 2008;19(5):491-503.

Kem R, Chu KC. Cambodian cancer incidence rates in California and Washington, 1998-2002. *Cancer*. Sep 15 2007;110(6):1370-1375.

Kendall AR, Mahue-Giangreco M, Carpenter CL, Ganz PA, Bernstein L. Influence of exercise activity on quality of life in long-term breast cancer survivors. *Quality of life research : an international journal of quality of life aspects of treatment, care and rehabilitation*. Mar 2005;14(2):361-371.

Kent EE, Alfano CM, Smith AW, et al. The Roles of Support Seeking and Race/Ethnicity in Posttraumatic Growth Among Breast Cancer Survivors. *Journal of psychosocial oncology*. July-August 2013;31(4):393-412.

Kent EE, Arora NK, Rowland JH, et al. Health information needs and health-related quality of life in a diverse population of long-term cancer survivors. *Patient Educ Couns*. Nov 2012;89(2):345-352.

Kent EE, Smith AW, Keegan TH, et al. Talking About Cancer and Meeting Peer Survivors: Social Information Needs of Adolescents and Young Adults Diagnosed with Cancer. *Journal of adolescent and young adult oncology*. Jun 2013;2(2):44-52.

Ketchandji M, Kuo YF, Shahinian VB, Goodwin JS. Cause of death in older men after the diagnosis of prostate cancer. *J Am Geriatr Soc*. Jan 2009;57(1):24-30.

Khanna A, Hu JC, Gu X, Nguyen PL, Lipsitz S, Palapattu GS. Certificate of need programs, intensity modulated radiation therapy use and the cost of prostate cancer care. *J Urol*. Jan 2013;189(1):75-79.

Kheifets LI, Sussman SS, Preston-Martin S. Childhood brain tumors and residential electromagnetic fields (EMF). *Rev Environ Contam Toxicol*. 1999;159:111-129.

Khiani VS, Soullos P, Gancayco J, Gross CP. Anesthesiologist involvement in screening colonoscopy: temporal trends and cost implications in the medicare population. *Clin Gastroenterol Hepatol*. Jan 2012;10(1):58-64 e51.

Kilgore ML, Grabowski DC, Morrisey MA, Ritchie CS, Yun H, Locher JL. The effects of the Balanced Budget Act of 1997 on home health and hospice in older adult cancer patients. *Med Care*. Mar 2009;47(3):279-285.

Killelea BK, Long JB, Chagpar AB, et al. Trends and clinical implications of preoperative breast MRI in Medicare beneficiaries with breast cancer. *Breast Cancer Res Treat*. Aug 2013;141(1):155-163.

Kim AW, Detterbeck FC, Boffa DJ, et al. Characteristics associated with the use of nonanatomic resections among medicare patients undergoing resections of early-stage lung cancer. *Ann Thorac Surg*. Sep 2012;94(3):895-901.

Kim HM, Goodman M, Kim BI, Ward KC. Frequency and Determinants of Missing Data in Clinical and Prognostic Variables Recently Added to SEER. *J Registry Manag*. Fall 2011;38(3):120-131.

Kim J, Shin H. Breast cancer survivability prediction using labeled, unlabeled, and pseudo-labeled patient data. *Journal of the American Medical Informatics Association : JAMIA*. Jul 1 2013;20(4):613-618.

Kim MK, Warner RR, Roayaie S, et al. Revised staging classification improves outcome prediction for small intestinal neuroendocrine tumors. *J Clin Oncol*. Oct 20 2013;31(30):3776-3781.

Kim PH, Pinheiro LC, Atoria CL, Eastham JA, Sandhu JS, Elkin EB. Trends in the use of incontinence procedures after radical prostatectomy: a population based analysis. *J Urol*. Feb 2013;189(2):602-608.

Kim S, Moore DF, Shih W, et al. Severe Genitourinary Toxicity Following Radiation Therapy for Prostate Cancer-How Long Does it Last? *J Urol*. Jan 2013;189(1):116-121.

Kim S, Shen S, Moore DF, et al. Late gastrointestinal toxicities following radiation therapy for prostate cancer. *Eur Urol*. Nov 2011;60(5):908-916.

Kim SK, Gignoux CR, Wall JD, et al. Population genetic structure and origins of native hawaiians in the multiethnic cohort study. *PLoS One*. 2012;7(11):e47881.

Kim Y, Ollberding NJ, Shvetsov YB, et al. Plasma matrix metalloproteinases and postmenopausal breast cancer risk: a nested case-control study in the Multiethnic Cohort study. *Breast Cancer Res Treat.* Dec 2012;136(3):837-845.

Kim Y, Wilkens LR, Park SY, Goodman MT, Monroe KR, Kolonel LN. Association between various sedentary behaviours and all-cause, cardiovascular disease and cancer mortality: the Multiethnic Cohort Study. *Int J Epidemiol.* Aug 2013;42(4):1040-1056.

Kim Y, Wilkens LR, Schembre SM, Henderson BE, Kolonel LN, Goodman MT. Insufficient and excessive amounts of sleep increase the risk of premature death from cardiovascular and other diseases: The Multiethnic Cohort Study. *Preventive medicine.* Oct 2013;57(4):377-385.

Kiran RP, Rottoli M, Pokala N, Fazio VW. Long-term outcomes after local excision and radical surgery for anal melanoma: data from a population database. *Dis Colon Rectum.* Apr 2010;53(4):402-408.

Kirschner AN, Kidd EA, Dewees T, Perkins SM. Treatment approach and outcomes of vaginal melanoma. *Int J Gynecol Cancer.* Oct 2013;23(8):1484-1489.

Kirsner RS, Ma F, Fleming L, et al. The effect of Medicare health care systems on women with breast and cervical cancer. *Obstet Gynecol.* Jun 2005;105(6):1381-1388.

Kirsner RS, Ma F, Fleming LE, et al. Earlier stage at diagnosis and improved survival among Medicare HMO patients with breast cancer. *J Womens Health (Larchmt).* Sep 2010;19(9):1619-1624.

Kirsner RS, Wilkinson JD, Ma F, Pacheco H, Federman DG. The association of Medicare health care delivery systems with stage at diagnosis and survival for patients with melanoma. *Arch Dermatol.* Jun 2005;141(6):753-757.

Kitahara CM, Wang SS, Melin BS, et al. Association between adult height, genetic susceptibility and risk of glioma. *Int J Epidemiol.* Aug 2012;41(4):1075-1085.

Klabunde CN, Harlan LC, Warren JL. Data sources for measuring comorbidity: a comparison of hospital records and medicare claims for cancer patients. *Med Care.* Oct 2006;44(10):921-928.

Klabunde CN, Legler JM, Warren JL, Baldwin LM, Schrag D. A refined comorbidity measurement algorithm for claims-based studies of breast, prostate, colorectal, and lung cancer patients. *Ann Epidemiol.* Aug 2007;17(8):584-590.

Klabunde CN, Potosky AL, Harlan LC, Kramer BS. Trends and black/white differences in treatment for nonmetastatic prostate cancer. *Med Care.* Sep 1998;36(9):1337-1348.

Klabunde CN, Potosky AL, Legler JM, Warren JL. Development of a comorbidity index using physician claims data. *Journal of clinical epidemiology.* Dec 2000;53(12):1258-1267.

Klabunde CN, Warren JL, Legler JM. Assessing comorbidity using claims data: an overview. *Med Care*. Aug 2002;40(8 Suppl):IV-26-35.

Knight JA, Bernstein L, Largent J, et al. Alcohol intake and cigarette smoking and risk of a contralateral breast cancer: The Women's Environmental Cancer and Radiation Epidemiology Study. *Am J Epidemiol*. Apr 15 2009;169(8):962-968.

Knight JA, Lesosky M, Blackmore KM, et al. Ovarian cysts and breast cancer: results from the Women's Contraceptive and Reproductive Experiences Study. *Breast Cancer Res Treat*. May 2008;109(1):157-164.

Knight JA, Lesosky M, Blackmore KM, et al. Ovarian cysts and breast cancer: results from the Women's Contraceptive and Reproductive Experiences Study. *Breast Cancer Res Treat*. May 2008;109(1):157-164.

Knopf KB, Warren JL, Feuer EJ, Brown ML. Bowel surveillance patterns after a diagnosis of colorectal cancer in Medicare beneficiaries. *Gastrointest Endosc*. Nov 2001;54(5):563-571.

Ko EM, Funk MJ, Clark LH, Brewster WR. Did GOG99 and PORTEC1 change clinical practice in the United States? *Gynecol Oncol*. Apr 2013;129(1):12-17.

Koay EJ, Teh BS, Paulino AC, Butler EB. A Surveillance, Epidemiology, and End Results analysis of small cell carcinoma of the bladder: epidemiology, prognostic variables, and treatment trends. *Cancer*. Dec 1 2011;117(23):5325-5333.

Koh WP, Yuan JM, Wang R, et al. Aromatase (CYP19) promoter gene polymorphism and risk of nonviral hepatitis-related hepatocellular carcinoma. *Cancer*. Aug 1 2011;117(15):3383-3392.

Kohler BA, Ward E, McCarthy BJ, et al. Annual report to the nation on the status of cancer, 1975-2007, featuring tumors of the brain and other nervous system. *J Natl Cancer Inst*. May 4 2011;103(9):714-736.

Kolonel LN, Hankin JH, Whittemore AS, et al. Vegetables, fruits, legumes and prostate cancer: a multiethnic case-control study. *Cancer Epidemiol Biomarkers Prev*. Aug 2000;9(8):795-804.

Kolonel LN, Henderson BE, Hankin JH, et al. A multiethnic cohort in Hawaii and Los Angeles: baseline characteristics. *Am J Epidemiol*. Feb 15 2000;151(4):346-357.

Kolonel LN, Ross RK, Thomas DB, Thompson DJ. Epidemiology of testicular cancer in the Pacific Basin. National Cancer Institute monograph. 1982;62:157-160.

Komen for the Cure SG. Community Profile Report: Los Angeles County Affiliate of Susan G. Komen for the Cure. Los Angeles, CA: Susan G. Komen for the Cure Los Angeles County; 2011.

Kooby DA, Gillespie TW, Liu Y, et al. Impact of adjuvant radiotherapy on survival after pancreatic cancer resection: an appraisal of data from the national cancer data base. Ann Surg Oncol. Oct 2013;20(11):3634-3642.

Korde LA, Wu AH, Fears T, et al. Childhood soy intake and breast cancer risk in Asian American women. Cancer Epidemiol Biomarkers Prev. Apr 2009;18(4):1050-1059.

Korgavkar K, Xiong M, Weinstock M. Changing incidence trends of cutaneous T-cell lymphoma. JAMA dermatology (Chicago, Ill.). Nov 1 2013;149(11):1295-1299.

Koshy M, Rich SE, Mahmood U, Kwok Y. Declining use of radiotherapy in stage I and II Hodgkin's disease and its effect on survival and secondary malignancies. Int J Radiat Oncol Biol Phys. Feb 1 2012;82(2):619-625.

Koshy M, Rich SE, Mohiuddin MM. Improved survival with radiation therapy in high-grade soft tissue sarcomas of the extremities: a SEER analysis. Int J Radiat Oncol Biol Phys. May 1 2010;77(1):203-209.

Koshy M, Villano JL, Dolecek TA, et al. Improved survival time trends for glioblastoma using the SEER 17 population-based registries. J Neurooncol. Mar 2012;107(1):207-212.

Kote-Jarai Z, Easton DF, Stanford JL, et al. Multiple novel prostate cancer predisposition loci confirmed by an international study: the PRACTICAL Consortium. Cancer Epidemiol Biomarkers Prev. Aug 2008;17(8):2052-2061.

Kote-Jarai Z, Saunders EJ, Leongamornlert DA, et al. Fine-mapping identifies multiple prostate cancer risk loci at 5p15, one of which associates with TERT expression. Hum Mol Genet. Jun 15 2013;22(12):2520-2528.

Koushik A, Spiegelman D, Albanes D, et al. Intake of fruits and vegetables and risk of pancreatic cancer in a pooled analysis of 14 cohort studies. Am J Epidemiol. Sep 1 2012;176(5):373-386.

Koutros S, Schumacher FR, Hayes RB, et al. Pooled analysis of phosphatidylinositol 3-kinase pathway variants and risk of prostate cancer. Cancer Res. Mar 15 2010;70(6):2389-2396.

Kowalczyk KJ, Choueiri TK, Hevelone ND, et al. Comparative effectiveness, costs and trends in treatment of small renal masses from 2005 to 2007. BJU Int. Aug 2013;112(4):E273-280.

Kowalczyk KJ, Harbin AC, Choueiri TK, et al. Use of surveillance imaging following treatment of small renal masses. J Urol. Nov 2013;190(5):1680-1685.

Kozak KR, Hamidi M, Manning M, Moody JS. Bladder preservation for localized muscle-invasive bladder cancer: the survival impact of local utilization rates of definitive radiotherapy. Int J Radiat Oncol Biol Phys. Jun 1 2012;83(2):e197-204.

Kozak KR, Mahadevan A, Moody JS. Adult gliosarcoma: epidemiology, natural history, and factors associated with outcome. *Neuro Oncol.* Apr 2009;11(2):183-191.

Kraft P, Pharoah P, Chanock SJ, et al. Genetic variation in the HSD17B1 gene and risk of prostate cancer. *PLoS Genet.* Nov 2005;1(5):e68.

Krailo MD, Bernstein L, Sullivan-Halley J, Hammond GD. Patterns of enrollment on cooperative group studies. An analysis of trends from the Los Angeles County Cancer Surveillance Program. *Cancer.* May 15 1993;71(10 Suppl):3325-3330.

Kravchenko J, Akushevich I, Abernethy AP, Lyerly HK. Evaluating the Number of Stages in Development of Squamous Cell and Adenocarcinomas across Cancer Sites Using Human Population-Based Cancer Modeling. *PLoS One.* 2012;7(5):e37430.

Kreisl TN, Panageas KS, Elkin EB, Deangelis LM, Abrey LE. Treatment patterns and prognosis in patients with human immunodeficiency virus and primary central system lymphoma. *Leuk Lymphoma.* Sep 2008;49(9):1710-1716.

Krieger N, Chen JT, Waterman PD. Decline in US breast cancer rates after the women's health initiative: socioeconomic and racial/ethnic differentials. *Am J Public Health.* Apr 1 2010;100 Suppl 1:S132-139.

Krieger N, Chen JT, Waterman PD. Temporal trends in the black/white breast cancer case ratio for estrogen receptor status: disparities are historically contingent, not innate. *Cancer Causes Control.* Mar 2011;22(3):511-514.

Krzyzanowska MK, Earle CC, Kuntz KM, Weeks JC. Using economic analysis to evaluate the potential of multimodality therapy for elderly patients with locally advanced pancreatic cancer. *Int J Radiat Oncol Biol Phys.* Jan 1 2007;67(1):211-218.

Kukar M, Groman A, Malhotra U, et al. Small Cell Carcinoma of the Esophagus: A SEER Database Analysis. *Ann Surg Oncol.* Dec 2013;20(13):4239-4244.

Kulkarni AR, Katz S, Hamilton AS, Graff JJ, Alderman AK. Patterns of Use and Patient Satisfaction with Breast Reconstruction among Obese Patients: Results from a Population-Based Study. *Plastic and reconstructive surgery.* Aug 2012;130(2):263-270.

Kumar S, Shah JP, Bryant CS, et al. Second neoplasms in survivors of endometrial cancer: impact of radiation therapy. *Gynecol Oncol.* May 2009;113(2):233-239.

Kumar S, Shah JP, Bryant CS, et al. Prognostic significance of keratinization in squamous cell cancer of uterine cervix: a population based study. *Arch Gynecol Obstet.* Jul 2009;280(1):25-32.

Kunitake H, Zingmond DS, Ryoo J, Ko CY. Caring for octogenarian and nonagenarian patients with colorectal cancer: what should our standards and expectations be? *Dis Colon Rectum.* May 2010;53(5):735-743.

Kunos C, Gibbons H, Simpkins F, Waggoner S. Chemotherapy Administration during Pelvic Radiation for Cervical Cancer Patients Aged  $\geq$ 55 Years in the SEER-Medicare Population. *J Oncol.* 2008;2008:931532.

Kunz PL, Gubens M, Fisher GA, Ford JM, Lichtensztajn DY, Clarke CA. Long-term survivors of gastric cancer: a California population-based study. *J Clin Oncol.* Oct 1 2012;30(28):3507-3515.

Kuo EJ, Goffredo P, Sosa JA, Roman SA. Aggressive variants of papillary thyroid microcarcinoma are associated with extrathyroidal spread and lymph-node metastases: a population-level analysis. *Thyroid.* Oct 2013;23(10):1305-1311.

Kuo EJ, Roman SA, Sosa JA. Patients with follicular and Hurthle cell microcarcinomas have compromised survival: A population level study of 22,738 patients. *Surgery.* Dec 2013;154(6):1246-1254.

Kuo EJ, Salem RR. Population-Level Analysis of Pancreatic Neuroendocrine Tumors 2 cm or Less in Size. *Ann Surg Oncol.* Sep 2013;20(9):2815-2821.

Kuo YF, Goodwin JS, Shahinian VB. Gonadotropin-releasing hormone agonist use in men without a cancer registry diagnosis of prostate cancer. *BMC Health Serv Res.* 2008;8:146.

Kuo YF, Montie JE, Shahinian VB. Reducing bias in the assessment of treatment effectiveness: androgen deprivation therapy for prostate cancer. *Med Care.* May 2012;50(5):374-380.

Kurdgelashvili G, Dores GM, Srour SA, Chaturvedi AK, Huycke MM, Devesa SS. Incidence of potentially human papillomavirus-related neoplasms in the United States, 1978 to 2007. *Cancer.* Jun 15 2013;119(12):2291-2299.

Kurian AW, Clarke CA, Carlson RW. The decline in breast cancer incidence: real or imaginary? *Curr Oncol Rep.* Jan 2009;11(1):21-28.

Kurian AW, McClure LA, John EM, Horn-Ross PL, Ford JM, Clarke CA. Second primary breast cancer occurrence according to hormone receptor status. *J Natl Cancer Inst.* Aug 5 2009;101(15):1058-1065.

Kutikov A, Egleston BL, Canter D, Smaldone MC, Wong YN, Uzzo RG. Competing risks of death in patients with localized renal cell carcinoma: a comorbidity based model. *J Urol.* Dec 2012;188(6):2077-2083.

Kutikov A, Egleston BL, Wong YN, Uzzo RG. Evaluating overall survival and competing risks of death in patients with localized renal cell carcinoma using a comprehensive nomogram. *J Clin Oncol*. Jan 10 2010;28(2):311-317.

Kuykendal AR, Hendrix LH, Salloum RG, Godley PA, Chen RC. Guideline-discordant androgen deprivation therapy in localized prostate cancer: patterns of use in the medicare population and cost implications. *Ann Oncol*. May 2013;24(5):1338-1343.

La Vecchia C, Ron E, Franceschi S, et al. A pooled analysis of case-control studies of thyroid cancer. III. Oral contraceptives, menopausal replacement therapy and other female hormones. *Cancer Causes Control*. Apr 1999;10(2):157-166.

Lachiewicz AM, Berwick M, Wiggins CL, Thomas NE. Survival differences between patients with scalp or neck melanoma and those with melanoma of other sites in the Surveillance, Epidemiology, and End Results (SEER) program. *Arch Dermatol*. Apr 2008;144(4):515-521.

Lachiewicz AM, Berwick M, Wiggins CL, Thomas NE. Epidemiologic support for melanoma heterogeneity using the surveillance, epidemiology, and end results program. *J Invest Dermatol*. May 2008;128(5):1340-1342.

Lackan NA, Freeman JL, Goodwin JS. Hospice use by older women dying with breast cancer between 1991 and 1996. *J Palliat Care*. Spring 2003;19(1):49-53.

Lackan NA, Ostir GV, Freeman JL, Kuo YF, Zhang DD, Goodwin JS. Hospice use by Hispanic and non-Hispanic white cancer decedents. *Health services research*. Aug 2004;39(4 Pt 1):969-983.

Lackan NA, Ostir GV, Freeman JL, Mahnken JD, Goodwin JS. Decreasing variation in the use of hospice among older adults with breast, colorectal, lung, and prostate cancer. *Med Care*. Feb 2004;42(2):116-122.

Lackan NA, Ostir GV, Kuo YF, Freeman JL. The association of marital status and hospice use in the USA. *Palliative medicine*. Mar 2005;19(2):160-162.

Lacson JC, Carroll JD, Tuazon E, Castelao EJ, Bernstein L, Cortessis VK. Population-based case-control study of recreational drug use and testis cancer risk confirms an association between marijuana use and nonseminoma risk. *Cancer*. Nov 1 2012;118(21):5374-5383.

Lai LL, Nelson R. 19. Decreasing incidence of adenocarcinoma of the anal canal. *Sexual health*. Nov 2013;10(6):579.

Lai R, Hershman DL, Doan T, Neugut AI. The timing of cranial radiation in elderly patients with newly diagnosed glioblastoma multiforme. *Neuro Oncol*. Feb 2010;12(2):190-198.

Lai SM, King JB, Garimella S, Keighley J, Lewis M. Effect of the staging schema on melanoma cancer reporting, 1999 to 2006. *J Am Acad Dermatol*. Nov 2011;65(5 Suppl 1):S95-103.

Lai SM, Zhang KB, Uhler RJ, Harrison JN, Clutter GG, Williams MA. Geographic variation in the incidence of colorectal cancer in the United States, 1998-2001. *Cancer*. Sep 1 2006;107(5 Suppl):1172-1180.

Laliberte L, Fennell ML, Papandonatos G. The relationship of membership in research networks to compliance with treatment guidelines for early-stage breast cancer. *Med Care*. May 2005;43(5):471-479.

Lall RR, Wong A, Dahdaleh NS, Fessler RG, Smith ZA, Lam S. 104 Risk Factors and Long-term Survival in Adult Patients With Primary Malignant Spinal Cord Astrocytomas. *Neurosurgery*. Aug 2013;60 Suppl 1:154.

Lally BE, Geiger AM, Urbanic JJ, et al. Trends in the outcomes for patients with limited stage small cell lung cancer: An analysis of the Surveillance, Epidemiology, and End Results database. *Lung cancer (Amsterdam, Netherlands)*. May 2009;64(2):226-231.

Lam S, Lin Y, Melkonian S. Analysis of risk factors and survival in pediatric high-grade spinal cord astrocytoma: a population-based study. *Pediatric neurosurgery*. Jul 20 2012;48(5):299-305.

Lamont EB, Christakis NA, Lauderdale DS. Favorable cardiac risk among elderly breast carcinoma survivors. *Cancer*. Jul 1 2003;98(1):2-10.

Lamont EB, Dias LE, Lauderdale DS. NSAIDs and colorectal cancer risk: do administrative data support a chemopreventive effect? *J Gen Intern Med*. Aug 2007;22(8):1166-1171.

Lamont EB, Lauderdale DS. Low risk of hip fracture among elderly breast cancer survivors. *Ann Epidemiol*. Nov 2003;13(10):698-703.

Lamont EB, Lauderdale DS, Schilsky RL, Christakis NA. Construct validity of medicare chemotherapy claims: the case of 5FU. *Med Care*. Mar 2002;40(3):201-211.

Lan Q, Morton LM, Armstrong B, et al. Genetic variation in caspase genes and risk of non-Hodgkin lymphoma: a pooled analysis of 3 population-based case-control studies. *Blood*. Jul 9 2009;114(2):264-267.

Lan Q, Wang SS, Menashe I, et al. Genetic variation in Th1/Th2 pathway genes and risk of non-Hodgkin lymphoma: a pooled analysis of three population-based case-control studies. *Br J Haematol*. May 2011;153(3):341-350.

Landrum MB, Keating NL, Lamont EB, et al. Survival of Older Patients With Cancer in the Veterans Health Administration Versus Fee-for-Service Medicare. *J Clin Oncol*. Apr 1 2012;30(10):1072-1079.

Landrum MB, Meara ER, Chandra A, Guadagnoli E, Keating NL. Is spending more always wasteful? The appropriateness of care and outcomes among colorectal cancer patients. *Health affairs (Project Hope)*. Jan-Feb 2008;27(1):159-168.

Landry CS, Brock G, Scoggins CR, McMasters KM, Martin RC, 2nd. Proposed staging system for colon carcinoid tumors based on an analysis of 2,459 patients. *J Am Coll Surg*. Dec 2008;207(6):874-881.

Landry CS, Lin HY, Phan A, et al. Resection of at-risk mesenteric lymph nodes is associated with improved survival in patients with small bowel neuroendocrine tumors. *World J Surg*. Jul 2013;37(7):1695-1700.

Lang JE, Summers DE, Cui H, et al. Trends in post-mastectomy reconstruction: A SEER database analysis. *J Surg Oncol*. Sep 2013;108(3):163-168.

Lang K, Danchenko N, Gondek K, Shah S, Thompson D. The burden of illness associated with hepatocellular carcinoma in the United States. *J Hepatol*. Jan 2009;50(1):89-99.

Lang K, Earle CC, Foster T, Dixon D, Van Gool R, Menzin J. Trends in the treatment of acute myeloid leukaemia in the elderly. *Drugs Aging*. 2005;22(11):943-955.

Lang K, Korn JR, Lee DW, Lines LM, Earle CC, Menzin J. Factors associated with improved survival among older colorectal cancer patients in the US: a population-based analysis. *BMC Cancer*. 2009;9:227.

Lang K, Lines LM, Lee DW, Korn JR, Earle CC, Menzin J. Lifetime and Treatment-Phase Costs Associated With Colorectal Cancer: Evidence from SEER-Medicare Data. *Clin Gastroenterol Hepatol*. Sep 4 2008.

Lang K, Lines LM, Lee DW, Korn JR, Earle CC, Menzin J. Lifetime and treatment-phase costs associated with colorectal cancer: evidence from SEER-Medicare data. *Clin Gastroenterol Hepatol*. Feb 2009;7(2):198-204.

Lang K, Marciniak MD, Faries D, et al. Costs of First-Line Doublet Chemotherapy and Lifetime Medical Care in Advanced Non-small-Cell Lung Cancer in the United States. *Value Health*. Oct 30 2008.

Lang K, Marciniak MD, Faries D, et al. Trends and predictors of first-line chemotherapy use among elderly patients with advanced non-small cell lung cancer in the United States. *Lung cancer (Amsterdam, Netherlands)*. Jul 21 2008.

Lang K, Marciniak MD, Faries D, et al. Trends and predictors of first-line chemotherapy use among elderly patients with advanced non-small cell lung cancer in the United States. *Lung cancer (Amsterdam, Netherlands)*. Feb 2009;63(2):264-270.

Langholz B, Bernstein JL, Bernstein L, et al. On the proposed association of the ATM variants 5557G>A and IVS38-8T>C and bilateral breast cancer. *Int J Cancer*. Aug 1 2006;119(3):724-725.

Langholz B, Ebi KL, Thomas DC, Peters JM, London SJ. Traffic density and the risk of childhood leukemia in a Los Angeles case-control study. *Ann Epidemiol*. Oct 2002;12(7):482-487.

Langholz B, Richardson J, Rappaport E, Waisman J, Cockburn M, Mack T. Skin characteristics and risk of superficial spreading and nodular melanoma (United States). *Cancer Causes Control*. Sep 2000;11(8):741-750.

Langholz B, Thomas DC, Stovall M, et al. Statistical Methods for Analysis of Radiation Effects with Tumor and Dose Location-Specific Information with Application to the WECARE Study of Asynchronous Contralateral Breast Cancer. *Biometrics*. Jul 21 2008.

Langholz B, Thomas DC, Stovall M, et al. Statistical methods for analysis of radiation effects with tumor and dose location-specific information with application to the WECARE study of asynchronous contralateral breast cancer. *Biometrics*. Jun 2009;65(2):599-608.

Lanoy E, Costagliola D, Engels EA. Skin cancers associated with HIV infection and solid-organ transplantation among elderly adults. *Int J Cancer*. Apr 1 2010;126(7):1724-1731.

Lanoy E, Dores GM, Madeleine MM, Toro JR, Fraumeni JF, Jr., Engels EA. Epidemiology of nonkeratinocytic skin cancers among persons with AIDS in the United States. *AIDS (London, England)*. Jan 28 2009;23(3):385-393.

Lantz PM, Janz NK, Fagerlin A, et al. Satisfaction with surgery outcomes and the decision process in a population-based sample of women with breast cancer. *Health services research*. Jun 2005;40(3):745-767.

Lantz PM, Mujahid M, Schwartz K, et al. The influence of race, ethnicity, and individual socioeconomic factors on breast cancer stage at diagnosis. *Am J Public Health*. Dec 2006;96(12):2173-2178.

Largent JA, Bernstein L, Horn-Ross PL, et al. Hypertension, antihypertensive medication use, and breast cancer risk in the California Teachers Study cohort. *Cancer Causes Control*. Oct 2010;21(10):1615-1624.

Largent JA, Capanu M, Bernstein L, et al. Reproductive history and risk of second primary breast cancer: the WECARE study. *Cancer Epidemiol Biomarkers Prev*. May 2007;16(5):906-911.

Lathan CS, Neville BA, Earle CC. The effect of race on invasive staging and surgery in non-small-cell lung cancer. *J Clin Oncol*. Jan 20 2006;24(3):413-418.

Lathan CS, Neville BA, Earle CC. Racial composition of hospitals: effects on surgery for early-stage non-small-cell lung cancer. *J Clin Oncol*. Sep 10 2008;26(26):4347-4352.

Laudico A, Redaniel MT, Mirasol-Lumague MR, et al. Epidemiology and clinicopathology of breast cancer in metro Manila and Rizal Province, Philippines. *Asian Pacific journal of cancer prevention : APJCP*. Jan-Mar 2009;10(1):167-172.

Layman AB, Engels EA. Kidney and bladder cancers among people with AIDS in the United States. *Journal of acquired immune deficiency syndromes (1999)*. Jul 1 2008;48(3):365-367.

Le H, Ziogas A, Taylor TH, Lipkin SM, Zell JA. Survival of distinct Asian groups among colorectal cancer cases in California. *Cancer*. Jan 15 2009;115(2):259-270.

Le M, Nelson R, Lee W, et al. An appraisal of radiofrequency ablation and surgical resection for hepatocellular carcinoma: results from the surveillance, epidemiology, and end results registry. *The American surgeon*. Oct 2012;78(10):1091-1095.

Le Marchand L, Donlon T, Kolonel LN, Henderson BE, Wilkens LR. Estrogen metabolism-related genes and breast cancer risk: the multiethnic cohort study. *Cancer Epidemiol Biomarkers Prev*. Aug 2005;14(8):1998-2003.

Le Marchand L, White KK, Nomura AM, et al. Plasma levels of B vitamins and colorectal cancer risk: the multiethnic cohort study. *Cancer Epidemiol Biomarkers Prev*. Aug 2009;18(8):2195-2201.

Leclerc A, Luce D, Demers PA, et al. Sinonasal cancer and occupation. Results from the reanalysis of twelve case-control studies. *American journal of industrial medicine*. Feb 1997;31(2):153-165.

Lee E, Haiman CA, Ma H, Van Den Berg D, Bernstein L, Ursin G. The role of established breast cancer susceptibility loci in mammographic density in young women. *Cancer Epidemiol Biomarkers Prev*. Jan 2008;17(1):258-260.

Lee E, Horn-Ross PL, Rull RP, et al. Reproductive Factors, Exogenous Hormones, and Pancreatic Cancer Risk in the CTS. *Am J Epidemiol*. Nov 1 2013;178(9):1403-1413.

Lee E, Hsu C, Haiman CA, et al. Genetic variation in the progesterone receptor gene and risk of endometrial cancer: a haplotype-based approach. *Carcinogenesis*. Aug 2010;31(8):1392-1399.

Lee E, Ma H, McKean-Cowdin R, et al. Effect of Reproductive Factors and Oral Contraceptives on Breast Cancer Risk in BRCA1/2 Mutation Carriers and Noncarriers: Results from a Population-Based Study. *Cancer Epidemiol Biomarkers Prev*. Nov 2008;17(11):3170-3178.

Lee E, McKean-Cowdin R, Ma H, et al. Evaluation of unclassified variants in the breast cancer susceptibility genes BRCA1 and BRCA2 using five methods: results from a population-based study of young breast cancer patients. *Breast Cancer Res.* 2008;10(1):R19.

Lee E, McKean-Cowdin R, Ma H, et al. Characteristics of triple-negative breast cancer in patients with a BRCA1 mutation: results from a population-based study of young women. *J Clin Oncol.* Nov 20 2011;29(33):4373-4380.

Lee E, Schumacher F, Lewinger JP, et al. The association of polymorphisms in hormone metabolism pathway genes, menopausal hormone therapy, and breast cancer risk: a nested case-control study in the California Teachers Study cohort. *Breast Cancer Res.* Apr 1 2011;13(2):R37.

Lee IH, Hayman JA, Landrum MB, et al. Treatment recommendations for locally advanced, non-small-cell lung cancer: the influence of physician and patient factors. *Int J Radiat Oncol Biol Phys.* Aug 1 2009;74(5):1376-1384.

Lee J, Bhatia NN, Hoang BH, Ziogas A, Zell JA. Analysis of prognostic factors for patients with chordoma with use of the California cancer registry. *The Journal of Bone and Joint Surgery. American Volume.* Feb 15 2012;94(4):356-363.

Lee J, Hoang BH, Ziogas A, Zell JA. Analysis of prognostic factors in Ewing sarcoma using a population-based cancer registry. *Cancer.* Apr 15 2010;116(8):1964-1973.

Lee JE, Hunter DJ, Spiegelman D, et al. Alcohol intake and renal cell cancer in a pooled analysis of 12 prospective studies. *J Natl Cancer Inst.* May 16 2007;99(10):801-810.

Lee JE, Hunter DJ, Spiegelman D, et al. Intakes of coffee, tea, milk, soda and juice and renal cell cancer in a pooled analysis of 13 prospective studies. *Int J Cancer.* Nov 15 2007;121(10):2246-2253.

Lee JE, Mannisto S, Spiegelman D, et al. Intakes of fruit, vegetables, and carotenoids and renal cell cancer risk: a pooled analysis of 13 prospective studies. *Cancer Epidemiol Biomarkers Prev.* Jun 2009;18(6):1730-1739.

Lee JE, Spiegelman D, Hunter DJ, et al. Fat, protein, and meat consumption and renal cell cancer risk: a pooled analysis of 13 prospective studies. *J Natl Cancer Inst.* Dec 3 2008;100(23):1695-1706.

Lee JY, Moore PC, Lensing SY. Impact of HIV Infection on Medicare Beneficiaries with Lung Cancer. *Journal of Cancer Epidemiology.* 2012;2012:706469.

Lee MM, Wu-Williams A, Whittemore AS, et al. Comparison of dietary habits, physical activity and body size among Chinese in North America and China. *Int J Epidemiol.* Oct 1994;23(5):984-990.

Lee S, Kolonel L, Wilkens L, Wan P, Henderson B, Pike M. Postmenopausal hormone therapy and breast cancer risk: the Multiethnic Cohort. *Int J Cancer*. Mar 1 2006;118(5):1285-1291.

Lee SA, Haiman CA, Burtt NP, et al. A comprehensive analysis of common genetic variation in prolactin (PRL) and PRL receptor (PRLR) genes in relation to plasma prolactin levels and breast cancer risk: the multiethnic cohort. *BMC medical genetics*. 2007;8:72.

Lee SA, Ross RK, Pike MC. An overview of menopausal oestrogen-progestin hormone therapy and breast cancer risk. *Br J Cancer*. Jun 6 2005;92(11):2049-2058.

Lee WJ, Purdue MP, Stewart P, et al. Asthma history, occupational exposure to pesticides and the risk of non-Hodgkin's lymphoma. *Int J Cancer*. Jun 15 2006;118(12):3174-3176.

Lee YC, Lee YL, Chuang JP, Lee JC. Differences in Survival between Colon and Rectal Cancer from SEER Data. *PLoS One*. 2013;8(11):e78709.

Lee YC, Morgenstern H, Greenland S, et al. A case-control study of the association of the polymorphisms and haplotypes of DNA ligase I with lung and upper-aerodigestive-tract cancers. *Int J Cancer*. Apr 1 2008;122(7):1630-1638.

Legler A, Bradley EH, Carlson MD. The effect of comorbidity burden on health care utilization for patients with cancer using hospice. *J Palliat Med*. Jun 2011;14(6):751-756.

Legler JM, Feuer EJ, Potosky AL, Merrill RM, Kramer BS. The role of prostate-specific antigen (PSA) testing patterns in the recent prostate cancer incidence decline in the United States. *Cancer Causes Control*. Oct 1998;9(5):519-527.

Legler JM, Ries LA, Smith MA, et al. Cancer surveillance series [corrected]: brain and other central nervous system cancers: recent trends in incidence and mortality. *J Natl Cancer Inst*. Aug 18 1999;91(16):1382-1390.

Leigh Pearce C, Near AM, Butler JL, et al. Comprehensive Evaluation of ESR2 Variation and Ovarian Cancer Risk. *Cancer Epidemiol Biomarkers Prev*. Feb 2008;17(2):393-396.

Leitzmann MF, Koebnick C, Danforth KN, et al. Body mass index and risk of ovarian cancer. *Cancer*. Feb 15 2009;115(4):812-822.

Levine AJ, Figueiredo JC, Lee W, et al. Genetic variability in the MTHFR gene and colorectal cancer risk using the colorectal cancer family registry. *Cancer Epidemiol Biomarkers Prev*. Jan 2010;19(1):89-100.

Levine AJ, Win AK, Buchanan DD, et al. Cancer Risks for the Relatives of Colorectal Cancer Cases with a Methylated MLH1 Promoter Region: Data from the Colorectal Cancer Family Registry. *Cancer Prev Res (Phila)*. Feb 2012;5(2):328-335.

Levine AM, Bernstein L, Sullivan-Halley J, Shibata D, Mahterian SB, Nathwani BN. Role of zidovudine antiretroviral therapy in the pathogenesis of acquired immunodeficiency syndrome-related lymphoma. *Blood*. Dec 15 1995;86(12):4612-4616.

Levine AM, Nelson R, Zuckerman E, et al. Lack of association between hepatitis C infection and development of AIDS-related lymphoma. *J Acquir Immune Defic Syndr Hum Retrovirol*. Mar 1 1999;20(3):255-258.

Levine AM, Seaberg EC, Hessol NA, et al. HIV as a risk factor for lung cancer in women: data from the Women's Interagency HIV Study. *J Clin Oncol*. Mar 20 2010;28(9):1514-1519.

Levine AM, Shibata D, Sullivan-Halley J, et al. Epidemiological and biological study of acquired immunodeficiency syndrome-related lymphoma in the County of Los Angeles: preliminary results. *Cancer Res*. Oct 1 1992;52(19 Suppl):5482s-5484s.

Levine DM, Ek WE, Zhang R, et al. A genome-wide association study identifies new susceptibility loci for esophageal adenocarcinoma and Barrett's esophagus. *Nat Genet*. Dec 2013;45(12):1487-1493.

Li B, Chen M, Nori D, Chao KS, Chen AM, Chen SL. Adjuvant Radiation Therapy and Survival for Pure Tubular Breast Carcinoma—Experience From the SEER Database. *Int J Radiat Oncol Biol Phys*. Sep 1 2012;84(1):23-29.

Li CI, Daling JR, Malone KE, et al. Relationship between established breast cancer risk factors and risk of seven different histologic types of invasive breast cancer. *Cancer Epidemiol Biomarkers Prev*. May 2006;15(5):946-954.

Li CI, Malone KE, Daling JR, et al. Timing of Menarche and First Full-Term Birth in Relation to Breast Cancer Risk. *Am J Epidemiol*. Oct 26 2007.

Li CI, Malone KE, Daling JR, et al. Timing of menarche and first full-term birth in relation to breast cancer risk. *Am J Epidemiol*. Jan 15 2008;167(2):230-239.

Li CI, Mathes RW, Malone KE, et al. Relationship between migraine history and breast cancer risk among premenopausal and postmenopausal women. *Cancer Epidemiol Biomarkers Prev*. Jul 2009;18(7):2030-2034.

Li J, Djenaba JA, Soman A, Rim SH, Master VA. Recent trends in prostate cancer incidence by age, cancer stage, and grade, the United States, 2001-2007. *Prostate Cancer*. 2012;2012:691380.

Li J, German R, King J, et al. Recent trends in prostate cancer testing and incidence among men under age of 50. *Cancer Epidemiol*. Apr 2012;36(2):122-127.

Liao LM, Vaughan TL, Corley DA, et al. Nonsteroidal Anti-inflammatory Drug Use Reduces Risk of Adenocarcinomas of the Esophagus and Esophagogastric Junction in a Pooled Analysis. *Gastroenterology*. Mar 2012;142(3):442-452 e445.

Liaw KL, Linet MS, McLaughlin JK, et al. Possible relation between hypertension and cancers of the renal pelvis and ureter. *Int J Cancer*. Jan 27 1997;70(3):265-268.

Liberman D, Alasker A, Sun M, et al. Radical cystectomy for patients with pT4 urothelial carcinoma in a large population-based study. *BJU Int*. Mar 2011;107(6):905-911.

Liberman D, Lughezzani G, Sun M, et al. Perioperative mortality is significantly greater in septuagenarian and octogenarian patients treated with radical cystectomy for urothelial carcinoma of the bladder. *Urology*. Mar 2011;77(3):660-666.

Lillie EO, Bernstein L, Ingles SA, et al. Polymorphism in the androgen receptor and mammographic density in women taking and not taking estrogen and progestin therapy. *Cancer Res*. Feb 15 2004;64(4):1237-1241.

Lim JE, Chien MW, Earle CC. Prognostic factors following curative resection for pancreatic adenocarcinoma: a population-based, linked database analysis of 396 patients. *Ann Surg*. Jan 2003;237(1):74-85.

Lim U, Schenk M, Kelemen LE, et al. Dietary determinants of one-carbon metabolism and the risk of non-Hodgkin's lymphoma: NCI-SEER case-control study, 1998-2000. *Am J Epidemiol*. Nov 15 2005;162(10):953-964.

Lim U, Wang SS, Hartge P, et al. Gene-nutrient interactions among determinants of folate and one-carbon metabolism on the risk of non-Hodgkin lymphoma: NCI-SEER case-control study. *Blood*. Apr 1 2007;109(7):3050-3059.

Lim U, Wilkens LR, Monroe KR, et al. Susceptibility variants for obesity and colorectal cancer risk: The multiethnic cohort and PAGE studies. *Int J Cancer*. Sep 15 2012;131(6):E1038-1043.

Limburg PJ, Harmsen WS, Chen HH, et al. Prevalence of alterations in DNA mismatch repair genes in patients with young-onset colorectal cancer. *Clin Gastroenterol Hepatol*. Jun 2011;9(6):497-502.

Lin CC, Virgo KS. Association Between the Availability of Medical Oncologists and Initiation of Chemotherapy for Patients With Stage III Colon Cancer. *J Oncol Pract*. Jan 2013;9(1):27-33.

Lin DY. Linear regression analysis of censored medical costs. *Biostatistics*. Mar 2000;1(1):35-47.

Linabery AM, Ross JA. Childhood and adolescent cancer survival in the US by race and ethnicity for the diagnostic period 1975-1999. *Cancer*. Nov 1 2008;113(9):2575-2596.

Linabery AM, Ross JA. Trends in childhood cancer incidence in the U.S. (1992-2004). *Cancer*. Jan 15 2008;112(2):416-432.

Lindor NM, Rabe K, Petersen GM, et al. Lower cancer incidence in Amsterdam-I criteria families without mismatch repair deficiency: familial colorectal cancer type X. *Jama*. Apr 27 2005;293(16):1979-1985.

Lindor NM, Rabe KG, Petersen GM, et al. Parent of origin effects on age at colorectal cancer diagnosis. *Int J Cancer*. Jul 15 2010;127(2):361-366.

Lindquist KJ, Danese MD, Mikhael J, Knopf KB, Griffiths RI. Health care utilization and mortality among elderly patients with myelodysplastic syndromes. *Ann Oncol*. May 2011;22(5):1181-1188.

Lindstrom S, Ma J, Altshuler D, et al. A large study of androgen receptor germline variants and their relation to sex hormone levels and prostate cancer risk. Results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. *J Clin Endocrinol Metab*. Sep 2010;95(9):E121-127.

Lindstrom S, Schumacher F, Siddiq A, et al. Characterizing associations and SNP-environment interactions for GWAS-identified prostate cancer risk markers--results from BPC3. *PLoS One*. 2011;6(2):e17142.

Lindstrom S, Schumacher FR, Campa D, et al. Replication of Five Prostate Cancer Loci Identified in an Asian Population--Results from the NCI Breast and Prostate Cancer Cohort Consortium (BPC3). *Cancer Epidemiol Biomarkers Prev*. Jan 2012;21(1):212-216.

Lindstrom S, Schumacher FR, Cox D, et al. Common Genetic Variants in Prostate Cancer Risk Prediction--Results from the NCI Breast and Prostate Cancer Cohort Consortium (BPC3). *Cancer Epidemiol Biomarkers Prev*. Mar 2012;21(3):437-444.

Linet MS, Chow WH, McLaughlin JK, et al. Analgesics and cancers of the renal pelvis and ureter. *Int J Cancer*. Jul 4 1995;62(1):15-18.

Linet MS, Taggart T, Severson RK, et al. Cellular telephones and non-Hodgkin lymphoma. *Int J Cancer*. Nov 15 2006;119(10):2382-2388.

Link BK, Brooks J, Wright K, Pan X, Voelker M, Chrischilles E. Diffuse large B-cell lymphoma in the elderly: diffusion of treatment with rituximab and survival advances with and without anthracyclines. *Leuk Lymphoma*. Jun 2011;52(6):994-1002.

Link LB, Canchola AJ, Bernstein L, et al. Dietary patterns and breast cancer risk in the California Teachers Study cohort. *The American journal of clinical nutrition*. Dec 2013;98(6):1524-1532.

Linos E, Swetter SM, Cockburn MG, Colditz GA, Clarke CA. Increasing burden of melanoma in the United States. *J Invest Dermatol*. Jul 2009;129(7):1666-1674.

Linton OR, Moore MG, Brigance JS, Gordon CA, Summerlin DJ, McDonald MW. Prognostic significance of basaloid squamous cell carcinoma in head and neck cancer. *JAMA otalaryngology-- head & neck surgery*. Dec 1 2013;139(12):1306-1311.

Lipscomb J. Transcending the volume-outcome relationship in cancer care. *J Natl Cancer Inst*. Feb 1 2006;98(3):151-154.

Little MP, Rajaraman P, Curtis RE, et al. Mobile phone use and glioma risk: comparison of epidemiological study results with incidence trends in the United States. *Bmj*. 2012;344:e1147.

Liu CC, Xia R, Guadagnolo A, Cormier JN, Du XL. Risk of xerostomia in association with the receipt of radiation therapy in older patients with head and neck cancer. *Am J Ther*. May 2011;18(3):206-215.

Liu CT, Monda KL, Taylor KC, et al. Genome-wide association of body fat distribution in african ancestry populations suggests new Loci. *PLoS Genet*. Aug 2013;9(8):e1003681.

Liu J, Shi L, Sartor O, Culbertson R. Androgen-deprivation therapy versus radical prostatectomy as monotherapy among clinically localized prostate cancer patients. *OncoTargets and therapy*. 2013;6:725-732.

Liu L. Oral cavity and pharynx. In: Cockburn M, Deapen D, eds. *Cancer Incidence and Mortality in California: Trends by Race/Ethnicity, 1988-2001*. Los Angeles, CA: Los Angeles Cancer Surveillance Program, University of Southern California; 2004:95-96.

Liu L, Coker AL, Du XL, Cormier JN, Ford CE, Fang S. Long-term survival after radical prostatectomy compared to other treatments in older men with local/regional prostate cancer. *J Surg Oncol*. Jun 1 2008;97(7):583-591.

Liu L, Cozen W. Socioeconomic status and prostate cancer in Los Angeles County, 1972-1995. In: Mills PK, ed. *Prostate Cancer in California: A special report*. Berkeley, CA: Public Health Institute; 2000.

Liu L, Cozen W, Bernstein L, Ross RK, Deapen D. Changing relationship between socioeconomic status and prostate cancer incidence. *J Natl Cancer Inst*. May 2 2001;93(9):705-709.

Liu L, Deapen D, Bernstein L. Socioeconomic status and cancers of the female breast and reproductive organs: a comparison across racial/ethnic populations in Los Angeles County, California (United States). *Cancer Causes Control*. Aug 1998;9(4):369-380.

Liu L, Deapen D, Bernstein L, Ross R. Cancer incidence in Los Angeles County by race/ethnicity, 1988-1993. Los Angeles, CA: Los Angeles County Cancer Surveillance Program, University of Southern California; 1996.

Liu L, Deapen D, Bernstein L, Ross R. Cancer in Los Angeles County: incidence by race/ethnicity, 1988-1994. Los Angeles, CA: Los Angeles Cancer Surveillance Program, University of Southern California; 1997.

Liu L, Deapen D, Bernstein L, Ross R. Cancer in Los Angeles County: incidence and mortality by race/ethnicity, 1988-1995. Los Angeles, CA: Los Angeles Cancer Surveillance Program, University of Southern California; 1998.

Liu L, Deapen D, Bernstein L, Ross R. Cancer in Los Angeles County: incidence and mortality by race/ethnicity, 1988-1996. Los Angeles, CA: Los Angeles County Cancer Surveillance Program, University of Southern California; 1999.

Liu L, Deapen D, Bernstein L, Ross R. Cancer in Los Angeles County: incidence and mortality by race/ethnicity, 1988-1997: Los Angeles County Cancer Surveillance Program, University of Southern California; 2000.

Liu L, Deapen D, Bernstein L, Ross R. Cancer in Los Angeles County: incidence and mortality by race/ethnicity, 1988-1998. Los Angeles, CA: Los Angeles County Cancer Surveillance Program, University of Southern California; 2001.

Liu L, Kralo M, Reaman GH, Bernstein L. Childhood cancer patients' access to cooperative group cancer programs: a population-based study. *Cancer*. Mar 1 2003;97(5):1339-1345.

Liu L, Kumar SK, Sedghizadeh PP, Jayakar AN, Shuler CF. Oral squamous cell carcinoma incidence by subsite among diverse racial and ethnic populations in California. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*. Apr 2008;105(4):470-480.

Liu L, Noone AM, Gomez SL, et al. Cancer Incidence Trends Among Native Hawaiians and Other Pacific Islanders in the United States, 1990-2008. *J Natl Cancer Inst*. Aug 7 2013;105(15):1086-1095.

Liu L, Tanjasiri SP, Cockburn M. Challenges in identifying Native Hawaiians and Pacific Islanders in population-based cancer registries in the U.S. *J Immigr Minor Health*. Oct 2011;13(5):860-866.

Liu L, Wang H, Chen Y, Rustveld L, Liu G, Du XL. Splenic marginal zone lymphoma: a population-based study on the 2001-2008 incidence and survival in the United States. *Leuk Lymphoma*. Jul 2013;54(7):1380-1386.

Liu L, Zhang J, Deapen D. Cancer in Los Angeles County: incidence and mortality by race/ethnicity, 1988-2005: Los Angeles Cancer Surveillance Program, University of Southern California; 2008.

Liu L, Zhang J, Deapen D, Bernstein L, Ross R. Cancer in Los Angeles County: incidence and mortality by race/ethnicity, 1988-1999. Los Angeles, CA: Los Angeles County Cancer Surveillance Program, University of Southern California; 2002.

Liu L, Zhang J, Deapen D, Bernstein L, Ross R. Cancer in Los Angeles County: incidence and mortality by race/ethnicity, 1988-2000. Los Angeles, CA: Los Angeles County Cancer Surveillance Program, University of Southern California; 2003.

Liu L, Zhang J, Deapen D, Bernstein L, Ross R. Cancer in Los Angeles County: incidence and mortality by race/ethnicity, 1988-2001. Los Angeles, CA: Los Angeles County Cancer Surveillance Program, University of Southern California; 2004.

Liu L, Zhang J, Deapen D, Bernstein L, Ross R. Cancer in Los Angeles County: incidence and mortality by race/ethnicity, 1988-2004: Los Angeles Cancer Surveillance Program, University of Southern California; 2007.

Liu L, Zhang J, Wu AH, Pike MC, Deapen D. Invasive breast cancer incidence trends by detailed race/ethnicity and age. *Int J Cancer*. Jan 15 2012;130(2):395-404.

Liu P, Li X, Mittendorf EA, et al. Comparison of clinicopathologic features and survival in young American women aged 18-39 years in different ethnic groups with breast cancer. *Br J Cancer*. Sep 3 2013;109(5):1302-1309.

Liu PH, Wang JD, Keating NL. Expected years of life lost for six potentially preventable cancers in the United States. *Preventive medicine*. May 2013;56(5):309-313.

Liu Z, Chen D, Tian G, Tang ML, Tan M, Sheng L. Efficient support vector machine method for survival prediction with SEER data. *Adv Exp Med Biol*. 2010;680:11-18.

Lloyd S, Yu JB, Ross DA, Wilson LD, Decker RH. A prognostic index for predicting lymph node metastasis in minor salivary gland cancer. *Int J Radiat Oncol Biol Phys*. Jan 1 2010;76(1):169-175.

Locher JL, Bonner JA, Carroll WR, et al. Patterns of prophylactic gastrostomy tube placement in head and neck cancer patients: A consideration of the significance of social support and practice variation. *The Laryngoscope*. Aug 2013;123(8):1918-1925.

Locher JL, Bonner JA, Carroll WR, et al. Gastrostomy tube placement and use in patients with head and neck cancer. *Head Neck*. Mar 2012;34(3):422-428.

Locher JL, Kilgore ML, Morrisey MA, Ritchie CS. Patterns and predictors of home health and hospice use by older adults with cancer. *J Am Geriatr Soc.* Aug 2006;54(8):1206-1211.

Loeb S, Carter HB, Berndt SI, Ricker W, Schaeffer EM. Complications after prostate biopsy: data from SEER-Medicare. *J Urol.* Nov 2011;186(5):1830-1834.

Loeb S, Carter HB, Berndt SI, Ricker W, Schaeffer EM. Is repeat prostate biopsy associated with a greater risk of hospitalization? Data from SEER-Medicare. *J Urol.* Mar 2013;189(3):867-870.

Lombardi C, Heck JE, Cockburn M, Ritz B. Solar UV Radiation and Cancer in Young Children. *Cancer Epidemiol Biomarkers Prev.* Jun 2013;22(6):1118-1128.

London SJ, Bowman JD, Sobel E, et al. Exposure to magnetic fields among electrical workers in relation to leukemia risk in Los Angeles County. *American journal of industrial medicine.* Jul 1994;26(1):47-60.

London SJ, Daly AK, Cooper J, et al. Lung cancer risk in relation to the CYP2E1 Rsa I genetic polymorphism among African-Americans and Caucasians in Los Angeles County. *Pharmacogenetics.* Apr 1996;6(2):151-158.

London SJ, Daly AK, Cooper J, Navidi WC, Carpenter CL, Idle JR. Polymorphism of glutathione S-transferase M1 and lung cancer risk among African-Americans and Caucasians in Los Angeles County, California. *J Natl Cancer Inst.* Aug 16 1995;87(16):1246-1253.

London SJ, Daly AK, Leathart JB, Navidi WC, Carpenter CC, Idle JR. Genetic polymorphism of CYP2D6 and lung cancer risk in African-Americans and Caucasians in Los Angeles County. *Carcinogenesis.* Jun 1997;18(6):1203-1214.

London SJ, Pogoda JM, Hwang KL, et al. Residential magnetic field exposure and breast cancer risk: a nested case-control study from a multiethnic cohort in Los Angeles County, California. *Am J Epidemiol.* Nov 15 2003;158(10):969-980.

Long J, Cai Q, Sung H, et al. Genome-wide association study in East Asians identifies novel susceptibility Loci for breast cancer. *PLoS Genet.* Feb 2012;8(2):e1002532.

Longnecker MP, Bernstein L, Paganini-Hill A, Enger SM, Ross RK. Risk factors for in situ breast cancer. *Cancer Epidemiol Biomarkers Prev.* Dec 1996;5(12):961-965.

Longnecker MP, Paganini-Hill A, Ross RK. Lifetime alcohol consumption and breast cancer risk among postmenopausal women in Los Angeles. *Cancer Epidemiol Biomarkers Prev.* Oct-Nov 1995;4(7):721-725.

Longnecker MP, Paganini-Hill A, Ross RK. Risk of breast cancer in relation to lifetime alcohol consumption: results from Los Angeles (abstract). *Am J Epidemiol.* 1995;141:853.

Loo LW, Tiirikainen M, Cheng I, et al. Integrated analysis of genome-wide copy number alterations and gene expression in microsatellite stable, CpG island methylator phenotype-negative colon cancer. *Genes, chromosomes & cancer*. May 2013;52(5):450-466.

Lord SJ, Bernstein L, Johnson KA, et al. Breast cancer risk and hormone receptor status in older women by parity, age of first birth, and breastfeeding: a case-control study. *Cancer Epidemiol Biomarkers Prev*. Jul 2008;17(7):1723-1730.

Lossos C, Ferrell A, Duncan R, Lossos IS. Association between non-Hodgkin lymphoma and renal cell carcinoma. *Leuk Lymphoma*. Dec 2011;52(12):2254-2261.

Louie E, Henderson BE, Buell P, Jing JS, Menck H, Pike MC. Selected observations on the epidemiology of pharyngeal cancers. *Journal of the National Cancer Institute. Monographs*. 1977;47:129-133.

Lowe KA, Chia VM, Taylor A, et al. An international assessment of ovarian cancer incidence and mortality. *Gynecol Oncol*. Jul 2013;130(1):107-114.

Lowengart RA, Peters JM, Cicioni C, et al. Childhood leukemia and parents' occupational and home exposures. *J Natl Cancer Inst*. Jul 1987;79(1):39-46.

Lowery JT, Peters JM, Deapen D, London SJ. Renal cell carcinoma among architects. *American journal of industrial medicine*. 1991;20(1):123-125.

Lowery WJ, Gehrig PA, Ko E, Secord AA, Chino J, Havrilesky LJ. Surgical staging for endometrial cancer in the elderly - Is there a role for lymphadenectomy? *Gynecol Oncol*. Jul 2012;126(1):12-15.

Lowrance WT, Eastham JA, Yee DS, et al. Costs of medical care after open or minimally invasive prostate cancer surgery: A population-based analysis. *Cancer*. Jun 15 2012;118(12):3079-3086.

Lowrance WT, Elkin EB, Yee DS, et al. Locally advanced prostate cancer: a population-based study of treatment patterns. *BJU Int*. May 2012;109(9):1309-1314.

Lu Y, Abdou AM, Cerhan JR, et al. Human leukocyte antigen class I and II alleles and overall survival in diffuse large B-cell lymphoma and follicular lymphoma. *ScientificWorldJournal*. 2011;11:2062-2070.

Lu Y, Ma H, Malone KE, et al. Obesity and survival among black women and white women 35 to 64 years of age at diagnosis with invasive breast cancer. *J Clin Oncol*. Sep 1 2011;29(25):3358-3365.

Lu Y, Ma H, Malone KE, et al. Oral contraceptive use and survival in women with invasive breast cancer. *Cancer Epidemiol Biomarkers Prev*. Jul 2011;20(7):1391-1397.

Lu Y, Ma H, Sullivan-Halley J, et al. Parents' ages at birth and risk of adult-onset hematologic malignancies among female teachers in California. *Am J Epidemiol.* Jun 15 2010;171(12):1262-1269.

Lu Y, Prescott J, Sullivan-Halley J, et al. Body size, recreational physical activity, and B-cell non-Hodgkin lymphoma risk among women in the California Teachers study. *Am J Epidemiol.* Nov 15 2009;170(10):1231-1240.

Lu Y, Sullivan-Halley J, Cozen W, et al. Family history of haematopoietic malignancies and non-Hodgkin's lymphoma risk in the California Teachers Study. *Br J Cancer.* Feb 10 2009;100(3):524-526.

Lu Y, Sullivan-Halley J, Henderson KD, et al. Anthropometric characteristics and multiple myeloma risk. *Epidemiology.* Mar 2010;21(2):272-273.

Lu Y, Wang SS, Reynolds P, et al. Cigarette smoking, passive smoking, and non-Hodgkin lymphoma risk: evidence from the California Teachers Study. *Am J Epidemiol.* Sep 1 2011;174(5):563-573.

Lu Y, Wang SS, Sullivan-Halley J, et al. Oral contraceptives, menopausal hormone therapy use and risk of B-cell non-Hodgkin lymphoma in the California Teachers Study. *Int J Cancer.* Aug 15 2011;129(4):974-982.

Lubin JH, Colt JS, Camann D, et al. Epidemiologic evaluation of measurement data in the presence of detection limits. *Environ Health Perspect.* Dec 2004;112(17):1691-1696.

Lubin JH, Cook MB, Pandeya N, et al. The importance of exposure rate on odds ratios by cigarette smoking and alcohol consumption for esophageal adenocarcinoma and squamous cell carcinoma in the Barrett's Esophagus and Esophageal Adenocarcinoma Consortium. *Cancer Epidemiol.* Jun 2012;36(3):306-316.

Luce D, Leclerc A, Begin D, et al. Sinonasal cancer and occupational exposures: a pooled analysis of 12 case-control studies. *Cancer Causes Control.* Mar 2002;13(2):147-157.

Luckhaupt SE, Deapen D, Cress R, Schumacher P, Shen R, Calvert GM. Leukemia among male construction workers in California, 1988-2007. *Leuk Lymphoma.* Nov 2012;53(11):2228-2236.

Lughezzani G, Sun M, Perrotte P, et al. Gender-related differences in patients with stage I to III upper tract urothelial carcinoma: results from the Surveillance, Epidemiology, and End Results database. *Urology.* Feb 2010;75(2):321-327.

Lughezzani G, Sun M, Shariat SF, et al. A population-based competing-risks analysis of the survival of patients treated with radical cystectomy for bladder cancer. *Cancer.* Jan 1 2011;117(1):103-109.

Lund JL, Sturmer T, Sanoff HK, Brookhart A, Sandler RS, Warren JL. Determinants of adjuvant oxaliplatin receipt among older stage II and III colorectal cancer patients. *Cancer*. Jun 1 2013;119(11):2038-2047.

Lund MJ, Eliason MT, Haight AE, Ward KC, Young JL, Pentz RD. Racial/ethnic diversity in children's oncology clinical trials: ten years later. *Cancer*. Aug 15 2009;115(16):3808-3816.

Luo R, Giordano SH, Freeman JL, Zhang D, Goodwin JS. Referral to medical oncology: a crucial step in the treatment of older patients with stage III colon cancer. *The oncologist*. Oct 2006;11(9):1025-1033.

Lurie G, Gaudet MM, Spurdle AB, et al. The obesity-associated polymorphisms FTO rs9939609 and MC4R rs17782313 and endometrial cancer risk in non-Hispanic white women. *PLoS One*. 2011;6(2):e16756.

Lurie G, Wilkens LR, Shvetsov YB, et al. Prediagnostic plasma pyridoxal 5'-phosphate (vitamin b6) levels and invasive breast carcinoma risk: the multiethnic cohort. *Cancer Epidemiol Biomarkers Prev*. Nov 2012;21(11):1942-1948.

Lurie G, Wilkens LR, Thompson PJ, et al. Estrogen receptor beta rs1271572 polymorphism and invasive ovarian carcinoma risk: pooled analysis within the Ovarian Cancer Association Consortium. *PLoS One*. 2011;6(6):e20703.

Luu C, Goldstein L, Goldner B, Schoellhammer HF, Chen SL. Trends in radiotherapy after breast-conserving surgery in elderly patients with early-stage breast cancer. *Ann Surg Oncol*. Oct 2013;20(10):3266-3273.

Lu-Yao G, Moore DF, Oleynick J, DiPaola RS, Yao SL. Use of hormonal therapy in men with metastatic prostate cancer. *J Urol*. Aug 2006;176(2):526-531.

Lu-Yao G, Moore DF, Oleynick JU, DiPaola RS, Yao SL. Population based study of hormonal therapy and survival in men with metastatic prostate cancer. *J Urol*. Feb 2007;177(2):535-539.

Lu-Yao GL, Albertsen PC, Li H, et al. Does primary androgen-deprivation therapy delay the receipt of secondary cancer therapy for localized prostate cancer? *Eur Urol*. Dec 2012;62(6):966-972.

Lu-Yao GL, Albertsen PC, Moore DF, et al. Outcomes of localized prostate cancer following conservative management. *Jama*. Sep 16 2009;302(11):1202-1209.

Lu-Yao GL, Albertsen PC, Moore DF, et al. Survival following primary androgen deprivation therapy among men with localized prostate cancer. *Jama*. Jul 9 2008;300(2):173-181.

Lu-Yao GL, Potosky AL, Albertsen PC, Wasson JH, Barry MJ, Wennberg JE. Follow-up prostate cancer treatments after radical prostatectomy: a population-based study. *J Natl Cancer Inst.* Feb 21 1996;88(3-4):166-173.

Ma H, Bernstein L, Pike MC, Ursin G. Reproductive factors and breast cancer risk according to joint estrogen and progesterone receptor status: a meta-analysis of epidemiological studies. *Breast Cancer Res.* Jul 19 2006;8(4):R43.

Ma H, Bernstein L, Ross RK, Ursin G. Hormone-related risk factors for breast cancer in women under age 50 years by estrogen and progesterone receptor status: results from a case-control and a case-case comparison. *Breast Cancer Res.* Jul 17 2006;8(4):R39.

Ma H, Carpenter CL, Sullivan-Halley J, Bernstein L. The roles of herbal remedies in survival and quality of life among long-term breast cancer survivors--results of a prospective study. *BMC Cancer.* 2011;11:222.

Ma H, Henderson KD, Sullivan-Halley J, et al. Pregnancy-related factors and the risk of breast carcinoma in situ and invasive breast cancer among postmenopausal women in the California Teachers Study cohort. *Breast Cancer Res.* Jun 18 2010;12(3):R35.

Ma H, Hill CK, Bernstein L, Ursin G. Low-dose medical radiation exposure and breast cancer risk in women under age 50 years overall and by estrogen and progesterone receptor status: results from a case-control and a case-case comparison. *Breast Cancer Res Treat.* May 2008;109(1):77-90.

Ma H, Lu Y, Malone KE, et al. Mortality risk of black women and white women with invasive breast cancer by hormone receptors, HER2, and p53 status. *BMC Cancer.* 2013;13:225.

Ma H, Luo J, Press MF, Wang Y, Bernstein L, Ursin G. Is There a Difference in the Association between Percent Mammographic Density and Subtypes of Breast Cancer? Luminal A and Triple-Negative Breast Cancer. *Cancer Epidemiol Biomarkers Prev.* Feb 2009;18(2):479-485.

Ma H, Sullivan-Halley J, Smith AW, et al. Estrogenic botanical supplements, health-related quality of life, fatigue, and hormone-related symptoms in breast cancer survivors: a HEAL study report. *BMC Complement Altern Med.* 2011;11(1):109.

Ma H, Wang Y, Sullivan-Halley J, et al. Breast cancer receptor status: do results from a centralized pathology laboratory agree with SEER registry reports? *Cancer Epidemiol Biomarkers Prev.* Aug 2009;18(8):2214-2220.

Ma H, Wang Y, Sullivan-Halley J, et al. Use of four biomarkers to evaluate the risk of breast cancer subtypes in the women's contraceptive and reproductive experiences study. *Cancer Res.* Jan 15 2010;70(2):575-587.

Ma X, Park Y, Mayne ST, et al. Diet, lifestyle, and acute myeloid leukemia in the NIH-AARP cohort. *Am J Epidemiol.* Feb 1 2010;171(3):312-322.

Macdonald OK, Lee CM, Tward JD, Chappel CD, Gaffney DK. Malignant phyllodes tumor of the female breast: association of primary therapy with cause-specific survival from the Surveillance, Epidemiology, and End Results (SEER) program. *Cancer.* Nov 1 2006;107(9):2127-2133.

Machiela MJ, Lindstrom S, Allen NE, et al. Association of type 2 diabetes susceptibility variants with advanced prostate cancer risk in the breast and prostate cancer cohort consortium. *Am J Epidemiol.* Dec 15 2012;176(12):1121-1129.

Mack JW, Chen K, Boscoe FP, et al. Underuse of Hospice Care by Medicaid-Insured Patients With Stage IV Lung Cancer in New York and California. *J Clin Oncol.* Jul 10 2013;31(20):2569-2579.

Mack TM. Cancer surveillance program in Los Angeles County. National Cancer Institute monograph. Dec 1977;47:99-101.

Mack TM. Pancreas cancer. In: Schottenfeld D, Fraumeni JFJ, eds. *Cancer Epidemiology and Prevention.* Philadelphia, PA: Saunders; 1982:638-667.

Mack TM. The geography of skin cancer. *Skin Cancer Foundation Journal.* 1992;10:37-40.

Mack TM. Sarcomas and other malignancies of soft tissue, retroperitoneum, peritoneum, pleura, heart, mediastinum, and spleen. *Cancer.* Jan 1 1995;75(1 Suppl):211-244.

Mack TM, Berkel J, Bernstein L, Mack W. Religion and cancer in Los Angeles County. National Cancer Institute monograph. Dec 1985;69:235-245.

Mack TM, Cozen W, Cockburn M. Cancers in the urban environment: patterns of malignant disease in Los Angeles County and its neighborhoods. San Diego, London: Elsevier Academic Press; 2004.

Mack TM, Cozen W, Quinn MA. Epidemiology of cancer of the endometrium, ovary, vulva and vagina. In: Coppelson M, ed. *Gynecologic Oncology.* 2nd ed. London: Churchill Livingston; 1991.

Mack TM, Floderus B. Malignant melanoma risk by nativity, place of residence at diagnosis, and age at migration. *Cancer Causes Control.* Nov 1991;2(6):401-411.

Mack TM, Henderson BE. Cancer registries for general and special uses. U.S. - U.S.S.R.: Monogr NIH Publ No. 80-2044; 1980:57-61.

Mack TM, Menck HR. Epidemiology of cancer of the gallbladder and extra hepatic biliary passages. In: Correa P, Haenszel W, eds. *Epidemiology of Cancer of the Digestive Tract*. Boston, MA: Nijhoff; 1982.

Mack TM, Paganini-Hill A. Epidemiology of pancreas cancer in Los Angeles. *Cancer*. Mar 15 1981;47(6 Suppl):1474-1484.

Mack TM, Peters JM, Yu MC, Hanisch R, Wright WE, Henderson BE. Pancreas cancer is unrelated to the workplace in Los Angeles. *American journal of industrial medicine*. 1985;7(3):253-266.

Mack TM, Preston-Martin S. Trends in the epidemiology of the leukemias and lymphomas. In: Yon DS, Lapin BA, Blakeslee JR, eds. *Advances in Comparative Leukemia Research 1979*. New York, NY: Elsevier North Holland; 1980:431-438.

Mack TM, Walker A, Mack W, Bernstein L. Cancer in Hispanics in Los Angeles County. National Cancer Institute monograph. Dec 1985;69:99-104.

Mack TM, Yu MC, Hanisch R, Henderson BE. Pancreas cancer and smoking, beverage consumption, and past medical history. *J Natl Cancer Inst*. Jan 1986;76(1):49-60.

Mack W. Thyroid. In: Deapen D, Cockburn M, eds. *Cancer in Los Angeles County: trends by race/ethnicity, 1976-2000*. Los Angeles, CA: Los Angeles Cancer Surveillance Program, University of Southern California; 2003.

Mack W, Preston-Martin S, Peters JM. Astrocytoma risk related to job exposure to electric and magnetic fields. *Bioelectromagnetics*. 1991;12(1):57-66.

Mack W, Preston-Martin S, Thomas D, Ma Z. Variations in dose from diagnostic radiographic examinations in Los Angeles County. *Radiation research*. Dec 2000;154(6):720; discussion 723-724.

Mack WJ, Ma Z, Preston-Martin S. Epidemiology of thyroid cancer. In: Fagin JA, ed. *Thyroid Cancer*. Kluwer Academic Publishers; 1998.

Mack WJ, Preston-Martin S. Thyroid cancer. In: Bertino J, ed. *Encyclopedia of cancer*. Vol 4. 2nd ed. San Diego, CA: Academic Press; 2002:387-392.

Mack WJ, Preston-Martin S, Bernstein L, Qian D. Lifestyle and other risk factors for thyroid cancer in Los Angeles County females. *Ann Epidemiol*. Aug 2002;12(6):395-401.

Mack WJ, Preston-Martin S, Bernstein L, Qian D, Xiang M. Reproductive and hormonal risk factors for thyroid cancer in Los Angeles County females. *Cancer Epidemiol Biomarkers Prev*. Nov 1999;8(11):991-997.

Mack WJ, Preston-Martin S, Dal Maso L, et al. A pooled analysis of case-control studies of thyroid cancer: cigarette smoking and consumption of alcohol, coffee, and tea. *Cancer Causes Control*. Oct 2003;14(8):773-785.

MacLean J, Partap S, Reynolds P, Von Behren J, Fisher PG. Birth weight and order as risk factors for childhood central nervous system tumors. *J Pediatr*. Sep 2010;157(3):450-455.

Madeleine MM, Finch JL, Lynch CF, Goodman MT, Engels EA. HPV-Related Cancers After Solid Organ Transplantation in the United States. *American journal of transplantation : official journal of the American Society of Transplantation and the American Society of Transplant Surgeons*. Dec 2013;13(12):3202-3209.

Madlensky L, Daftary D, Burnett T, et al. Accuracy of colorectal polyp self-reports: findings from the colon cancer family registry. *Cancer Epidemiol Biomarkers Prev*. Sep 2007;16(9):1898-1901.

Maggard MA, Yermilov I, Tomlinson JS, Ko CY. Are 12 nodes needed to accurately stage T1 and T2 colon cancers? *Dig Dis Sci*. Mar 2009;54(3):640-647.

Mahdi H, Kumar S, Al-Wahab Z, Ali-Fehmi R, Munkarah A. Prognostic impact of lymphadenectomy in uterine serous cancer. *Bjog*. Mar 2013;120(4):384-391.

Mahdi H, Kumar S, Hanna RK, et al. Disparities in treatment and survival between African American and White women with vaginal cancer. *Gynecol Oncol*. Jul 2011;122(1):38-41.

Mahdi H, Kumar S, Seward S, et al. Prognostic impact of laterality in malignant ovarian germ cell tumors. *Int J Gynecol Cancer*. Feb 2011;21(2):257-262.

Mahdi H, Moslemi-Kebria M, Levinson KL, et al. Prevalence and prognostic impact of lymphadenectomy and lymph node metastasis in clinically early-stage ovarian clear cell carcinoma. *Int J Gynecol Cancer*. Sep 2013;23(7):1226-1230.

Mahmood U, Morris C, Neuner G, et al. Similar survival with breast conservation therapy or mastectomy in the management of young women with early-stage breast cancer. *Int J Radiat Oncol Biol Phys*. Aug 1 2012;83(5):1387-1393.

Mahnken JD, Chan W, Freeman DH, Jr., Freeman JL. Reducing the effects of lead-time bias, length bias and over-detection in evaluating screening mammography: a censored bivariate data approach. *Stat Methods Med Res*. Dec 2008;17(6):643-663.

Mahnken JD, Keighley JD, Girod DA, Chen X, Mayo MS. Identifying incident oral and pharyngeal cancer cases using Medicare claims. *BMC oral health*. 2013;13:1.

Mahue-Giangreco M, Ursin G, Sullivan-Halley J, Bernstein L. Induced abortion, miscarriage, and breast cancer risk of young women. *Cancer Epidemiol Biomarkers Prev.* Mar 2003;12(3):209-214.

Mai PL, Sullivan-Halley J, Ursin G, et al. Physical activity and colon cancer risk among women in the California Teachers Study. *Cancer Epidemiol Biomarkers Prev.* Mar 2007;16(3):517-525.

Mak RH, McCarthy EP, Das P, Hong TS, Mamon HJ, Hoffman KE. Adoption of preoperative radiation therapy for rectal cancer from 2000 to 2006: a Surveillance, Epidemiology, and End Results Patterns-of-Care Study. *Int J Radiat Oncol Biol Phys.* Jul 15 2011;80(4):978-984.

Makarov DV, Desai RA, Yu JB, et al. The population level prevalence and correlates of appropriate and inappropriate imaging to stage incident prostate cancer in the medicare population. *J Urol.* Jan 2012;187(1):97-102.

Makridakis N, Ross RK, Pike MC, et al. A prevalent missense substitution that modulates activity of prostatic steroid 5alpha-reductase. *Cancer Res.* Mar 15 1997;57(6):1020-1022.

Makridakis NM, Ross RK, Pike MC, et al. Association of mis-sense substitution in SRD5A2 gene with prostate cancer in African-American and Hispanic men in Los Angeles, USA. *Lancet.* Sep 18 1999;354(9183):975-978.

Malandrino P, Pellegriti G, Attard M, et al. Papillary thyroid microcarcinomas: a comparative study of the characteristics and risk factors at presentation in two cancer registries. *J Clin Endocrinol Metab.* Apr 2013;98(4):1427-1434.

Malone KE, Begg CB, Haile RW, et al. Population-based study of the risk of second primary contralateral breast cancer associated with carrying a mutation in BRCA1 or BRCA2. *J Clin Oncol.* May 10 2010;28(14):2404-2410.

Malone KE, Daling JR, Doody DR, et al. Prevalence and Predictors of BRCA1 and BRCA2 Mutations in a Population-Based Study of Breast Cancer in White and Black American Women Ages 35 to 64 Years. *Cancer Res.* Aug 15 2006;66(16):8297-8308.

Maltzman TH, Mueller BA, Schroeder J, et al. Ras oncogene mutations in childhood brain tumors. *Cancer Epidemiol Biomarkers Prev.* Apr 1997;6(4):239-243.

Mandal R, Bolt DM, Shah BK. Disparities in chronic myeloid leukemia survival by age, gender, and ethnicity in pre- and post-imatinib eras in the US. *Acta oncologica (Stockholm, Sweden).* May 2013;52(4):837-841.

Mandelzweig L, Novikov I, Sadetzki S. Smoking and risk of glioma: a meta-analysis. *Cancer Causes Control.* Jul 1 2009;20:1927-1938.

Marchbanks PA, Curtis KM, Mandel MG, et al. Oral contraceptive formulation and risk of breast cancer. *Contraception*. Sep 28 2011.

Marchbanks PA, Curtis KM, Mandel MG, et al. Oral contraceptive formulation and risk of breast cancer. *Contraception*. Apr 2012;85(4):342-350.

Marchbanks PA, McDonald JA, Wilson HG, et al. The NICHD Women's Contraceptive and Reproductive Experiences Study: methods and operational results. *Ann Epidemiol*. May 2002;12(4):213-221.

Marchbanks PA, McDonald JA, Wilson HG, et al. Oral contraceptives and the risk of breast cancer. *N Engl J Med*. Jun 27 2002;346(26):2025-2032.

Marcus DM, Goodman M, Jani AB, Osunkoya AO, Rossi PJ. A comprehensive review of incidence and survival in patients with rare histological variants of prostate cancer in the United States from 1973 to 2008. *Prostate Cancer Prostatic Dis*. Sep 2012;15(3):283-288.

Mariotto A, Warren JL, Knopf KB, Feuer EJ. The prevalence of patients with colorectal carcinoma under care in the U.S. *Cancer*. Sep 15 2003;98(6):1253-1261.

Mariotto AB, Wang Z, Klabunde CN, Cho H, Das B, Feuer EJ. Life tables adjusted for comorbidity more accurately estimate noncancer survival for recently diagnosed cancer patients. *Journal of clinical epidemiology*. Dec 2013;66(12):1376-1385.

Mariotto AB, Yabroff KR, Shao Y, Feuer EJ, Brown ML. Projections of the cost of cancer care in the United States: 2010-2020. *J Natl Cancer Inst*. Jan 19 2011;103(2):117-128.

Marron M, Boffetta P, Zhang ZF, et al. Cessation of alcohol drinking, tobacco smoking and the reversal of head and neck cancer risk. *Int J Epidemiol*. Feb 2010;39(1):182-196.

Marshall SF, Bernstein L, Anton-Culver H, et al. Nonsteroidal anti-inflammatory drug use and breast cancer risk by stage and hormone receptor status. *J Natl Cancer Inst*. Jun 1 2005;97(11):805-812.

Marshall SF, Clarke CA, Deapen D, et al. Recent breast cancer incidence trends according to hormone therapy use: the California Teachers Study cohort. *Breast Cancer Res*. 2010;12(1):R4.

Marshall SF, Deapen D, Allen M, et al. Validating California teachers study self-reports of recent hospitalization: comparison with California hospital discharge data. *Am J Epidemiol*. Nov 15 2003;158(10):1012-1020.

Martin-Dunlap TM, Wachtel MS, Margenthaler JA. Outcomes for patients who are diagnosed with breast and endometrial cancer. *Oncology letters*. Oct 2013;6(4):1103-1107.

Martinez SR, Shah DR, Yang AD, Canter RJ, Maverakis E. Sentinel lymph node biopsy in patients with thick primary cutaneous melanoma: patterns of use and underuse utilizing a population-based model. ISRN dermatology. 2013;2013:315609.

Martinez SR, Tseng WH, Young SE. Outcomes for lymph node-positive cutaneous melanoma over two decades. World J Surg. Jul 2011;35(7):1567-1572.

Marusek JC, Cockburn MG, Mills PK, Ritz BR. Control selection and pesticide exposure assessment via GIS in prostate cancer studies. American journal of preventive medicine. Feb 2006;30(2 Suppl):S109-116.

Maskarinec G, Erber E, Gill J, Cozen W, Kolonel LN. Overweight and obesity at different times in life as risk factors for non-Hodgkin's lymphoma: the multiethnic cohort. Cancer Epidemiol Biomarkers Prev. Jan 2008;17(1):196-203.

Maskarinec G, Grandinetti A, Matsuura G, et al. Diabetes prevalence and body mass index differ by ethnicity: the Multiethnic Cohort. Ethn Dis. Winter 2009;19(1):49-55.

Mason C, Alfano CM, Smith AW, et al. Long-Term Physical Activity Trends in Breast Cancer Survivors. Cancer Epidemiol Biomarkers Prev. Jun 2013;22(6):1153-1161.

Masood R, Cai J, Tulpule A, et al. Interleukin 8 is an autocrine growth factor and a surrogate marker for Kaposi's sarcoma. Clin Cancer Res. Sep 2001;7(9):2693-2702.

Masoomi H, Ziogas A, Lin BS, et al. Population-based evaluation of adenosquamous carcinoma of the colon and rectum. Dis Colon Rectum. May 2012;55(5):509-514.

Massarweh NN, Park JO, Bruix J, et al. Diagnostic imaging and biopsy use among elderly medicare beneficiaries with hepatocellular carcinoma. J Oncol Pract. May 2011;7(3):155-160.

Massarweh NN, Park JO, Farjah F, et al. Trends in the utilization and impact of radiofrequency ablation for hepatocellular carcinoma. J Am Coll Surg. Apr 2010;210(4):441-448.

Massarweh NN, Park JO, Yeung RS, Flum DR. Comparative assessment of the safety and effectiveness of radiofrequency ablation among elderly medicare beneficiaries with hepatocellular carcinoma. Ann Surg Oncol. Apr 2012;19(4):1058-1065.

Matanoski G, Tao XG, Almon L, Adade AA, Davies-Cole JO. Demographics and tumor characteristics of colorectal cancers in the United States, 1998-2001. Cancer. Sep 1 2006;107(5 Suppl):1112-1120.

Mathur AK, Osborne NH, Lynch RJ, Ghaferi AA, Dimick JB, Sonnenday CJ. Racial/ethnic disparities in access to care and survival for patients with early-stage hepatocellular carcinoma. Arch Surg. Dec 2010;145(12):1158-1163.

Matise TC, Ambite JL, Buyske S, et al. The Next PAGE in understanding complex traits: design for the analysis of Population Architecture Using Genetics and Epidemiology (PAGE) Study. *Am J Epidemiol.* Oct 1 2011;174(7):849-859.

Matsuno RK, Costantino JP, Ziegler RG, et al. Projecting individualized absolute invasive breast cancer risk in Asian and Pacific Islander American women. *J Natl Cancer Inst.* Jun 22 2011;103(12):951-961.

Matsuno RK, Sherman ME, Visvanathan K, et al. Agreement for tumor grade of ovarian carcinoma: analysis of archival tissues from the surveillance, epidemiology, and end results residual tissue repository. *Cancer Causes Control.* Apr 2013;24(4):749-757.

Matushansky I, Dela Cruz F, Insel BJ, Hershman DL, Neugut AI. Chemotherapy Use in Elderly Patients with Soft Tissue Sarcoma: A Population-based Study. *Cancer Invest.* Feb 2013;31(2):83-91.

Maximus S, Nguyen DV, Mu Y, Calhoun RF, Cooke DT. Size of Stage IIIA Primary Lung Cancers and Survival: A Surveillance, Epidemiology and End Results Database Analysis. *The American surgeon.* Nov 2012;78(11):1232-1237.

Mayo SC, Gilson MM, Herman JM, et al. Management of patients with pancreatic adenocarcinoma: national trends in patient selection, operative management, and use of adjuvant therapy. *J Am Coll Surg.* Jan 2012;214(1):33-45.

Mayo SC, Heckman JE, Shore AD, et al. Shifting trends in liver-directed management of patients with colorectal liver metastasis: a population-based analysis. *Surgery.* Aug 2011;150(2):204-216.

Mayo SC, Shore AD, Nathan H, et al. National trends in the management and survival of surgically managed gallbladder adenocarcinoma over 15 years: a population-based analysis. *J Gastrointest Surg.* Oct 2010;14(10):1578-1591.

Mayo SC, Shore AD, Nathan H, et al. Refining the definition of perioperative mortality following hepatectomy using death within 90 days as the standard criterion. *HPB (Oxford).* Jul 2011;13(7):473-482.

Mbulaiteye SM, Anderson WF, Bhatia K, Rosenberg PS, Linet MS, Devesa SS. Trimodal age-specific incidence patterns for Burkitt lymphoma in the United States, 1973-2005. *Int J Cancer.* Apr 1 2010;126(7):1732-1739.

Mbulaiteye SM, Biggar RJ, Goedert JJ, Engels EA. Pleural and peritoneal lymphoma among people with AIDS in the United States. *Journal of acquired immune deficiency syndromes (1999).* Apr 1 2002;29(4):418-421.

Mbulaiteye SM, Biggar RJ, Goedert JJ, Engels EA. Immune deficiency and risk for malignancy among persons with AIDS. *Journal of acquired immune deficiency syndromes* (1999). Apr 15 2003;32(5):527-533.

Mbulaiteye SM, Clarke CA, Morton LM, et al. Burkitt lymphoma risk in U.S. solid organ transplant recipients. *American journal of hematology*. Apr 2013;88(4):245-250.

McAteer JP, Goldin AB, Healey PJ, Gow KW. Surgical treatment of primary liver tumors in children: Outcomes analysis of resection and transplantation in the SEER database. *Pediatric transplantation*. Dec 2013;17(8):744-750.

McAteer JP, Goldin AB, Healey PJ, Gow KW. Hepatocellular carcinoma in children: Epidemiology and the impact of regional lymphadenectomy on surgical outcomes. *J Pediatr Surg*. Nov 2013;48(11):2194-2201.

McAteer JP, Goldin AB, Healey PJ, Gow KW. Surgical treatment of primary liver tumors in children: Outcomes analysis of resection and transplantation in the SEER database. *Pediatric transplantation*. Dec 2013;17(8):744-750.

McAteer JP, Huaco JA, Gow KW. Predictors of survival in pediatric adrenocortical carcinoma: A Surveillance, Epidemiology, and End Results (SEER) program study. *J Pediatr Surg*. May 2013;48(5):1025-1031.

McBean AM, Yu X, Virnig BA. The use of preventive health services among elderly uterine cancer survivors. *American journal of obstetrics and gynecology*. Jan 2008;198(1):86 e81-88.

McBean AM, Yu X, Virnig BA. Screening mammography rate and predictors following treatment for colorectal cancer. *J Cancer Surviv*. Mar 2009;3(1):12-20.

McCammon R, Finlayson C, Schwer A, Rabinovitch R. Impact of postmastectomy radiotherapy in T3N0 invasive carcinoma of the breast: a Surveillance, Epidemiology, and End Results database analysis. *Cancer*. Aug 15 2008;113(4):683-689.

McCarthy EP, Burns RB, Coughlin SS, et al. Mammography use helps to explain differences in breast cancer stage at diagnosis between older black and white women. *Ann Intern Med*. May 1 1998;128(9):729-736.

McCarthy EP, Burns RB, Davis RB, Phillips RS. Barriers to hospice care among older patients dying with lung and colorectal cancer. *J Clin Oncol*. Feb 15 2003;21(4):728-735.

McCarthy EP, Burns RB, Freund KM, et al. Mammography use, breast cancer stage at diagnosis, and survival among older women. *J Am Geriatr Soc*. Oct 2000;48(10):1226-1233.

McCarthy EP, Burns RB, Ngo-Metzger Q, Davis RB, Phillips RS. Hospice use among Medicare managed care and fee-for-service patients dying with cancer. *Jama*. May 7 2003;289(17):2238-2245.

McCarthy EP, Ngo LH, Roetzheim RG, et al. Disparities in breast cancer treatment and survival for women with disabilities. *Ann Intern Med*. Nov 7 2006;145(9):637-645.

McCracken M, Olsen M, Chen MS, et al. Cancer incidence, mortality, and associated risk factors among Asian Americans of Chinese, Filipino, Vietnamese, Korean, and Japanese ethnicities. *Cancer J Clin*. Jul-Aug 2007;57(4):190-205.

McCredie M, Little J, Cotton S, et al. SEARCH international case-control study of childhood brain tumours: role of index pregnancy and birth, and mother's reproductive history. *Paediatric and perinatal epidemiology*. Jul 1999;13(3):325-341.

McCullough ML, Weinstein SJ, Freedman DM, et al. Correlates of circulating 25-hydroxyvitamin D: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. *Am J Epidemiol*. Jul 1 2010;172(1):21-35.

McDade TP, Hill JS, Simons JP, et al. A national propensity-adjusted analysis of adjuvant radiotherapy in the treatment of resected pancreatic adenocarcinoma. *Cancer*. Jul 1 2010;116(13):3257-3266.

McDonald JA, Mandel MG, Marchbanks PA, et al. Alcohol exposure and breast cancer: results of the women's contraceptive and reproductive experiences study. *Cancer Epidemiol Biomarkers Prev*. Dec 2004;13(12):2106-2116.

McDougall JA, Madeleine MM, Daling JR, Li CI. Racial and ethnic disparities in cervical cancer incidence rates in the United States, 1992-2003. *Cancer Causes Control*. Dec 2007;18(10):1175-1186.

McDowell BD, Wallace RB, Carnahan RM, Chrischilles EA, Lynch CF, Schlechte JA. Demographic differences in incidence for pituitary adenoma. *Pituitary*. Mar 2011;14(1):23-30.

McGhan LJ, Pockaj BA, Gray RJ, Bagaria SP, Wasif N. Validation of the Updated 7th Edition AJCC TNM Staging Criteria for Gastric Adenocarcinoma. *J Gastrointest Surg*. Jan 2012;16(1):53-61.

McGirt MJ, Gokaslan ZL, Chaichana KL. Preoperative grading scale to predict survival in patients undergoing resection of malignant primary osseous spinal neoplasms. *Spine J*. Mar 2011;11(3):190-196.

McGuire CS, Sainani KL, Fisher PG. Both location and age predict survival in ependymoma: A SEER study. *Pediatr Blood Cancer*. Jan 2009;52(1):65-69.

McKay JD, McCullough ML, Ziegler RG, et al. Vitamin d receptor polymorphisms and breast cancer risk: results from the national cancer institute breast and prostate cancer cohort consortium. *Cancer Epidemiol Biomarkers Prev*. Jan 2009;18(1):297-305.

McKean-Cowdin R, Feigelson HS, Pike MC, Coetzee GA, Kolonel LN, Henderson BE. Risk of endometrial cancer and estrogen replacement therapy history by CYP17 genotype. *Cancer Res*. Feb 1 2001;61(3):848-849.

McKean-Cowdin R, Feigelson HS, Ross RK, Pike MC, Henderson BE. Declining cancer rates in the 1990s. *J Clin Oncol*. Jun 2000;18(11):2258-2268.

McKean-Cowdin R, Kolonel LN, Press MF, Pike MC, Henderson BE. Germ-line HER-2 variant and breast cancer risk by stage of disease. *Cancer Res*. Dec 1 2001;61(23):8393-8394.

McKean-Cowdin R, Li X, Bernstein L, et al. The ADRB3 Trp64Arg variant and obesity in African-American breast cancer cases. *Int J Obes (Lond)*. Jan 30 2007;31:1110-1118.

McKean-Cowdin R, Pogoda JM, Lijinsky W, Holly EA, Mueller BA, Preston-Martin S. Maternal prenatal exposure to nitrosatable drugs and childhood brain tumours. *Int J Epidemiol*. Apr 2003;32(2):211-217.

McKean-Cowdin R, Preston-Martin S, Pogoda JM, Holly EA, Mueller BA, Davis RL. Parental occupation and childhood brain tumors: astroglial and primitive neuroectodermal tumors. *J Occup Environ Med*. Apr 1998;40(4):332-340.

McKean-Cowdin R, Preston-Martin S, Pogoda JM, Mueller BA, Holly EA. Reliability of demographic, smoking and occupational data provided by mothers vs. fathers in a childhood cancer study. *Paediatric and perinatal epidemiology*. Jul 2000;14(3):257-262.

McKean-Cowdin R, Razavi P, Barrington-Trimis J, et al. Trends in childhood brain tumor incidence, 1973-2009. *J Neurooncol*. Nov 2013;115(2):153-160.

McLaughlin JK, Gridley G, Block G, et al. Dietary factors in oral and pharyngeal cancer. *J Natl Cancer Inst*. Oct 5 1988;80(15):1237-1243.

McLaughlin JK, Silverman DT, Hsing AW, et al. Cigarette smoking and cancers of the renal pelvis and ureter. *Cancer Res*. Jan 15 1992;52(2):254-257.

McLaughlin JM, Fisher JL, Paskett ED. Marital status and stage at diagnosis of cutaneous melanoma: results from the Surveillance Epidemiology and End Results (SEER) program, 1973-2006. *Cancer*. May 1 2011;117(9):1984-1993.

Meeske K, Press M, Patel A, Bernstein L. Impact of reproductive factors and lactation on breast carcinoma in situ risk. *Int J Cancer*. May 20 2004;110(1):102-109.

Meeske K, Smith AW, Alfano CM, et al. Fatigue in breast cancer survivors two to five years post diagnosis: a HEAL Study report. *Quality of life research : an international journal of quality of life aspects of treatment, care and rehabilitation*. Aug 2007;16(6):947-960.

Meeske KA, Nelson MD, Lavey RS, et al. Premature carotid artery disease in long-term survivors of childhood cancer treated with neck irradiation: a series of 5 cases. *J Pediatr Hematol Oncol*. Jul 2007;29(7):480-484.

Meeske KA, Sherman-Bien S, Hamilton AS, et al. Mental health disparities between hispanic and non-hispanic parents of childhood cancer survivors. *Pediatr Blood Cancer*. Sep 2013;60(9):1470-1477.

Meeske KA, Siegel SE, Globe DR, Mack WJ, Bernstein L. Prevalence and correlates of fatigue in long-term survivors of childhood leukemia. *J Clin Oncol*. Aug 20 2005;23(24):5501-5510.

Meeske KA, Sullivan-Halley J, Smith AW, et al. Risk factors for arm lymphedema following breast cancer diagnosis in Black women and White women. *Breast Cancer Res Treat*. Feb 24 2008.

Meeske KA, Sullivan-Halley J, Smith AW, et al. Risk factors for arm lymphedema following breast cancer diagnosis in Black women and White women. *Breast Cancer Res Treat*. Jan 2009;113(2):383-391.

Mehta RS, Lenzner D, Argiris A. Race and Health Disparities in Patient Refusal of Surgery for Early-Stage Non-Small Cell Lung Cancer: A SEER Cohort Study. *Ann Surg Oncol*. Mar 2012;19(3):722-727.

Melbye M, Cote TR, Kessler L, Gail M, Biggar RJ. High incidence of anal cancer among AIDS patients. The AIDS/Cancer Working Group. *Lancet*. Mar 12 1994;343(8898):636-639.

Mell LK, Carmona R, Gulaya S, et al. Cause-Specific Effects of Radiotherapy and Lymphadenectomy in Stage I-II Endometrial Cancer: A Population-Based Study. *J Natl Cancer Inst*. Nov 6 2013;105(21):1656-1666.

Mellemkjaer L, Dahl C, Olsen JH, et al. Risk for contralateral breast cancer among carriers of the CHEK2\*1100delC mutation in the WECARE Study. *Br J Cancer*. Feb 26 2008;98(4):728-733.

Melnikow J, Tancredi DJ, Yang Z, et al. Program-specific cost-effectiveness analysis: breast cancer screening policies for a safety-net program. *Value Health*. Sep-Oct 2013;16(6):932-941.

Menck HR. E-path reporting: electronic casefinding. *J Registry Management*. 2002;29(2):37-38.

Menck HR, Henderson BE. Occupational differences in rates of lung cancer. *Journal of occupational medicine*. : official publication of the Industrial Medical Association. Dec 1976;18(12):797-801.

Menck HR, Henderson BE, Pike MC, Mack T, Martin SP, SooHoo J. Cancer incidence in the Mexican-American. *J Natl Cancer Inst.* Sep 1975;55(3):531-536.

Menck HR, Mack TM. Incidence of biliary tract cancer in Los Angeles. National Cancer Institute monograph. 1982;62:95-99.

Menck HR, Mills PK, Menck-Taylor PC. Time trends and metropolitan clustering of HIV/AIDS-related cancer: cancer registry-based surveillance. *J Registry Management.* 2001;28:70-76.

Menck HR, Pike MC, Henderson BE, Jing JS. Lung cancer risk among beauticians and other female workers: brief communication. *J Natl Cancer Inst.* Nov 1977;59(5):1423-1425.

Mendelsohn AH, Elashoff DA, Abemayor E, St John MA. Surgery for papillary thyroid carcinoma: is lobectomy enough? *Arch Otolaryngol Head Neck Surg.* Nov 2010;136(11):1055-1061.

Menegoz F, Little J, Colonna M, et al. Contacts with animals and humans as risk factors for adult brain tumours. An international case-control study. *Eur J Cancer.* Mar 2002;38(5):696-704.

Menzin J, Lang K, Earle CC, Kerney D, Mallick R. The outcomes and costs of acute myeloid leukemia among the elderly. *Arch Intern Med.* Jul 22 2002;162(14):1597-1603.

Menzin J, Lang KM, Friedman M, Dixon D, Marton JP, Wilson J. Excess mortality, length of stay, and costs associated with serious fungal infections among elderly cancer patients: findings from linked SEER-Medicare data. *Value Health.* Mar-Apr 2005;8(2):140-148.

Merrill RM, Anderson AE, Merrill JG. Racial/ethnic differences in the use of surgery for ovarian cancer in the United States. *Adv Med Sci.* Jun 2010;55(1):93-98.

Merrill RM, Brown ML, Potosky AL, et al. Survival and treatment for colorectal cancer Medicare patients in two group/staff health maintenance organizations and the fee-for-service setting. *Medical care research and review : MCRR.* Jun 1999;56(2):177-196.

Merrill RM, Feuer EJ, Warren JL, Schussler N, Stephenson RA. Role of transurethral resection of the prostate in population-based prostate cancer incidence rates. *Am J Epidemiol.* Oct 15 1999;150(8):848-860.

Merrill RM, Harris JD, Merrill JG. Differences in incidence rates and early detection of cancer among non-Hispanic and Hispanic Whites in the United States. *Ethn Dis.* Summer 2013;23(3):349-355.

Merrill RM, Hunter BD. The diminishing role of transurethral resection of the prostate. *Ann Surg Oncol.* May 2010;17(5):1422-1428.

Merrill RM, Sloan A. Risk-adjusted incidence rates for prostate cancer in the United States. Prostate. Feb 1 2012;72(2):181-185.

Mert I, Semaan A, Winer I, Morris RT, Ali-Fehmi R. Vulvar/Vaginal Melanoma: An Updated Surveillance Epidemiology and End Results Database Review, Comparison With Cutaneous Melanoma and Significance of Racial Disparities. Int J Gynecol Cancer. Jul 2013;23(6):1118-1125.

Mery CM, George S, Bertagnolli MM, Raut CP. Secondary sarcomas after radiotherapy for breast cancer: sustained risk and poor survival. Cancer. Sep 15 2009;115(18):4055-4063.

Meskawi M, Sun M, Ismail S, et al. FG has no added value in prediction of mortality after partial and radical nephrectomy for chromophobe renal cell carcinoma patients. Modern pathology : an official journal of the United States and Canadian Academy of Pathology, Inc. Aug 2013;26(8):1144-1149.

Metildi C, McLemore EC, Tran T, et al. Incidence and survival patterns of rare anal canal neoplasms using the surveillance epidemiology and end results registry. The American surgeon. Oct 2013;79(10):1068-1074.

Meyer AM, Reeder-Hayes KE, Liu H, et al. Differential Receipt of Sentinel Lymph Node Biopsy Within Practice-based Research Networks. Med Care. Sep 2013;51(9):812-818.

Meyer JE, Narang T, Schnoll-Sussman FH, Pochapin MB, Christos PJ, Sherr DL. Increasing incidence of rectal cancer in patients aged younger than 40 years: an analysis of the surveillance, epidemiology, and end results database. Cancer. Sep 15 2010;116(18):4354-4359.

Meyerhardt JA, Li L, Sanoff HK, Carpenter Wt, Schrag D. Effectiveness of Bevacizumab With First-Line Combination Chemotherapy for Medicare Patients With Stage IV Colorectal Cancer. J Clin Oncol. Feb 20 2012;30(6):608-615.

Meyers J, Yu Y, Kaye JA, Davis KL. Medicare Fee-for-Service Enrollees with Primary Acute Myeloid Leukemia: An Analysis of Treatment Patterns, Survival, and Healthcare Resource Utilization and Costs. Applied health economics and health policy. Jun 2013;11(3):275-286.

Michailidou K, Hall P, Gonzalez-Neira A, et al. Large-scale genotyping identifies 41 new loci associated with breast cancer risk. Nat Genet. Apr 2013;45(4):353-361, 361e351-352.

Milano MT, Johnson MD, Sul J, et al. Primary spinal cord glioma: a Surveillance, Epidemiology, and End Results database study. J Neurooncol. May 2010;98(1):83-92.

Miller BA, Chu KC, Hankey BF, Ries LA. Cancer incidence and mortality patterns among specific Asian and Pacific Islander populations in the U.S. Cancer Causes Control. Apr 2008;19(3):227-256.

Miller BA, Kolonel LN, Bernstein L, et al. Racial/Ethnic Pattern of Cancer in the United States, 1988-1992. Bethesda, MD: National Cancer Institute, Publ No. 96-4104; 1996.

Miller BJ, Cram P, Lynch CF, Buckwalter JA. Risk Factors for Metastatic Disease at Presentation with Osteosarcoma: An Analysis of the SEER Database. *The Journal of bone and joint surgery. American volume*. Jul 3 2013;95(13):e891-898.

Miller BJ, Lynch CF, Buckwalter JA. Conditional Survival Is Greater Than Overall Survival at Diagnosis in Patients With Osteosarcoma and Ewing's Sarcoma. *Clinical orthopaedics and related research*. Nov 2013;471(11):3398-3404.

Miller DC, Saigal CS, Banerjee M, Hanley J, Litwin MS. Diffusion of surgical innovation among patients with kidney cancer. *Cancer*. Apr 15 2008;112(8):1708-1717.

Miller DC, Saigal CS, Warren JL, et al. External validation of a claims-based algorithm for classifying kidney-cancer surgeries. *BMC Health Serv Res*. 2009;9:92.

Miller DC, Schonlau M, Litwin MS, Lai J, Saigal CS. Renal and cardiovascular morbidity after partial or radical nephrectomy. *Cancer*. Feb 1 2008;112(3):511-520.

Miller DC, Shah RB, Bruhn A, Madison R, Saigal CS. Trends in the use of gross and frozen section pathological consultations during partial or radical nephrectomy for renal cell carcinoma. *J Urol*. Feb 2008;179(2):461-467; discussion 467.

Mirabello L, Troisi RJ, Savage SA. Osteosarcoma incidence and survival rates from 1973 to 2004: data from the Surveillance, Epidemiology, and End Results Program. *Cancer*. Apr 1 2009;115(7):1531-1543.

Mishra MV, Andrews DW, Glass J, et al. Characterization and outcomes of optic nerve gliomas: a population-based analysis. *J Neurooncol*. May 2012;107(3):591-597.

Mishra MV, Keith SW, Shen X, Bar Ad V, Champ CE, Biswas T. Primary Pancreatic Lymphoma: A Population-based Analysis Using the SEER Program. *Am J Clin Oncol*. Feb 2013;36(1):38-43.

Mishra SI, Luce-Aoelua P, Wilkens LR, Bernstein L. Cancer among American-Samoans: site-specific incidence in California and Hawaii. *Int J Epidemiol*. Aug 1996;25(4):713-721.

Mitra AP, Castelao JE, Hawes D, et al. Combination of molecular alterations and smoking intensity predicts bladder cancer outcome: A report from the Los Angeles Cancer Surveillance Program. *Cancer*. Feb 15 2013;119(4):756-765.

Mitra N, Indurkhya A. A propensity score approach to estimating the cost-effectiveness of medical therapies from observational data. *Health Econ*. Aug 2005;14(8):805-815.

Miura JT, Evans DB, Pappas SG, Gamblin TC, Turaga KK. Borderline resectable/locally advanced pancreatic adenocarcinoma: improvements needed in population-based registries. *Ann Surg Oncol*. Dec 2013;20(13):4338-4347.

Mobley L, Kuo TM, Urato M, Boos J, Lozano-Gracia N, Anselin L. Predictors of endoscopic colorectal cancer screening over time in 11 states. *Cancer Causes Control*. Mar 2010;21(3):445-461.

Mobley LR, Kuo TM, Clayton LJ, Evans WD. Mammography facilities are accessible, so why is utilization so low? *Cancer Causes Control*. Aug 2009;20(6):1017-1028.

Mobley LR, Kuo TM, Driscoll D, Clayton L, Anselin L. Heterogeneity in mammography use across the nation: separating evidence of disparities from the disproportionate effects of geography. *Int J Health Geogr*. 2008;7:32.

Mobley LR, Kuo TM, Watson L, Gordon Brown G. Geographic disparities in late-stage cancer diagnosis: Multilevel factors and spatial interactions. *Health & place*. Sep 2012;18(5):978-990.

Mocellin S, Nitti D. Gastrointestinal carcinoid: epidemiological and survival evidence from a large population-based study (n = 25 531). *Ann Oncol*. Dec 2013;24(12):3040-3044.

Monda KL, Chen GK, Taylor KC, et al. A meta-analysis identifies new loci associated with body mass index in individuals of African ancestry. *Nat Genet*. Apr 14 2013;45(6):690-696.

Mondul AM, Shui IM, Yu K, et al. Genetic variation in the vitamin d pathway in relation to risk of prostate cancer--results from the breast and prostate cancer cohort consortium. *Cancer Epidemiol Biomarkers Prev*. Apr 2013;22(4):688-696.

Monirul Islam KM, Shostrom V, Kessinger A, Ganti AK. Outcomes following surgical treatment compared to radiation for stage I NSCLC: A SEER database analysis. *Lung cancer (Amsterdam, Netherlands)*. Oct 2013;82(1):90-94.

Monroe KR, Hankin JH, Pike MC, et al. Correlation of dietary intake and colorectal cancer incidence among Mexican-American migrants: the multiethnic cohort study. *Nutr Cancer*. 2003;45(2):133-147.

Monroe KR, Murphy SP, Kolonel LN, Pike MC. Prospective study of grapefruit intake and risk of breast cancer in postmenopausal women: the Multiethnic Cohort Study. *Br J Cancer*. Aug 6 2007;97(3):440-445.

Monroe KR, Yu MC, Kolonel LN, et al. Evidence of an X-linked or recessive genetic component to prostate cancer risk. *Nat Med*. Aug 1995;1(8):827-829.

Monroe MM, Myers JN, Kupferman ME. Undertreatment of Thick Head and Neck Melanomas: An Age-based Analysis. *Ann Surg Oncol*. Dec 2013;20(13):4362-4369.

Montealegre JR, Zhou R, Amirian ES, Follen M, Scheurer ME. Nativity disparities in late-stage diagnosis and cause-specific survival among Hispanic women with invasive cervical cancer: an analysis of Surveillance, Epidemiology, and End Results data. *Cancer Causes Control*. Nov 2013;24(11):1985-1994.

Moolgavkar SH, Meza R, Turim J. Pleural and peritoneal mesotheliomas in SEER: age effects and temporal trends, 1973-2005. *Cancer Causes Control*. Aug 2009;20(6):935-944.

Moon K, Stukenborg GJ, Keim J, Theodorescu D. Cancer incidence after localized therapy for prostate cancer. *Cancer*. Sep 1 2006;107(5):991-998.

Mooney SJ, Winner M, Hershman DL, et al. Bowel obstruction in elderly ovarian cancer patients: A population-based study. *Gynecol Oncol*. Apr 2013;129(1):107-112.

Moore J, Hyman N, Callas P, Littenberg B. Staging error does not explain the relationship between the number of lymph nodes in a colon cancer specimen and survival. *Surgery*. Mar 2010;147(3):358-365.

Moorman PG, Iversen ES, Marcom PK, et al. Evaluation of established breast cancer risk factors as modifiers of BRCA1 or BRCA2: a multi-center case-only analysis. *Breast Cancer Res Treat*. Nov 2010;124(2):441-451.

Moo-Young TA, Panergo J, Wang CE, et al. Variations in clinicopathologic characteristics of thyroid cancer among racial ethnic groups: analysis of a large public city hospital and the SEER database. *American journal of surgery*. Nov 2013;206(5):632-640.

Moreira L, Balaguer F, Lindor N, et al. Identification of Lynch syndrome among patients with colorectal cancer. *Jama*. Oct 17 2012;308(15):1555-1565.

Moreno AC, Morgensztern D, Yu JB, et al. Impact of preoperative radiation on survival of patients with T3N0 >7-cm non-small cell lung cancers treated with anatomic resection using the Surveillance, Epidemiology, and End Results database. *J Surg Res*. Sep 2013;184(1):10-18.

Morgan TM, Barocas DA, Keegan KA, et al. Volume Outcomes of Cystectomy-Is it the Surgeon or the Setting? *J Urol*. Dec 2012;188(6):2139-2144.

Morgensztern D, Walker GR, Koniaris LG, Lossos IS. Lack of survival improvement in patients with peripheral T-cell lymphoma: a Surveillance, Epidemiology, and End Results analysis. *Leuk Lymphoma*. Feb 2011;52(2):194-204.

Morgensztern D, Waqar S, Subramanian J, Gao F, Govindan R. Improving survival for stage IV non-small cell lung cancer: a surveillance, epidemiology, and end results survey from 1990 to 2005. *J Thorac Oncol*. Dec 2009;4(12):1524-1529.

Morgensztern D, Waqar S, Subramanian J, Gao F, Trinkaus K, Govindan R. Prognostic Significance of Tumor Size in Patients with Stage III Non-Small-Cell Lung Cancer: A Surveillance, Epidemiology, and End Results (SEER) Survey from 1998 to 2003. *J Thorac Oncol.* Oct 2012;7(10):1479-1484.

Morgensztern D, Waqar S, Subramanian J, Trinkaus K, Govindan R. Prognostic impact of malignant pleural effusion at presentation in patients with metastatic non-small-cell lung cancer. *J Thorac Oncol.* Oct 2012;7(10):1485-1489.

Morimoto Y, Conroy SM, Ollberding NJ, et al. Erythrocyte membrane fatty acid composition, serum lipids, and non-Hodgkin's lymphoma risk in a nested case-control study: the multiethnic cohort. *Cancer Causes Control.* Oct 2012;23(10):1693-1703.

Morris AM, Baldwin LM, Matthews B, et al. Reoperation as a quality indicator in colorectal surgery: a population-based analysis. *Ann Surg.* Jan 2007;245(1):73-79.

Morris AM, Billingsley KG, Hayanga AJ, Matthews B, Baldwin LM, Birkmeyer JD. Residual treatment disparities after oncology referral for rectal cancer. *J Natl Cancer Inst.* May 21 2008;100(10):738-744.

Morris CR, Liu L, Rodriguez AO, Cress RD, Snipes K. Epidemiologic features of borderline ovarian tumors in California: a population-based study. *Cancer Causes Control.* Apr 2013;24(4):665-674.

Morris CR, Sands MT, Smith LH. Ovarian cancer: predictors of early-stage diagnosis. *Cancer Causes Control.* Aug 2010;21(8):1203-1211.

Morris DS, Weizer AZ, Ye Z, Dunn RL, Montie JE, Hollenbeck BK. Understanding bladder cancer death: tumor biology versus physician practice. *Cancer.* Jan 17 2009;115(5):1011-1020.

Morris LG, Sikora AG, Tosteson TD, Davies L. The increasing incidence of thyroid cancer: the influence of access to care. *Thyroid.* Jul 2013;23(7):885-891.

Morrow M, Jaggi R, Alderman AK, et al. Surgeon recommendations and receipt of mastectomy for treatment of breast cancer. *Jama.* Oct 14 2009;302(14):1551-1556.

Morrow M, Mujahid M, Lantz PM, et al. Correlates of breast reconstruction: results from a population-based study. *Cancer.* Dec 1 2005;104(11):2340-2346.

Morton LM, Bernstein L, Wang SS, et al. Hair dye use, genetic variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma. *Carcinogenesis.* Aug 2007;28(8):1759-1764.

Morton LM, Cerhan JR, Hartge P, et al. Immunostaining to identify molecular subtypes of diffuse large B-cell lymphoma in a population-based epidemiologic study in the pre-rituximab era. *Int J Mol Epidemiol Genet.* Aug 30 2011;2(3):245-252.

Morton LM, Curtis RE, Linet MS, et al. Second malignancy risks after non-Hodgkin's lymphoma and chronic lymphocytic leukemia: differences by lymphoma subtype. *J Clin Oncol.* Nov 20 2010;28(33):4935-4944.

Morton LM, Hartge P, Holford TR, et al. Cigarette smoking and risk of non-Hodgkin lymphoma: a pooled analysis from the International Lymphoma Epidemiology Consortium (interlymph). *Cancer Epidemiol Biomarkers Prev.* Apr 2005;14(4):925-933.

Morton LM, Purdue MP, Zheng T, et al. Risk of non-Hodgkin lymphoma associated with germline variation in genes that regulate the cell cycle, apoptosis, and lymphocyte development. *Cancer Epidemiol Biomarkers Prev.* Apr 2009;18(4):1259-1270.

Morton LM, Schenk M, Hein DW, et al. Genetic variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2) and risk of non-Hodgkin lymphoma. *Pharmacogenet Genomics.* Aug 2006;16(8):537-545.

Morton LM, Turner JJ, Cerhan JR, et al. Proposed classification of lymphoid neoplasms for epidemiologic research from the Pathology Working Group of the International Lymphoma Epidemiology Consortium (InterLymph). *Blood.* Jul 15 2007;110(2):695-708.

Morton LM, Wang SS, Cozen W, et al. Etiologic heterogeneity among non-Hodgkin lymphoma subtypes. *Blood.* Dec 15 2008;112(13):5150-5160.

Morton LM, Zheng T, Holford TR, et al. Alcohol consumption and risk of non-Hodgkin lymphoma: a pooled analysis. *The lancet oncology.* Jul 2005;6(7):469-476.

Moten A, Obirieze A, Wilson LL. Characterizing lobular carcinoma of the male breast using the SEER database. *J Surg Res.* Jun 3 2013.

Moten A, Obirieze A, Wilson LL. Characterizing lobular carcinoma of the male breast using the SEER database. *J Surg Res.* Dec 2013;185(2):e71-76.

Moulton G. Database provides window on applications of treatments. *J Natl Cancer Inst.* Dec 16 1998;90(24):1865-1866.

Mu E, Lange JR, Strouse JJ. Comparison of the use and results of sentinel lymph node biopsy in children and young adults with melanoma. *Cancer.* May 15 2012;118(10):2700-2707.

Mueller BA, Newton K, Holly EA, Preston-Martin S. Residential water source and the risk of childhood brain tumors. *Environ Health Perspect.* Jun 2001;109(6):551-556.

Mueller BA, Nielsen SS, Preston-Martin S, et al. Household water source and the risk of childhood brain tumours: results of the SEARCH International Brain Tumor Study. *Int J Epidemiol*. Dec 2004;33(6):1209-1216.

Mueller BA, Simon MS, Deapen D, Kamineni A, Malone KE, Daling JR. Childbearing and survival after breast carcinoma in young women. *Cancer*. Sep 15 2003;98(6):1131-1140.

Mujahid MS, Janz NK, Hawley ST, et al. Racial/ethnic differences in job loss for women with breast cancer. *J Cancer Surviv*. Mar 2011;5(1):102-111.

Mujahid MS, Janz NK, Hawley ST, Griggs JJ, Hamilton AS, Katz SJ. The impact of sociodemographic, treatment, and work support on missed work after breast cancer diagnosis. *Breast Cancer Res Treat*. Jan 2010;119(1):213-220.

Mukherjee D, Chaichana KL, Adogwa O, et al. Association of Extent of Local Tumor Invasion and Survival in Patients with Malignant Primary Osseous Spinal Neoplasms from the Surveillance, Epidemiology, and End Results (SEER) Database. *World neurosurgery*. Dec 2011;76(6):580-585.

Mukherjee D, Chaichana KL, Gokaslan ZL, Aaronson O, Cheng JS, McGirt MJ. Survival of patients with malignant primary osseous spinal neoplasms: results from the Surveillance, Epidemiology, and End Results (SEER) database from 1973 to 2003. *J Neurosurg Spine*. Feb 2011;14(2):143-150.

Mukherjee D, Chaichana KL, Parker SL, Gokaslan ZL, McGirt MJ. Association of surgical resection and survival in patients with malignant primary osseous spinal neoplasms from the Surveillance, Epidemiology, and End Results (SEER) database. *European spine journal : official publication of the European Spine Society, the European Spinal Deformity Society, and the European Section of the Cervical Spine Research Society*. Jun 2013;22(6):1375-1382.

Mullins CD, Onukwugha E, Bikov K, Seal B, Hussain A. Health disparities in staging of SEER-medicare prostate cancer patients in the United States. *Urology*. Sep 2010;76(3):566-572.

Murphy G, Devesa SS, Cross AJ, Inskip PD, McGlynn KA, Cook MB. Sex disparities in colorectal cancer incidence by anatomic subsite, race and age. *Int J Cancer*. May 25 2010.

Murphy JD, Nelson LM, Chang DT, Mell LK, Le QT. Patterns of care in palliative radiotherapy: a population-based study. *J Oncol Pract*. Sep 1 2013;9(5):e220-227.

Naishadham D, Lansdorp-Vogelaar I, Siegel R, Cokkinides V, Jemal A. State disparities in colorectal cancer mortality patterns in the United States. *Cancer Epidemiol Biomarkers Prev*. Jul 2011;20(7):1296-1302.

Najari BB, Rink M, Li PS, et al. Sex disparities in cancer mortality: the risks of being a man in the United States. *J Urol*. Apr 2013;189(4):1470-1474.

Nambudiri VE, Landrum MB, Lamont EB, et al. Understanding variation in primary prostate cancer treatment within the Veterans Health Administration. *Urology*. Mar 2012;79(3):537-545.

Nasseri K. Thyroid cancer in the Middle Eastern population of California. *Cancer Causes Control*. Dec 2008;19(10):1183-1191.

Nasseri K, Mills JR. Epidemiology of primary brain tumors in the Middle Eastern population in California, USA 2001-2005. *Cancer detection and prevention*. 2009;32(5-6):363-371.

Nathan H, Hyder O, Mayo SC, et al. Surgical Therapy for Early Hepatocellular Carcinoma in the Modern Era: A 10-Year SEER-Medicare Analysis. *Ann Surg*. Dec 2013;258(6):1022-1027.

Nathan H, Shore AD, Anders RA, Wick EC, Gearhart SL, Pawlik TM. Variation in lymph node assessment after colon cancer resection: patient, surgeon, pathologist, or hospital? *J Gastrointest Surg*. Mar 2011;15(3):471-479.

Nathan H, Wolfgang CL, Edil BH, et al. Peri-operative mortality and long-term survival after total pancreatectomy for pancreatic adenocarcinoma: a population-based perspective. *J Surg Oncol*. Feb 1 2009;99(2):87-92.

Nathan SS, Healey JH. Demographic determinants of survival in osteosarcoma. *Annals of the Academy of Medicine, Singapore*. Sep 2012;41(9):390-399.

N'Diaye A, Chen GK, Palmer CD, et al. Identification, replication, and fine-mapping of Loci associated with adult height in individuals of african ancestry. *PLoS Genet*. Oct 2011;7(10):e1002298.

N'Diaye A, Chen GK, Palmer CD, et al. Correction: identification, replication, and fine-mapping of Loci associated with adult height in individuals of african ancestry. *PLoS Genet*. Nov 2011;7(11).

Near AM, Wu AH, Templeman C, et al. Progesterone receptor gene polymorphisms and risk of endometriosis: results from an international collaborative effort. *Fertil Steril*. Jan 2011;95(1):40-45.

Neglia JP, Robison LL, Stovall M, et al. New primary neoplasms of the central nervous system in survivors of childhood cancer: a report from the Childhood Cancer Survivor Study. *J Natl Cancer Inst*. Nov 1 2006;98(21):1528-1537.

Negri E, Dal Maso L, Ron E, et al. A pooled analysis of case-control studies of thyroid cancer. II. Menstrual and reproductive factors. *Cancer Causes Control*. Apr 1999;10(2):143-155.

Negri E, Ron E, Franceschi S, et al. A pooled analysis of case-control studies of thyroid cancer. I. Methods. *Cancer Causes Control*. Apr 1999;10(2):131-142.

Negri E, Ron E, Franceschi S, et al. Risk factors for medullary thyroid carcinoma: a pooled analysis. *Cancer Causes Control*. May 2002;13(4):365-372.

Nekhlyudov L, Habel LA, Achacoso N, et al. Ten-year risk of diagnostic mammograms and invasive breast procedures after breast-conserving surgery for DCIS. *J Natl Cancer Inst*. Apr 18 2012;104(8):614-621.

Nelson R, Ko EB, Arrington A, Lee W, Kim J, Garcia-Aguilar J. Race and correlations between lymph node number and survival for patients with gastric cancer. *J Gastrointest Surg*. Mar 2013;17(3):471-481.

Nelson RA, Levine AM, Bernstein L. Blood transfusions and the risk of intermediate- or high-grade non-Hodgkin's lymphoma. *J Natl Cancer Inst*. Nov 18 1998;90(22):1742-1743.

Nelson RA, Levine AM, Bernstein L. Reproductive factors and risk of intermediate- or high-grade B-Cell non-Hodgkin's lymphoma in women. *J Clin Oncol*. Mar 1 2001;19(5):1381-1387.

Nelson RA, Levine AM, Bernstein L, Smith DD, Lai LL. Changing patterns of anal canal carcinoma in the United States. *J Clin Oncol*. Apr 20 2013;31(12):1569-1575.

Nelson RA, Levine AM, Marks G, Bernstein L. Alcohol, tobacco and recreational drug use and the risk of non-Hodgkin's lymphoma. *Br J Cancer*. 1997;76(11):1532-1537.

Nelson RA, Vogelzang N, Pal SK. A Gap in Disease-Specific Survival Between Younger and Older Adults With De Novo Metastatic Renal Cell Carcinoma: Results of a SEER Database Analysis. *Clin Genitourin Cancer*. Sep 2013;11(3):303-310.

Nemani D, Mitra N, Guo M, Lin L. Assessing the effects of lymphadenectomy and radiation therapy in patients with uterine carcinosarcoma: a SEER analysis. *Gynecol Oncol*. Oct 2008;111(1):82-88.

Ness RB, Cramer DW, Goodman MT, et al. Infertility, fertility drugs, and ovarian cancer: a pooled analysis of case-control studies. *Am J Epidemiol*. Feb 1 2002;155(3):217-224.

Neugut AI, Fleischauer AT, Sundararajan V, et al. Use of adjuvant chemotherapy and radiation therapy for rectal cancer among the elderly: a population-based study. *J Clin Oncol*. Jun 1 2002;20(11):2643-2650.

Neugut AI, Grann VR. Referral to medical oncologists: are there barriers at the gate? *J Clin Oncol*. Apr 1 2002;20(7):1716-1718.

Neuhouser ML, Bernstein L, Hollis BW, et al. Serum vitamin d and breast density in breast cancer survivors. *Cancer Epidemiol Biomarkers Prev*. Feb 2010;19(2):412-417.

Neuhouser ML, Nojomi M, Baumgartner RN, et al. Dietary fat, tamoxifen use and circulating sex hormones in postmenopausal breast cancer survivors. *Nutr Cancer*. 2010;62(2):164-174.

Neuhouser ML, Sorensen B, Hollis BW, et al. Vitamin D insufficiency in a multiethnic cohort of breast cancer survivors. *The American journal of clinical nutrition*. Jul 2008;88(1):133-139.

Neuman HB, O'Connor ES, Weiss J, et al. Surgical treatment of colon cancer in patients aged 80 years and older : Analysis of 31,574 patients in the SEER-Medicare database. *Cancer*. Feb 1 2013;119(3):639-647.

Neuman HB, Weiss JM, Leverson G, et al. Predictors of short-term postoperative survival after elective colectomy in colon cancer patients  $\geq 80$  years of age. *Ann Surg Oncol*. May 2013;20(5):1427-1435.

Neuman HB, Weiss JM, Schrag D, et al. Patient demographic and tumor characteristics influencing oncologist follow-up frequency in older breast cancer survivors. *Ann Surg Oncol*. Dec 2013;20(13):4128-4136.

Neutra R, Swan S, Mack T. Clusters galore: insights about environmental clusters from probability theory. *The Science of the total environment*. Dec 15 1992;127(1-2):187-200.

Newcomb PA, Baron J, Cotterchio M, et al. Colon cancer family registry: an international resource for studies of the genetic epidemiology of colon cancer. *Cancer Epidemiol Biomarkers Prev*. Nov 2007;16(11):2331-2343.

Newell GR, Rawlings W, Kinnear BK, et al. Case-control study of Hodgkin's disease. I. Results of the interview questionnaire. *J Natl Cancer Inst*. Nov 1973;51(5):1437-1441.

Ng VY, Scharschmidt TJ, Mayerson JL, Fisher JL. Incidence and survival in sarcoma in the United States: a focus on musculoskeletal lesions. *Anticancer research*. Jun 2013;33(6):2597-2604.

Ngamruengphong S, Li F, Zhou Y, Chak A, Cooper GS, Das A. EUS and survival in patients with pancreatic cancer: a population-based study. *Gastrointest Endosc*. Jul 2010;72(1):78-83, 83 e71-72.

Ngamruengphong S, Wolfsen HC, Wallace MB. Survival of Patients With Superficial Esophageal Adenocarcinoma After Endoscopic Treatment vs Surgery. *Clin Gastroenterol Hepatol*. Nov 2013;11(11):1424-1429 e1422.

Ngo-Metzger Q, McCarthy EP, Burns RB, Davis RB, Li FP, Phillips RS. Older Asian Americans and Pacific Islanders dying of cancer use hospice less frequently than older white patients. *Am J Med*. Jul 2003;115(1):47-53.

Nguyen DK, Maggard-Gibbons M. Age, poverty, acculturation, and gastric cancer. *Surgery*. Sep 2013;154(3):444-452.

Nguyen MM, Gill IS. Coded tumor size may be unreliable for small metastatic renal cancers in the Surveillance, Epidemiology, and End Results dataset. *Urology*. Feb 2010;75(2):266-270.

Nguyen PL, Gu X, Lipsitz SR, et al. Cost implications of the rapid adoption of newer technologies for treating prostate cancer. *J Clin Oncol*. Apr 20 2011;29(12):1517-1524.

Nguyen XV, Choudhury KR, Eastwood JD, et al. Incidental Thyroid Nodules on CT: Evaluation of 2 Risk-Categorization Methods for Work-Up of Nodules. *AJNR. American journal of neuroradiology*. Sep 2013;34(9):1812-1817.

Nicholl MB, Ahuja V, Conway WC, Vu VD, Sim MS, Singh G. Small bowel adenocarcinoma: understaged and undertreated? *Ann Surg Oncol*. Oct 2010;17(10):2728-2732.

Nickels S, Truong T, Hein R, et al. Evidence of Gene-Environment Interactions between Common Breast Cancer Susceptibility Loci and Established Environmental Risk Factors. *PLoS Genet*. Mar 2013;9(3):e1003284.

Nielsen SS, McKean-Cowdin R, Farin FM, Holly EA, Preston-Martin S, Mueller BA. Childhood brain tumors, residential insecticide exposure, and pesticide metabolism genes. *Environ Health Perspect*. Jan 2010;118(1):144-149.

Nieters A, Conde L, Slager SL, et al. PRRC2A and BCL2L11 gene variants influence risk of non-Hodgkin lymphoma: results from the InterLymph consortium. *Blood*. Nov 29 2012;120(23):4645-4648.

Nomura AM, Hankin JH, Henderson BE, et al. Dietary fiber and colorectal cancer risk: the multiethnic cohort study. *Cancer Causes Control*. Sep 2007;18(7):753-764.

Nomura AM, Wilkens LR, Henderson BE, Epplein M, Kolonel LN. The association of cigarette smoking with gastric cancer: the multiethnic cohort study. *Cancer Causes Control*. Jan 2012;23(1):51-58.

Nomura AM, Wilkens LR, Murphy SP, et al. Association of vegetable, fruit, and grain intakes with colorectal cancer: the Multiethnic Cohort Study. *The American journal of clinical nutrition*. Sep 2008;88(3):730-737.

Norden AD, Drappatz J, Wen PY, Claus EB. Survival among patients with primary central nervous system lymphoma, 1973-2004. *J Neurooncol*. Feb 2011;101(3):487-493.

Nordenstedt H, El-Serag H. The influence of age, sex, and race on the incidence of esophageal cancer in the United States (1992-2006). *Scand J Gastroenterol*. May 2011;46(5):597-602.

Norman MA, Holly EA, Ahn DK, Preston-Martin S, Mueller BA, Bracci PM. Prenatal exposure to tobacco smoke and childhood brain tumors: results from the United States West Coast childhood brain tumor study. *Cancer Epidemiol Biomarkers Prev*. Feb 1996;5(2):127-133.

Norman MA, Holly EA, Preston-Martin S. Childhood brain tumors and exposure to tobacco smoke. *Cancer Epidemiol Biomarkers Prev*. Feb 1996;5(2):85-91.

Norman SA, Berlin JA, Weber AL, et al. Combined effect of oral contraceptive use and hormone replacement therapy on breast cancer risk in postmenopausal women. *Cancer Causes Control*. Dec 2003;14(10):933-943.

Norman SA, Localio AR, Zhou L, et al. Validation of self-reported screening mammography histories among women with and without breast cancer. *Am J Epidemiol*. Aug 1 2003;158(3):264-271.

Norman SA, Localio AR, Zhou L, et al. Benefit of screening mammography in reducing the rate of late-stage breast cancer diagnoses (United States). *Cancer Causes Control*. Sep 2006;17(7):921-929.

Norman SA, Russell Localio A, Weber AL, et al. Protection of mammography screening against death from breast cancer in women aged 40-64 years. *Cancer Causes Control*. Nov 2007;18(9):909-918.

Norman SA, Weber AL, Localio AR, et al. Hormone therapy and fatal breast cancer. *Pharmacoepidemiol Drug Saf*. May 2010;19(5):440-447.

Notaridou M, Quaye L, Dafou D, et al. Common alleles in candidate susceptibility genes associated with risk and development of epithelial ovarian cancer. *Int J Cancer*. May 1 2011;128(9):2063-2074.

Nothlings U, Murphy SP, Wilkens LR, Henderson BE, Kolonel LN. Flavonols and pancreatic cancer risk: the multiethnic cohort study. *Am J Epidemiol*. Oct 15 2007;166(8):924-931.

Nothlings U, Murphy SP, Wilkens LR, Henderson BE, Kolonel LN. Dietary glycemic load, added sugars, and carbohydrates as risk factors for pancreatic cancer: the Multiethnic Cohort Study. *The American journal of clinical nutrition*. Nov 2007;86(5):1495-1501.

Nothlings U, Wilkens LR, Murphy SP, Hankin JH, Henderson BE, Kolonel LN. Body mass index and physical activity as risk factors for pancreatic cancer: the Multiethnic Cohort Study. *Cancer Causes Control*. Mar 2007;18(2):165-175.

Nothlings U, Yamamoto JF, Wilkens LR, et al. Meat and heterocyclic amine intake, smoking, NAT1 and NAT2 polymorphisms, and colorectal cancer risk in the multiethnic cohort study. *Cancer Epidemiol Biomarkers Prev*. Jul 2009;18(7):2098-2106.

Nunez NP, Carpenter CL, Perkins SN, et al. Extreme obesity reduces bone mineral density: complementary evidence from mice and women. *Obesity (Silver Spring, Md.)*. Aug 2007;15(8):1980-1987.

Nuno M, Birch K, Mukherjee D, Sarmiento JM, Black KL, Patil CG. Survival and prognostic factors of anaplastic gliomas. *Neurosurgery*. Sep 2013;73(3):458-465.

Nurgalieva Z, Liu CC, Du XL. Chemotherapy use and risk of bone marrow suppression in a large population-based cohort of older women with breast and ovarian cancer. *Med Oncol*. Sep 2011;28(3):716-725.

Nurgalieva ZZ, Franzini L, Morgan R, Vernon SW, Liu CC, Du XL. Surveillance mammography use after treatment of primary breast cancer and racial disparities in survival. *Med Oncol*. Dec 2013;30(4):691.

Nurgalieva ZZ, Franzini L, Morgan RO, Vernon SW, Du XL. Utilization of lymph node dissection, race/ethnicity, and breast cancer outcomes. *Am J Manag Care*. Oct 2013;19(10):805-810.

Oakley-Girvan I, Feldman D, Eccleshall TR, et al. Risk of early-onset prostate cancer in relation to germ line polymorphisms of the vitamin D receptor. *Cancer Epidemiol Biomarkers Prev*. Aug 2004;13(8):1325-1330.

Oakley-Girvan I, Kolonel LN, Gallagher RP, Wu AH, Felberg A, Whittemore AS. Stage at diagnosis and survival in a multiethnic cohort of prostate cancer patients. *Am J Public Health*. Oct 2003;93(10):1753-1759.

Obeidat NA, Pradel FG, Zuckerman IH, et al. Racial/ethnic and age disparities in chemotherapy selection for colorectal cancer. *Am J Manag Care*. Jul 2010;16(7):515-522.

Obermair A, Youlden DR, Young JP, et al. Risk of endometrial cancer for women diagnosed with HNPCC-related colorectal carcinoma. *Int J Cancer*. Dec 1 2010;127(11):2678-2684.

Oberstein PE, Hershman DL, Khanna LG, Chabot JA, Insel BJ, Neugut AI. Uptake and patterns of use of gemcitabine for metastatic pancreatic cancer: a population-based study. *Cancer Invest*. Jun 2013;31(5):316-322.

O'Connor ES, Greenblatt DY, LoConte NK, et al. Adjuvant chemotherapy for stage II colon cancer with poor prognostic features. *J Clin Oncol*. Sep 1 2011;29(25):3381-3388.

Ognjanovic S, Carozza SE, Chow EJ, et al. Birth characteristics and the risk of childhood rhabdomyosarcoma based on histological subtype. *Br J Cancer*. Jan 5 2010;102(1):227-231.

Oksuzyan S, Crespi CM, Cockburn M, Mezei G, Kheifets L. Birth weight and other perinatal characteristics and childhood leukemia in California. *Cancer Epidemiol*. Dec 2012;36(6):e359-365.

Oksuzyan S, Crespi CM, Cockburn M, Mezei G, Kheifets L. Birth weight and other perinatal factors and childhood CNS tumors: A case-control study in California. *Cancer Epidemiol*. Aug 2013;37(4):402-409.

Ollberding NJ, Cheng I, Wilkens LR, et al. Genetic Variants, Prediagnostic Circulating Levels of Insulin-like Growth Factors, Insulin, and Glucose and the Risk of Colorectal Cancer: The Multiethnic Cohort Study. *Cancer Epidemiol Biomarkers Prev*. May 2012;21(5):810-820.

Ollberding NJ, Kim Y, Shvetsov YB, et al. Prediagnostic leptin, adiponectin, C-reactive protein, and the risk of postmenopausal breast cancer. *Cancer Prev Res (Phila)*. Mar 2013;6(3):188-195.

Ollberding NJ, Lim U, Wilkens LR, et al. Legume, soy, tofu, and isoflavone intake and endometrial cancer risk in postmenopausal women in the multiethnic cohort study. *J Natl Cancer Inst*. Jan 4 2012;104(1):67-76.

Ollberding NJ, Maskarinec G, Conroy SM, et al. Prediagnostic circulating carotenoid levels and the risk of non-Hodgkin lymphoma: the Multiethnic Cohort. *Blood*. Jun 14 2012;119(24):5817-5823.

Ollberding NJ, Maskarinec G, Wilkens LR, Henderson BE, Kolonel LN. Comparison of modifiable health behaviours between persons with and without cancer: the Multiethnic Cohort. *Public health nutrition*. Oct 2011;14(10):1796-1804.

Ollberding NJ, Nomura AM, Wilkens LR, Henderson BE, Kolonel LN. Racial/ethnic differences in colorectal cancer risk: The multiethnic cohort study. *Int J Cancer*. Dec 2 2011;129(8):1899-1906.

Ollberding NJ, Wilkens LR, Henderson BE, Kolonel LN, Le Marchand L. Meat consumption, heterocyclic amines and colorectal cancer risk: The Multiethnic Cohort Study. *Int J Cancer*. Oct 1 2012;131(7):E1125-1133.

Olsen CM, Nagle CM, Whiteman DC, et al. Obesity and risk of ovarian cancer subtypes: evidence from the Ovarian Cancer Association Consortium. *Endocr Relat Cancer*. Feb 12 2013;20(2):251-262.

Olsen CM, Zens MS, Green AC, et al. Biologic markers of sun exposure and melanoma risk in women: pooled case-control analysis. *Int J Cancer*. Aug 1 2011;129(3):713-723.

Olsen CM, Zens MS, Stukel TA, et al. Nevus density and melanoma risk in women: a pooled analysis to test the divergent pathway hypothesis. *Int J Cancer*. Feb 15 2009;124(4):937-944.

Olshan AF, Kuo TM, Meyer AM, Nielsen ME, Purdue MP, Rathmell WK. Racial difference in histologic subtype of renal cell carcinoma. *Cancer medicine*. Oct 2013;2(5):744-749.

Olszeski M, Schwartz D, Rineer J, et al. A population-based comparison of overall and disease-specific survival following local excision or abdominoperineal resection for stage I rectal adenocarcinoma. *Journal of gastrointestinal cancer*. Sep 2013;44(3):305-312.

Olson SH, Atoria CL, Cote ML, et al. The impact of race and comorbidity on survival in endometrial cancer. *Cancer Epidemiol Biomarkers Prev*. May 2012;21(5):753-760.

Olson SH, Chen C, De Vivo I, et al. Maximizing resources to study an uncommon cancer: E2C2-Epidemiology of Endometrial Cancer Consortium. *Cancer Causes Control*. May 2009;20(4):491-496.

Olszewski AJ, Castillo JJ. Survival of patients with marginal zone lymphoma: Analysis of the Surveillance, Epidemiology, and End Results database. *Cancer*. Feb 1 2013;119(3):629-638.

Olszewski AJ, Castillo JJ. Comparative outcomes of oncologic therapy in gastric extranodal marginal zone (MALT) lymphoma: analysis of the SEER-Medicare database. *Ann Oncol*. May 2013;24(5):1352-1359.

Onega T, Duell EJ, Shi X, Demidenko E, Goodman D. Determinants of NCI Cancer Center attendance in Medicare patients with lung, breast, colorectal, or prostate cancer. *J Gen Intern Med*. Feb 2009;24(2):205-210.

Onega T, Duell EJ, Shi X, Demidenko E, Goodman D. Influence of place of residence in access to specialized cancer care for African Americans. *J Rural Health*. Winter 2010;26(1):12-19.

Onega T, Duell EJ, Shi X, Demidenko E, Goodman DC. Race versus place of service in mortality among medicare beneficiaries with cancer. *Cancer*. Jun 1 2010;116(11):2698-2706.

Onega T, Duell EJ, Shi X, Demidenko E, Gottlieb D, Goodman DC. Influence of NCI cancer center attendance on mortality in lung, breast, colorectal, and prostate cancer patients. *Medical care research and review : MCRR*. Oct 2009;66(5):542-560.

O'Neill CB, Atoria CL, O'Reilly EM, Lafemina J, Henman MC, Elkin EB. Costs and trends in pancreatic cancer treatment. *Cancer*. Oct 15 2012;118(20):5132-5139.

Onukwugha E, Yong C, Mullins C, Seal B, Hussain A. Skeletal-related events and mortality among seer-medicare patients with metastatic prostate cancer: the implications of measurement approach. *Value Health*. May 2013;16(3):A10.

Ooi SL, Martinez ME, Li CI. Disparities in breast cancer characteristics and outcomes by race/ethnicity. *Breast Cancer Res Treat*. Jun 2011;127(3):729-738.

Operkalski EA, Preston-Martin S, Henderson BE, Visscher BR. A case-control study of osteosarcoma in young persons. Am J Epidemiol. Jul 1987;126(1):118-126.

Oppenheimer M, Preston-Martin S. Adult onset acute myelogenous leukemia and electromagnetic fields in Los Angeles County: bed-heating and occupational exposures. Bioelectromagnetics. Sep 2002;23(6):411-415.

Ortiz AP, Soto-Salgado M, Calo WA, et al. Incidence and mortality rates of selected infection-related cancers in Puerto Rico and in the United States. Infect Agent Cancer. 2010;5:10.

Osarogiagbon RU, Yu X. Mediastinal lymph node examination and survival in resected early-stage non-small-cell lung cancer in the surveillance, epidemiology, and end results database. J Thorac Oncol. Dec 2012;7(12):1798-1806.

Osarogiagbon RU, Yu X. Nonexamination of lymph nodes and survival after resection of non-small cell lung cancer. Ann Thorac Surg. Oct 2013;96(4):1178-1189.

O'Shaughnessy MJ, Jarosek SL, Virnig BA, Konety BR, Elliott SP. Factors associated with reduction in use of neoadjuvant androgen suppression therapy before radical prostatectomy. Urology. Apr 2013;81(4):745-751.

Ottman R, Pike MC, King MC, Casagrande JT, Henderson BE. Familial breast cancer in a population-based series. Am J Epidemiol. Jan 1986;123(1):15-21.

Ottman R, Pike MC, King MC, Henderson BE. Practical guide for estimating risk for familial breast cancer. Lancet. Sep 3 1983;2(8349):556-558.

Ou SH, Zell JA. Validation study of the proposed IASLC staging revisions of the T4 and M non-small cell lung cancer descriptors using data from 23,583 patients in the California Cancer Registry. J Thorac Oncol. Mar 2008;3(3):216-227.

Ou SH, Zell JA, Ziogas A, Anton-Culver H. Prognostic factors for survival of stage I nonsmall cell lung cancer patients : a population-based analysis of 19,702 stage I patients in the California Cancer Registry from 1989 to 2003. Cancer. Oct 1 2007;110(7):1532-1541.

Ou SH, Ziogas A, Zell JA. Asian ethnicity is a favorable prognostic factor for overall survival in non-small cell lung cancer (NSCLC) and is independent of smoking status. J Thorac Oncol. Sep 2009;4(9):1083-1093.

Ou SH, Ziogas A, Zell JA. Primary signet-ring carcinoma (SRC) of the lung: a population-based epidemiologic study of 262 cases with comparison to adenocarcinoma of the lung. J Thorac Oncol. Apr 2010;5(4):420-427.

Overman MJ, Fournier K, Hu CY, et al. Improving the AJCC/TNM Staging for Adenocarcinomas of the Appendix: The Prognostic Impact of Histological Grade. *Ann Surg.* Jun 2013;257(6):1072-1078.

Overman MJ, Hu CY, Wolff RA, Chang GJ. Prognostic value of lymph node evaluation in small bowel adenocarcinoma: analysis of the surveillance, epidemiology, and end results database. *Cancer.* Dec 1 2010;116(23):5374-5382.

Overton LJ, Fritsch VA, Lentsch EJ. Squamous cell carcinoma of the uvula: An analysis of factors affecting survival. *The Laryngoscope.* Apr 2013;123(4):898-903.

Owonikoko TK, Ragin C, Chen Z, et al. Real-World Effectiveness of Systemic Agents Approved for Advanced Non-Small Cell Lung Cancer: A SEER-Medicare Analysis. *The oncologist.* May 1 2013;18(5):600-610.

Oyer SL, Smith VA, Lentsch EJ. Reevaluating the prognostic significance of age in differentiated thyroid cancer. *Otolaryngol Head Neck Surg.* Aug 2012;147(2):221-226.

Oyer SL, Smith VA, Lentsch EJ. Sex is not an independent risk factor for survival in differentiated thyroid cancer. *The Laryngoscope.* Nov 2013;123(11):2913-2919.

Paganini-Hill A. Morbidity and mortality changes with estrogen replacement changes. In: Lobo R, ed. *Treatment of the Postmenopausal Woman: Basic and Clinical Aspects.* New York, NY: Raven Press; 1994:399-404.

Paganini-Hill A. Aspirin and colorectal cancer: the Leisure World cohort revisited. *Preventive medicine.* Mar 1995;24(2):113-115.

Paganini-Hill A, Glazer E, Henderson BE, Ross RK. Cause-specific mortality among newspaper web pressmen. *Journal of occupational medicine. : official publication of the Industrial Medical Association.* Aug 1980;22(8):542-544.

Paganini-Hill A, Hsu G. Smoking and mortality among residents of a California retirement community. *Am J Public Health.* Jun 1994;84(6):992-995.

Paganini-Hill A, Ross R, Henderson BE. Epidemiology of kidney cancer. In: Skinner DG, Lieskovsky G, eds. *Diagnosis and Management of Genitourinary Cancer.* Philadelphia, PA: W.B. Saunders & Co.; 1988:32-39.

Paganini-Hill A, Ross RK. Breast lumps and consultation delays. *Lancet.* May 2 1981;1(8227):995.

Paganini-Hill A, Ross RK, Henderson BE. Epidemiology of kidney cancer. In: Skinner DG, ed. *Urological Cancer: Grune & Stratton, Inc.;* 1983:383-407.

Page BR, Pappas L, Cooke EW, Gaffney DK. Does the FIGO 2009 Endometrial Cancer Staging System More Accurately Correlate With Clinical Outcome in Different Histologies?: Revised Staging, Endometrial Cancer, Histology. *Int J Gynecol Cancer*. May 2012;22(4):593-598.

Pagedar NA, Halfdanarson TR, Karnell LH, Hoffman HT, Funk GF. Upper aerodigestive tract cancer in patients with chronic lymphocytic leukemia: incidence, stage, and outcome. *Arch Otolaryngol Head Neck Surg*. Dec 1 2012;138(12):1171-1175.

Pai A, Brunson A, Brown M, Pan CX, Lara PN, Jr. Evolving epidemiologic trends in nonclear cell renal cell cancer: an analysis of the California cancer registry. *Urology*. Oct 2013;82(4):840-845.

Pal SK, Nelson RA, Vogelzang N. Disease-specific survival in de novo metastatic renal cell carcinoma in the cytokine and targeted therapy era. *PLoS One*. 2013;8(5):e63341.

Palmer JR, Boggs DA, Wise LA, Ambrosone CB, Adams-Campbell LL, Rosenberg L. Parity and lactation in relation to estrogen receptor negative breast cancer in African American women. *Cancer Epidemiol Biomarkers Prev*. Sep 2011;20(9):1883-1891.

Palmieri RT, Wilson MA, Iversen ES, et al. Polymorphism in the IL18 Gene and Epithelial Ovarian Cancer in Non-Hispanic White Women. *Cancer Epidemiol Biomarkers Prev*. Dec 2008;17(12):3567-3572.

Pan IJ, Daniels JL, Zhu K. Poverty and childhood cancer incidence in the United States. *Cancer Causes Control*. Jul 2010;21(7):1139-1145.

Panageas KS, Elkin EB, Ben-Porat L, Deangelis LM, Abrey LE. Patterns of treatment in older adults with primary central nervous system lymphoma. *Cancer*. Sep 15 2007;110(6):1338-1344.

Panageas KS, Schrag D, Riedel E, Bach PB, Begg CB. The effect of clustering of outcomes on the association of procedure volume and surgical outcomes. *Ann Intern Med*. Oct 21 2003;139(8):658-665.

Panageas KS, Sima CS, Liberman L, Schrag D. Use of high technology imaging for surveillance of early stage breast cancer. *Breast Cancer Res Treat*. Jan 2012;131(2):663-670.

Panchal JM, Lairson DR, Chan W, Du XL. Geographic Variation and Sociodemographic Disparity in the Use of Oxaliplatin-Containing Chemotherapy in Patients With Stage III Colon Cancer. *Clinical colorectal cancer*. Jun 2013;12(2):113-121.

Paoff K, Preston-Martin S, Mack WJ, Monroe K. A case-control study of maternal risk factors for thyroid cancer in young women (California, United States). *Cancer Causes Control*. Sep 1995;6(5):389-397.

Paracchini S, Pearce CL, Kolonel LN, Altshuler D, Henderson BE, Tyler-Smith C. A Y chromosomal influence on prostate cancer risk: the multi-ethnic cohort study. *Journal of medical genetics*. Nov 2003;40(11):815-819.

Parikh AA, Ni S, Koyama T, Pawlik TM, Penson D. Trends in the multimodality treatment of resectable colorectal liver metastases: an underutilized strategy. *J Gastrointest Surg*. Nov 2013;17(11):1938-1946.

Parikh-Patel A, Bates JH, Campleman S. Colorectal cancer stage at diagnosis by socioeconomic and urban/rural status in California, 1988-2000. *Cancer*. Sep 1 2006;107(5 Suppl):1189-1195.

Parikh-Patel A, White RH, Allen M, Cress R. Cancer risk in a cohort of patients with systemic lupus erythematosus (SLE) in California. *Cancer Causes Control*. Oct 2008;19(8):887-894.

Parikh-Patel A, White RH, Allen M, Cress R. Risk of cancer among rheumatoid arthritis patients in California. *Cancer Causes Control*. Aug 2009;20(6):1001-1010.

Parise CA, Caggiano V. Disparities in race/ethnicity and socioeconomic status: risk of mortality of breast cancer patients in the California Cancer Registry, 2000-2010. *BMC Cancer*. Oct 2 2013;13(1):449.

Park CH, Bonomi M, Cesaretti J, Neugut AI, Wisnivesky JP. Effect of radiotherapy planning complexity on survival of elderly patients with unresected localized lung cancer. *Int J Radiat Oncol Biol Phys*. Nov 1 2011;81(3):706-711.

Park JH, Qiao B, Panageas KS, et al. Early death rate in acute promyelocytic leukemia remains high despite all-trans retinoic acid. *Blood*. Aug 4 2011;118(5):1248-1254.

Park SL, Bastani D, Goldstein BY, et al. Associations between NBS1 polymorphisms, haplotypes and smoking-related cancers. *Carcinogenesis*. Jul 2010;31(7):1264-1271.

Park SL, Chang SC, Cai L, et al. Associations between variants of the 8q24 chromosome and nine smoking-related cancer sites. *Cancer Epidemiol Biomarkers Prev*. Nov 2008;17(11):3193-3202.

Park SL, Cheng I, Pendergrass SA, et al. Association of the FTO Obesity Risk Variant rs8050136 With Percentage of Energy Intake From Fat in Multiple Racial/Ethnic Populations: The PAGE Study. *Am J Epidemiol*. Sep 1 2013;178(5):780-790.

Park SL, Goodman MT, Zhang ZF, Kolonel LN, Henderson BE, Setiawan VW. Body size, adult BMI gain and endometrial cancer risk: the multiethnic cohort. *Int J Cancer*. Jan 15 2010;126(2):490-499.

Park SL, Le Marchand L, Wilkens LR, et al. Risk factors for malignant melanoma in white and non-white/non-african american populations: the multiethnic cohort. *Cancer Prev Res (Phila)*. Mar 2012;5(3):423-434.

Park SY, Cooney RV, Wilkens LR, Murphy SP, Henderson BE, Kolonel LN. Plasma 25-hydroxyvitamin D and prostate cancer risk: the multiethnic cohort. *Eur J Cancer*. Mar 2010;46(5):932-936.

Park SY, Kolonel LN, Henderson BE, Wilkens LR. Dietary fat and breast cancer in postmenopausal women according to ethnicity and hormone receptor status: the multiethnic cohort study. *Cancer Prev Res (Phila)*. Feb 2012;5(2):216-228.

Park SY, Murphy SP, Martin CL, Kolonel LN. Nutrient intake from multivitamin/mineral supplements is similar among users from five ethnic groups: the Multiethnic Cohort Study. *Journal of the American Dietetic Association*. Mar 2008;108(3):529-533.

Park SY, Murphy SP, Wilkens LR, Henderson BE, Kolonel LN. Fat and meat intake and prostate cancer risk: the multiethnic cohort study. *Int J Cancer*. Sep 15 2007;121(6):1339-1345.

Park SY, Murphy SP, Wilkens LR, Henderson BE, Kolonel LN. Legume and isoflavone intake and prostate cancer risk: The Multiethnic Cohort Study. *Int J Cancer*. Aug 15 2008;123(4):927-932.

Park SY, Murphy SP, Wilkens LR, Henderson BE, Kolonel LN. Multivitamin use and the risk of mortality and cancer incidence: the multiethnic cohort study. *Am J Epidemiol*. Apr 15 2011;173(8):906-914.

Park SY, Murphy SP, Wilkens LR, Stram DO, Henderson BE, Kolonel LN. Calcium, vitamin D, and dairy product intake and prostate cancer risk: the Multiethnic Cohort Study. *Am J Epidemiol*. Dec 1 2007;166(11):1259-1269.

Park SY, Nomura AM, Murphy SP, Wilkens LR, Henderson BE, Kolonel LN. Carotenoid intake and colorectal cancer risk: the multiethnic cohort study. *J Epidemiol*. 2009;19(2):63-71.

Park SY, Ollberding NJ, Woolcott CG, Wilkens LR, Henderson BE, Kolonel LN. Fruit and Vegetable Intakes Are Associated with Lower Risk of Bladder Cancer among Women in the Multiethnic Cohort Study. *The Journal of nutrition*. Aug 2013;143(8):1283-1292.

Park SY, Wilkens LR, Franke AA, et al. Urinary phytoestrogen excretion and prostate cancer risk: a nested case-control study in the Multiethnic Cohort. *Br J Cancer*. Jul 7 2009;101(1):185-191.

Park SY, Wilkens LR, Henning SM, et al. Circulating fatty acids and prostate cancer risk in a nested case-control study: the Multiethnic Cohort. *Cancer Causes Control*. Sep 27 2008.

Park SY, Wilkens LR, Henning SM, et al. Circulating fatty acids and prostate cancer risk in a nested case-control study: the Multiethnic Cohort. *Cancer Causes Control*. Mar 2009;20(2):211-223.

Park SY, Wilkens LR, Morris JS, Henderson BE, Kolonel LN. Serum zinc and prostate cancer risk in a nested case-control study: The multiethnic cohort. *Prostate*. Feb 15 2013;73(3):261-266.

Park SY, Wilkens LR, Murphy SP, Monroe KR, Henderson BE, Kolonel LN. Body mass index and mortality in an ethnically diverse population: the Multiethnic Cohort Study. *European journal of epidemiology*. Jul 2012;27(7):489-497.

Parmar AD, Sheffield KM, Han Y, et al. Evaluating comparative effectiveness with observational data: Endoscopic ultrasound and survival in pancreatic cancer. *Cancer*. Nov 1 2013;119(21):3861-3869.

Parry S, Win AK, Parry B, et al. Metachronous colorectal cancer risk for mismatch repair gene mutation carriers: the advantage of more extensive colon surgery. *Gut*. Jul 2011;60(7):950-957.

Parsons HM, Begun JW, Kuntz KM, Tuttle TM, McGovern PM, Virnig BA. Lymph node evaluation for colon cancer in an era of quality guidelines: who improves? *J Oncol Pract*. Jul 1 2013;9(4):e164-171.

Parsons HM, Begun JW, McGovern PM, Tuttle TM, Kuntz KM, Virnig BA. Hospital Characteristics Associated With Maintenance or Improvement of Guideline-recommended Lymph Node Evaluation for Colon Cancer. *Med Care*. Jan 2013;51(1):60-67.

Parsons HM, Harlan LC, Lynch CF, et al. Impact of cancer on work and education among adolescent and young adult cancer survivors. *J Clin Oncol*. Jul 1 2012;30(19):2393-2400.

Parsons HM, Tuttle TM, Kuntz KM, Begun JW, McGovern PM, Virnig BA. Quality of Care along the Cancer Continuum: Does Receiving Adequate Lymph Node Evaluation for Colon Cancer Lead to Comprehensive Postsurgical Care? *J Am Coll Surg*. Sep 2012;215(3):400-411.

Pasaniuc B, Sankararaman S, Torgerson DG, et al. Analysis of Latino populations from GALA and MEC studies reveals genomic loci with biased local ancestry estimation. *Bioinformatics* (Oxford, England). Jun 1 2013;29(11):1407-1415.

Pasaniuc B, Zaitlen N, Lettre G, et al. Enhanced statistical tests for GWAS in admixed populations: assessment using African Americans from CARe and a Breast Cancer Consortium. *PLoS Genet*. Apr 2011;7(4):e1001371.

Patel A, Bernstein L. Physical activity and cancer incidence: Breast cancer. In: McTiernan A, ed. *Cancer Prevention and Management Through Exercise and Weight Control*. Boca Raton, FL: Taylor and Frances; 2006:49-74.

Patel AV, Bernstein L, Deka A, et al. Leisure time spent sitting in relation to total mortality in a prospective cohort of US adults. *Am J Epidemiol.* Aug 15 2010;172(4):419-429.

Patel AV, Cheng I, Canzian F, et al. IGF-1, IGFBP-1, and IGFBP-3 polymorphisms predict circulating IGF levels but not breast cancer risk: findings from the Breast and Prostate Cancer Cohort Consortium (BPC3). *PLoS ONE.* 2008;3(7):e2578.

Patel AV, Press MF, Meeske K, Calle EE, Bernstein L. Lifetime recreational exercise activity and risk of breast carcinoma in situ. *Cancer.* Nov 15 2003;98(10):2161-2169.

Patel MK, Cote ML, Ali-Fehmi R, Buekers T, Munkarah AR, Elshaikh MA. Trends in the Utilization of Adjuvant Vaginal Cuff Brachytherapy and/or External Beam Radiation Treatment in Stage I and II Endometrial Cancer: A Surveillance, Epidemiology, and End-Results Study. *Int J Radiat Oncol Biol Phys.* May 1 2012;83(1):178-184.

Patel S, Macdonald OK, Suntharalingam M. Evaluation of the use of prophylactic cranial irradiation in small cell lung cancer. *Cancer.* Feb 15 2009;115(4):842-850.

Patil S, Manola J, Elson P, et al. Improvement in overall survival of patients with advanced renal cell carcinoma: prognostic factor trend analysis from an international data set of clinical trials. *J Urol.* Dec 2012;188(6):2095-2100.

Patnaik JL, Byers T, DiGuiseppi C, Dabelea D, Denberg TD. Cardiovascular disease competes with breast cancer as the leading cause of death for older females diagnosed with breast cancer: a retrospective cohort study. *Breast Cancer Res.* Jun 3 2011;13(3):R64.

Patnaik JL, Byers T, DiGuiseppi C, Denberg TD, Dabelea D. The influence of comorbidities on overall survival among older women diagnosed with breast cancer. *J Natl Cancer Inst.* Jul 20 2011;103(14):1101-1111.

Patt DA, Goodwin JS, Kuo YF, et al. Cardiac morbidity of adjuvant radiotherapy for breast cancer. *J Clin Oncol.* Oct 20 2005;23(30):7475-7482.

Paulson EC, Mahmoud NN, Wirtalla C, Armstrong K. Acuity and survival in colon cancer surgery. *Dis Colon Rectum.* Apr 2010;53(4):385-392.

Paulson EC, Mitra N, Sonnad S, et al. National Cancer Institute designation predicts improved outcomes in colorectal cancer surgery. *Ann Surg.* Oct 2008;248(4):675-686.

Paulson EC, Ra J, Armstrong K, Wirtalla C, Spitz F, Kelz RR. Underuse of esophagectomy as treatment for resectable esophageal cancer. *Arch Surg.* Dec 2008;143(12):1198-1203; discussion 1203.

Pearce CL, Chung K, Pike MC, Wu AH. Increased ovarian cancer risk associated with menopausal estrogen therapy is reduced by adding a progestin. *Cancer*. Feb 1 2009;115(3):531-539.

Pearce CL, Doherty JA, Van Den Berg DJ, et al. Genetic variation in insulin-like growth factor 2 may play a role in ovarian cancer risk. *Hum Mol Genet*. Jun 1 2011;20(11):2263-2272.

Pearce CL, Hirschhorn JN, Wu AH, et al. Clarifying the PROGINS allele association in ovarian and breast cancer risk: a haplotype-based analysis. *J Natl Cancer Inst*. Jan 5 2005;97(1):51-59.

Pearce CL, Makridakis NM, Ross RK, et al. Steroid 5-alpha reductase type II V89L substitution is not associated with risk of prostate cancer in a multiethnic population study. *Cancer Epidemiol Biomarkers Prev*. Apr 2002;11(4):417-418.

Pearce CL, Near AM, Van Den Berg DJ, et al. Validating genetic risk associations for ovarian cancer through the international Ovarian Cancer Association Consortium. *Br J Cancer*. Jan 27 2009;100(2):412-420.

Pearce CL, Rossing MA, Lee AW, et al. Combined and Interactive Effects of Environmental and GWAS-Identified Risk Factors in Ovarian Cancer. *Cancer Epidemiol Biomarkers Prev*. May 2013;22(5):880-890.

Pearce CL, Templeman C, Rossing MA, et al. Association between endometriosis and risk of histological subtypes of ovarian cancer: a pooled analysis of case-control studies. *The lancet oncology*. Apr 2012;13(4):385-394.

Pearce CL, Van Den Berg DJ, Makridakis N, et al. No Association between the SRD5A2 Gene A49T Missense Variant and Prostate Cancer Risk: Lessons Learned. *Hum Mol Genet*. May 10 2008.

Pedroso FE, Raut CP, Xiao H, Yeo CJ, Koniaris LG. Has the survival rate for surgically resected gastric gastrointestinal stromal tumors improved in the tyrosine kinase inhibitor era? *Ann Surg Oncol*. Jun 2012;19(6):1748-1758.

Pendergrass SA, Brown-Gentry K, Dudek S, et al. Phenome-wide association study (PheWAS) for detection of pleiotropy within the Population Architecture using Genomics and Epidemiology (PAGE) Network. *PLoS Genet*. 2013;9(1):e1003087.

Penson DF, Feng Z, Kuniyuki A, et al. General quality of life 2 years following treatment for prostate cancer: what influences outcomes? Results from the prostate cancer outcomes study. *J Clin Oncol*. Mar 15 2003;21(6):1147-1154.

Penson DF, McLellan D, Feng Z, et al. 5-year urinary and sexual outcomes after radical prostatectomy: results from the prostate cancer outcomes study. *J Urol*. May 2005;173(5):1701-1705.

Penson DF, McLerran D, Feng Z, et al. 5-year urinary and sexual outcomes after radical prostatectomy: results from the Prostate Cancer Outcomes Study. *J Urol.* May 2008;179(5 Suppl):S40-44.

Pepek JM, Johnstone PA, Jani AB. Influence of demographic factors on outcome of collecting duct carcinoma: a Surveillance, Epidemiology, and End Results (SEER) database analysis. *Clin Genitourin Cancer.* Aug 2009;7(2):E24-27.

Perez EA, Kassira N, Cheung MC, Koniaris LG, Neville HL, Sola JE. Rhabdomyosarcoma in children: a SEER population based study. *J Surg Res.* Oct 2011;170(2):e243-251.

Perkins SM, Fei W, Mitra N, Shinohara ET. Late causes of death in children treated for CNS malignancies. *J Neurooncol.* Oct 2013;115(1):79-85.

Perkins SM, Mitra N, Fei W, Shinohara ET. Patterns of care and outcomes of patients with pleomorphic xanthoastrocytoma: a SEER analysis. *J Neurooncol.* Oct 2012;110(1):99-104.

Perkins SM, Shinohara ET. Interdigitating and Follicular Dendritic Cell Sarcomas: A SEER Analysis. *Am J Clin Oncol.* Aug 2013;36(4):395-398.

Permuth-Wey J, Lawrenson K, Shen HC, et al. Identification and molecular characterization of a new ovarian cancer susceptibility locus at 17q21.31. *Nature communications.* 2013;4:1627.

Perrotta C, Kleefeld S, Staines A, et al. Multiple myeloma and occupation: a pooled analysis by the International Multiple Myeloma Consortium. *Cancer Epidemiol.* Jun 2013;37(3):300-305.

Persson EC, Shiels MS, Dawsey SM, Bhatia K, Anderson LA, Engels EA. Increased risk of stomach and esophageal malignancies in people with AIDS. *Gastroenterology.* Oct 2012;143(4):943-950 e942.

Peters FM, Preston-Martin S, Yu MC. Brain tumors in children and occupational exposure of parents. *Science.* Jul 10 1981;213(4504):235-237.

Peters JM, Garabrant DH, Wright WE, Bernstein L, Mack TM. Uses of a cancer registry in the assessment of occupational cancer risks. National Cancer Institute monograph. Dec 1985;69:157-161.

Peters JM, Preston-Martin S. Childhood tumors and parental occupational exposures. *Teratogenesis, carcinogenesis, and mutagenesis.* 1984;4(1):137-148.

Peters JM, Preston-Martin S, London SJ, Bowman JD, Buckley JD, Thomas DC. Processed meats and risk of childhood leukemia (California, USA). *Cancer Causes Control.* Mar 1994;5(2):195-202.

Peters JM, Wright WE, Garabrant DH. Occupational epidemiology: detection of cancer in the workplace. *The Western journal of medicine*. Dec 1982;137(6):555-559.

Peters RK, Bear MB, Thomas D. Barriers to screening for cancer of the cervix. *Preventive medicine*. Jan 1989;18(1):133-146.

Peters RK, Chao A, Mack TM, Thomas D, Bernstein L, Henderson BE. Increased frequency of adenocarcinoma of the uterine cervix in young women in Los Angeles County. *J Natl Cancer Inst*. Mar 1986;76(3):423-428.

Peters RK, Garabrant DH, Yu MC, Mack TM. A case-control study of occupational and dietary factors in colorectal cancer in young men by subsite. *Cancer Res*. Oct 1 1989;49(19):5459-5468.

Peters RK, Henderson BE. Trends in cervical cancer rates in Norway. *J Natl Cancer Inst*. Apr 20 1988;80(4):288-289.

Peters RK, Mack TM. Patterns of anal carcinoma by gender and marital status in Los Angeles County. *Br J Cancer*. Nov 1983;48(5):629-636.

Peters RK, Mack TM, Bernstein L. Parallels in the epidemiology of selected anogenital carcinomas. *J Natl Cancer Inst*. Mar 1984;72(3):609-615.

Peters RK, Mack TM, Garabrant DH, Homa DM, Pike MC. Calcium and colon cancer in Los Angeles County. In: Lipkin M, Newmark HL, Kelloff G, eds. *Calcium, Vitamin D, and Prevention of Colon Cancer*. Boston, MA: CRC Press; 1991:113-120.

Peters RK, Pike MC, Chang WW, Mack TM. Reproductive factors and colon cancers. *Br J Cancer*. May 1990;61(5):741-748.

Peters RK, Pike MC, Garabrant D, Mack TM. Diet and colon cancer in Los Angeles County, California. *Cancer Causes Control*. Sep 1992;3(5):457-473.

Peters RK, Thomas D, Hagan DG, Mack TM, Henderson BE. Risk factors for invasive cervical cancer among Latinas and non-Latinas in Los Angeles County. *J Natl Cancer Inst*. Nov 1986;77(5):1063-1077.

Peters RK, Thomas D, Skultin G, Henderson BE. Invasive squamous cell carcinoma of the cervix after recent negative cytologic test results--a distinct subgroup? *American journal of obstetrics and gynecology*. Apr 1988;158(4):926-935.

Peters U, Jiao S, Schumacher FR, et al. Identification of Genetic Susceptibility Loci for Colorectal Tumors in a Genome-Wide Meta-analysis. *Gastroenterology*. Apr 2013;144(4):799-807 e724.

Peto J, Henderson BE, Pike MC. Trends in mesothelioma incidence in the United States and the forecast epidemic due to asbestos exposure during World War II. In: Peto R, Schneiderman M, eds. Banbury Report 9: Quantification of Occupational Cancer 1981:51-69.

Peyre CG, Hagen JA, DeMeester SR, et al. The number of lymph nodes removed predicts survival in esophageal cancer: an international study on the impact of extent of surgical resection. *Ann Surg*. Oct 2008;248(4):549-556.

Pharoah PD, Palmieri RT, Ramus SJ, et al. The role of KRAS rs61764370 in invasive epithelial ovarian cancer: implications for clinical testing. *Clin Cancer Res*. Jun 1 2011;17(11):3742-3750.

Phelan CM, Tsai YY, Goode EL, et al. Polymorphism in the GALNT1 gene and epithelial ovarian cancer in non-Hispanic white women: the Ovarian Cancer Association Consortium. *Cancer Epidemiol Biomarkers Prev*. Feb 2010;19(2):600-604.

Phipps AI, Chan AT, Ogino S. Anatomic subsite of primary colorectal cancer and subsequent risk and distribution of second cancers. *Cancer*. Sep 1 2013;119(17):3140-3147.

Pierce BL, Ballard-Barbash R, Bernstein L, et al. Elevated biomarkers of inflammation are associated with reduced survival among breast cancer patients. *J Clin Oncol*. Jul 20 2009;27(21):3437-3444.

Pierce BL, Neuhouser ML, Wener MH, et al. Correlates of circulating C-reactive protein and serum amyloid A concentrations in breast cancer survivors. *Breast Cancer Res Treat*. Apr 10 2008.

Pierce BL, Neuhouser ML, Wener MH, et al. Correlates of circulating C-reactive protein and serum amyloid A concentrations in breast cancer survivors. *Breast Cancer Res Treat*. Mar 2009;114(1):155-167.

Pike MC, Bernstein L, Peters RK. Re: Dietary fat and postmenopausal breast cancer. *J Natl Cancer Inst*. Nov 4 1992;84(21):1666-1669.

Pike MC, Casagrande JT, Brown JB, Gerkins V, Henderson BE. Comparison of urinary and plasma hormone levels in daughters of breast cancer patients and controls. *J Natl Cancer Inst*. Nov 1977;59(5):1351-1355.

Pike MC, Edmondson HA, Benton B, Henderson BE. Liver adenomas and oral contraceptives. In: Hiatt HH, Watson JD, Winsten JA, eds. *Origins of Human Cancer*. Vol 41977:423-428.

Pike MC, Gerkins VR, Casagrande JT, Gray GE, Brown J, Henderson BE. The hormonal basis of breast cancer. National Cancer Institute monograph. Nov 1979(53):187-193.

Pike MC, Gordon RJ, Henderson BE, Menck H, Soohoo J. Air Pollution. In: Fraumeni JF, ed. Persons at High Risk to Cancer: An Approach to Cancer Etiology and Control: Academic Press, Inc., J Natl Cancer Inst Monogr; 1975.

Pike MC, Henderson BE, Casagrande JT, Rosario I, Gray GE. Oral contraceptive use and early abortion as risk factors for breast cancer in young women. Br J Cancer. Jan 1981;43(1):72-76.

Pike MC, Henderson BE, Kralo MD, Duke A, Roy S. Breast cancer and oral contraceptives: reply to critics. Lancet. Dec 17 1983;2(8364):1414.

Pike MC, Henderson BE, Kralo MD, Duke A, Roy S. Breast cancer in young women and use of oral contraceptives: possible modifying effect of formulation and age at use. Lancet. Oct 22 1983;2(8356):926-930.

Pike MC, Jing JS, Rosario IP, Henderson BE, Menck HR. Occupation - "Explanation" of an apparent air pollution related localized excess of lung cancer in Los Angeles County. Energy and Health: SIAM-SIMS Conference Series, No. 6; 1979:3-16.

Pike MC, Kolonel LN, Henderson BE, et al. Breast cancer in a multiethnic cohort in Hawaii and Los Angeles: risk factor-adjusted incidence in Japanese equals and in Hawaiians exceeds that in whites. Cancer Epidemiol Biomarkers Prev. Sep 2002;11(9):795-800.

Pike MC, Pearce CL, Peters R, Cozen W, Wan P, Wu AH. Hormonal factors and the risk of invasive ovarian cancer: a population-based case-control study. Fertil Steril. Jul 2004;82(1):186-195.

Pike MC, Peters RK, Bernstein L. Re: "Total energy intake: implications for epidemiologic analyses". Am J Epidemiol. Apr 1 1993;137(7):811-813.

Pike MC, Peters RK, Cozen W, et al. Estrogen-progestin replacement therapy and endometrial cancer. J Natl Cancer Inst. Aug 6 1997;89(15):1110-1116.

Pike MC, Ross RK. Breast cancer. Br Med Bull. Oct 1984;40(4):351-354.

Pike MC, Ross RK. Progestins and menopause: epidemiological studies of risks of endometrial and breast cancer. Steroids. Oct-Nov 2000;65(10-11):659-664.

Pike MC, Ross RK. RESPONSE: re: effect of hormone replacement therapy on breast cancer risk: estrogen versus estrogen plus progestin. J Natl Cancer Inst. Dec 6 2000;92(23):1951-1952.

Pini TM, Hawley ST, Li Y, Katz SJ, Griggs JJ. The influence of non-clinical patient factors on medical oncologists' decisions to recommend breast cancer adjuvant chemotherapy. Breast Cancer Res Treat. Jul 2012;134(2):867-874.

Plascak JJ, Fisher JL. Area-based socioeconomic position and adult glioma: a hierarchical analysis of surveillance epidemiology and end results data. *PLoS One*. 2013;8(4):e60910.

Platek ME, Merzianu M, Mashtare TL, et al. Improved survival following surgery and radiation therapy for olfactory neuroblastoma: analysis of the SEER database. *Radiat Oncol*. 2011;6:41.

Pogoda JM, Katz J, McKean-Cowdin R, Nichols PW, Ross RK, Preston-Martin S. Prescription drug use and risk of acute myeloid leukemia by French-American-British subtype: results from a Los Angeles County case-control study. *Int J Cancer*. Apr 20 2005;114(4):634-638.

Pogoda JM, Nichols PW, Preston-Martin S. Alcohol consumption and risk of adult-onset acute myeloid leukemia: results from a Los Angeles County case-control study. *Leuk Res*. Sep 2004;28(9):927-931.

Pogoda JM, Nichols PW, Ross RK, Stram DO, Thomas DC, Preston-Martin S. Diagnostic radiography and adult acute myeloid leukaemia: an interview and medical chart review study. *Br J Cancer*. Apr 26 2011;104(9):1482-1486.

Pogoda JM, Preston-Martin S. Solar radiation, lip protection, and lip cancer risk in Los Angeles County women (California, United States). *Cancer Causes Control*. Jul 1996;7(4):458-463.

Pogoda JM, Preston-Martin S. Household pesticides and risk of pediatric brain tumors. *Environ Health Perspect*. Nov 1997;105(11):1214-1220.

Pogoda JM, Preston-Martin S. Maternal cured meat consumption during pregnancy and risk of paediatric brain tumour in offspring: potentially harmful levels of intake. *Public health nutrition*. Apr 2001;4(2):183-189.

Pogoda JM, Preston-Martin S. Radiation exposure from diagnostic imaging: agreement between self-report and medical records. *Health physics*. Dec 2002;83(6):907-917.

Pogoda JM, Preston-Martin S. The potential impact of incomplete radiography histories in epidemiologic studies that rely on prepaid health plan records. *Health physics*. Oct 2002;83(4):567-570.

Pogoda JM, Preston-Martin S. Smoking and risk of acute myeloid leukemia in adults. *Cancer Causes Control*. Apr 2006;17(3):351-352.

Pogoda JM, Preston-Martin S, Howe G, et al. An international case-control study of maternal diet during pregnancy and childhood brain tumor risk: a histology-specific analysis by food group. *Ann Epidemiol*. Mar 2009;19(3):148-160.

Pogoda JM, Preston-Martin S, Nichols PW, Ross RK. Smoking and risk of acute myeloid leukemia: results from a Los Angeles County case-control study. *Am J Epidemiol*. Mar 15 2002;155(6):546-553.

Pokhrel KP, Vovoras D, Tsokos CP. Histological and Demographic Characteristics of the Distribution of Brain and Central Nervous System Tumors' Sizes: Results from SEER Registries Using Statistical Methods. International journal of biomedical science : IJBS. Sep 2012;8(3):152-162.

Pole JD, Darmawikarta D, Alibhai SM, Brandwein JM, Sung L. Differential survival improvement for patients 20-29 years of age with acute lymphoblastic leukemia. Leuk Res. Oct 2013;37(10):1258-1264.

Polednak AP. Trends in incidence rates of tobacco-related cancer, selected areas, SEER Program, United States, 1992-2004. Preventing chronic disease. Jan 2009;6(1):A16.

Polednak AP. Vocal fold palsy after surgery in elderly thyroid cancer patients with versus without comorbid diabetes. Surgery. Jun 2009;145(6):685-686.

Polednak AP. Lung cancer incidence trends by histologic type in areas of California vs. other areas in the Surveillance, Epidemiology and End Results Program. Cancer Epidemiol. Nov 2009;33(5):319-324.

Pollack CE, Bekelman JE, Epstein AJ, Liao K, Wong YN, Armstrong K. Racial disparities in changing to a high-volume urologist among men with localized prostate cancer. Med Care. Nov 2011;49(11):999-1006.

Pollack LA, Adamache W, Ehemann CR, Ryerson AB, Richardson LC. Enhancement of identifying cancer specialists through the linkage of Medicare claims to additional sources of physician specialty. Health services research. Apr 2009;44(2 Pt 1):562-576.

Pollack LA, Li J, Berkowitz Z, et al. Melanoma survival in the United States, 1992 to 2005. J Am Acad Dermatol. Nov 2011;65(5 Suppl 1):S78-86.

Pollitt RA, Clarke CA, Swetter SM, Peng DH, Zadnick J, Cockburn M. The expanding melanoma burden in California hispanics: Importance of socioeconomic distribution, histologic subtype, and anatomic location. Cancer. Jan 1 2011;117(1):152-161.

Polsky D, Armstrong KA, Randall TC, et al. Variation in chemotherapy utilization in ovarian cancer: the relative contribution of geography. Health services research. Dec 2006;41(6):2201-2218.

Porter MP, Kerrigan MC, Donato BM, Ramsey SD. Patterns of use of systemic chemotherapy for Medicare beneficiaries with urothelial bladder cancer. Urol Oncol. May-Jun 2011;29(3):252-258.

Portschy PR, Marmor S, Nzara R, Virnig BA, Tuttle TM. Trends in incidence and management of lobular carcinoma in situ: a population-based analysis. Ann Surg Oncol. Oct 2013;20(10):3240-3246.

Potosky AL, Davis WW, Hoffman RM, et al. Five-year outcomes after prostatectomy or radiotherapy for prostate cancer: the prostate cancer outcomes study. *J Natl Cancer Inst.* Sep 15 2004;96(18):1358-1367.

Potosky AL, Harlan LC, Stanford JL, et al. Prostate cancer practice patterns and quality of life: the Prostate Cancer Outcomes Study. *J Natl Cancer Inst.* Oct 20 1999;91(20):1719-1724.

Potosky AL, Knopf K, Clegg LX, et al. Quality-of-life outcomes after primary androgen deprivation therapy: results from the Prostate Cancer Outcomes Study. *J Clin Oncol.* Sep 1 2001;19(17):3750-3757.

Potosky AL, Legler J, Albertsen PC, et al. Health outcomes after prostatectomy or radiotherapy for prostate cancer: results from the Prostate Cancer Outcomes Study. *J Natl Cancer Inst.* Oct 4 2000;92(19):1582-1592.

Potosky AL, Merrill RM, Riley GF, et al. Breast cancer survival and treatment in health maintenance organization and fee-for-service settings. *J Natl Cancer Inst.* Nov 19 1997;89(22):1683-1691.

Potosky AL, Merrill RM, Riley GF, et al. Prostate cancer treatment and ten-year survival among group/staff HMO and fee-for-service Medicare patients. *Health services research.* Jun 1999;34(2):525-546.

Potosky AL, Miller BA, Albertsen PC, Kramer BS. The role of increasing detection in the rising incidence of prostate cancer. *Jama.* Feb 15 1995;273(7):548-552.

Potosky AL, Reeve BB, Clegg LX, et al. Quality of life following localized prostate cancer treated initially with androgen deprivation therapy or no therapy. *J Natl Cancer Inst.* Mar 20 2002;94(6):430-437.

Potosky AL, Riley GF, Lubitz JD, Mentnech RM, Kessler LG. Potential for cancer related health services research using a linked Medicare-tumor registry database. *Med Care.* Aug 1993;31(8):732-748.

Potosky AL, Warren JL, Riedel ER, Klabunde CN, Earle CC, Begg CB. Measuring complications of cancer treatment using the SEER-Medicare data. *Med Care.* Aug 2002;40(8 Suppl):IV-62-68.

Poynter JN, Amatruda JF, Ross JA. Trends in incidence and survival of pediatric and adolescent patients with germ cell tumors in the United States, 1975 to 2006. *Cancer.* Oct 15 2010;116(20):4882-4891.

Poynter JN, Figueiredo JC, Conti DV, et al. Variants on 9p24 and 8q24 are associated with risk of colorectal cancer: results from the Colon Cancer Family Registry. *Cancer Res.* Dec 1 2007;67(23):11128-11132.

Poynter JN, Haile RW, Siegmund KD, et al. Associations between smoking, alcohol consumption, and colorectal cancer, overall and by tumor microsatellite instability status. *Cancer Epidemiol Biomarkers Prev.* Oct 2009;18(10):2745-2750.

Poynter JN, Jacobs ET, Figueiredo JC, et al. Genetic variation in the vitamin D receptor (VDR) and the vitamin D-binding protein (GC) and risk for colorectal cancer: results from the Colon Cancer Family Registry. *Cancer Epidemiol Biomarkers Prev.* Feb 2010;19(2):525-536.

Poynter JN, Langholz B, Largent J, et al. Reproductive factors and risk of contralateral breast cancer by BRCA1 and BRCA2 mutation status: results from the WECARE study. *Cancer Causes Control.* Jun 2010;21(6):839-846.

Poynter JN, Siegmund KD, Weisenberger DJ, et al. Molecular Characterization of MSI-H Colorectal Cancer by MLHI Promoter Methylation, Immunohistochemistry, and Mismatch Repair Germline Mutation Screening. *Cancer Epidemiol Biomarkers Prev.* Nov 2008;17(11):3208-3215.

Prasad SM, Gu X, Lavelle R, Lipsitz SR, Hu JC. Comparative effectiveness of perineal versus retropubic and minimally invasive radical prostatectomy. *J Urol.* Jan 2011;185(1):111-115.

Prasad SM, Gu X, Lipsitz SR, Nguyen PL, Hu JC. Inappropriate utilization of radiographic imaging in men with newly diagnosed prostate cancer in the United States. *Cancer.* Mar 1 2012;118(5):1260-1267.

Prescott J, Lu Y, Chang ET, et al. Reproductive factors and non-Hodgkin lymphoma risk in the California Teachers Study. *PLoS One.* 2009;4(12):e8135.

Prescott J, Ma H, Bernstein L, Ursin G. Cigarette smoking is not associated with breast cancer risk in young women. *Cancer Epidemiol Biomarkers Prev.* Mar 2007;16(3):620-622.

Presley CJ, Raldow AC, Cramer LD, et al. A new approach to understanding racial disparities in prostate cancer treatment. *Journal of geriatric oncology.* Jan 2013;4(1):1-8.

Press DJ, Bernstein L. Invited commentary: reproductive organ surgeries and breast cancer risk--apples, oranges, or fruit cocktail? *Am J Epidemiol.* Mar 15 2013;177(6):500-503.

Press DJ, Sullivan-Halley J, Ursin G, et al. Breast cancer risk and ovariectomy, hysterectomy, and tubal sterilization in the women's contraceptive and reproductive experiences study. *Am J Epidemiol.* Jan 1 2011;173(1):38-47.

Press MF, Bernstein L, Thomas PA, et al. HER-2/neu gene amplification characterized by fluorescence in situ hybridization: poor prognosis in node-negative breast carcinomas. *J Clin Oncol.* Aug 1997;15(8):2894-2904.

Preston-Martin S. A case-control study of intracranial meningiomas in women. *Am J Epidemiol.* 1978;108:233-234.

Preston-Martin S. The epidemiology of intracranial meningiomas in women in Los Angeles County [Dissertation]. Los Angeles, CA: UCLA School of Public Health, Division of Epidemiology, University of California, Los Angeles; 1978.

Preston-Martin S. N-nitroso compounds as a cause of human cancer. *IARC scientific publications.* 1987(84):477-484.

Preston-Martin S. Descriptive epidemiology of primary tumors of the brain, cranial nerves and cranial meninges in Los Angeles County. *Neuroepidemiology.* 1989;8(6):283-295.

Preston-Martin S. Prior x-ray therapy for acne related to tumors of the parotid gland. *Arch Dermatol.* Jul 1989;125(7):921-924.

Preston-Martin S. A case-control study of brain tumors in men in Los Angeles County: Investigation of N-nitroso compound exposures. *IARC scientific publications.* 1990;105:221-227.

Preston-Martin S. Descriptive epidemiology of primary tumors of the spinal cord and spinal meninges in Los Angeles County, 1972-1985. *Neuroepidemiology.* 1990;9(2):106-111.

Preston-Martin S. The etiology of brain tumors in humans. Paper presented at: The Toxicology Forum, 1995 Annual Winter Meeting 1995; The Capitol Hilton, Washington D.C.

Preston-Martin S. Epidemiology. In: Berger MS, Wilson CB, eds. *Textbook of Gliomas.* 1st ed. Cambridge, MA: W.B. Saunders Co.; 1996.

Preston-Martin S. Epidemiology of primary CNS neoplasms. *Neurol Clin.* May 1996;14(2):273-290.

Preston-Martin S. Epidemiology. In: Petrovich Z, Brady LW, Apuzzo ML, eds. *Combined Modality Therapy of Central Nervous System Tumors:* Springer-Verlag; 2000:1-17.

Preston-Martin S. Central Nervous Tumors, Epidemiology. In: Aminoff MJ, Daroff RB, eds. *Encyclopedia of the Neurological Sciences.* Vol 1. San Diego, CA: Elsevier/Academic Press; 2003:557-566.

Preston-Martin S, Bernstein L, Maldonado AA, Henderson BE, White SC. A dental x-ray validation study. Comparison of information from patient interviews and dental charts. *Am J Epidemiol.* Mar 1985;121(3):430-439.

Preston-Martin S, Bernstein L, Pike MC, Maldonado AA, Henderson BE. Thyroid cancer among young women related to prior thyroid disease and pregnancy history. *Br J Cancer*. Feb 1987;55(2):191-195.

Preston-Martin S, Davis F, McKean-Cowdin R. Epidemiology of primary brain tumors. In: Becker D, Liau LM, eds. *Brain Tumor Immunotherapy*: Humana Press, Inc.; 2001:7-71.

Preston-Martin S, Franceschi S, Ron E, Negri E. Thyroid cancer pooled analysis from 14 case-control studies: what have we learned? *Cancer Causes Control*. Oct 2003;14(8):787-789.

Preston-Martin S, Garabrant D. Occupational risks for meningiomas. *Journal of occupational medicine*. : official publication of the Industrial Medical Association. Jan 1988;30(1):14, 16, 18.

Preston-Martin S, Gurney JG, Pogoda JM, Holly EA, Mueller BA. Brain tumor risk in children in relation to use of electric blankets and water bed heaters. Results from the United States West Coast Childhood Brain Tumor Study. *Am J Epidemiol*. Jun 1 1996;143(11):1116-1122.

Preston-Martin S, Henderson BE. N-nitroso compounds and human intracranial tumours. *IARC scientific publications*. 1984(57):887-894.

Preston-Martin S, Henderson BE. Esthesioneuroblastoma. *CA: a cancer journal for clinicians*. Nov-Dec 1984;34(6):356.

Preston-Martin S, Henderson BE, Bernstein L. Medical and dental x rays as risk factors for recently diagnosed tumors of the head. *National Cancer Institute monograph*. Dec 1985;69:175-179.

Preston-Martin S, Henderson BE, Peters JM. Descriptive epidemiology of central nervous system neoplasms in Los Angeles County. *Ann N Y Acad Sci*. 1982;381:202-208.

Preston-Martin S, Henderson BE, Pike MC. Descriptive epidemiology of cancers of the upper respiratory tract in Los Angeles. *Cancer*. May 15 1982;49(10):2201-2207.

Preston-Martin S, Henderson BE, Yu MC. The epidemiology of intracranial meningiomas in Los Angeles County. *Neuroepidemiology*. 1984;2:164-178.

Preston-Martin S, Mack W. Gliomas and meningiomas in men in Los Angeles County: investigation of exposures to N-nitroso compounds. *IARC scientific publications*. 1991(105):197-203.

Preston-Martin S, Mack W. Neoplasms of the nervous system. In: Schottenfeld D, Fraumeni JFJ, eds. *Cancer Epidemiology and Prevention*. 2nd ed. New York, NY: Oxford University Press; 1996:1231-1281.

Preston-Martin S, Mack W, Henderson BE. Risk factors for gliomas and meningiomas in males in Los Angeles County. *Cancer Res.* Nov 1 1989;49(21):6137-6143.

Preston-Martin S, Menck HR. The epidemiology of thyroid cancer in Los Angeles county. *The Western journal of medicine.* Nov 1979;131(5):369-372.

Preston-Martin S, Monroe K, Lee PJ, et al. Spinal meningiomas in women in Los Angeles County: investigation of an etiological hypothesis. *Cancer Epidemiol Biomarkers Prev.* Jun 1995;4(4):333-339.

Preston-Martin S, Munir S, Chakrabarti I. Neoplasms of the nervous system. In: Schottenfeld D, Fraumeni JFJ, eds. *Cancer Epidemiology and Prevention.* 3rd ed. New York: Oxford University Press; 2006:1173-1195.

Preston-Martin S, Navidi W, Thomas D, Lee PJ, Bowman J, Pogoda J. Los Angeles study of residential magnetic fields and childhood brain tumors. *Am J Epidemiol.* Jan 15 1996;143(2):105-119.

Preston-Martin S, Navidi W, Thomas D, Lee P-J, Bowman J, Pogoda J. Evolution of epidemiological evidence on magnetic fields and childhood cancers. *Am J Epidemiol.* 1996;143:133-134.

Preston-Martin S, Paganini-Hill A, Henderson BE, Pike MC, Wood C. Case-control study of intracranial meningiomas in women in Los Angeles County, California. *J Natl Cancer Inst.* Jul 1980;65(1):67-73.

Preston-Martin S, Peters JM. Prior employment as a welder associated with the development of chronic myeloid leukaemia. *Br J Cancer.* Jul 1988;58(1):105-108.

Preston-Martin S, Peters JM, Yu MC, Garabrant DH, Bowman JD. Myelogenous leukemia and electric blanket use. *Bioelectromagnetics.* 1988;9(3):207-213.

Preston-Martin S, Pike MC, Ross RK, Henderson BE. Epidemiologic evidence for the increased cell proliferation model of carcinogenesis. In: Butterworth BE, Slaga TJ, Farland W, eds. *Chemically Induced Cell Proliferation: Implications for Risk Assessment.* New York, NY: Wiley-Liss, Inc.; 1991:21-34.

Preston-Martin S, Pike MC, Ross RK, Henderson BE. Epidemiologic evidence for the increased cell proliferation model of carcinogenesis. *Environ Health Perspect.* Dec 1993;101 Suppl 5:137-138.

Preston-Martin S, Pike MC, Ross RK, Jones PA, Henderson BE. Increased cell proliferation as a cause of human cancer. *Cancer Res.* 1990;503:7415-7421.

Preston-Martin S, Pogoda JM. Estimation of radiographic doses in a case-control study of acute myelogenous leukemia. *Health physics*. Feb 2003;84(2):245-259.

Preston-Martin S, Pogoda JM, Mueller BA, Holly EA, Lijinsky W, Davis RL. Maternal consumption of cured meats and vitamins in relation to pediatric brain tumors. *Cancer Epidemiol Biomarkers Prev*. Aug 1996;5(8):599-605.

Preston-Martin S, Pogoda JM, Mueller BA, et al. Prenatal vitamin supplementation and risk of childhood brain tumors. *Int J Cancer Suppl*. 1998;11:17-22.

Preston-Martin S, Pogoda JM, Mueller BA, et al. Results from an international case-control study of childhood brain tumors: the role of prenatal vitamin supplementation. *Environ Health Perspect*. Jun 1998;106 Suppl 3:887-892.

Preston-Martin S, Pogoda JM, Schlehofer B, et al. An international case-control study of adult glioma and meningioma: the role of head trauma. *Int J Epidemiol*. Aug 1998;27(4):579-586.

Preston-Martin S, Thomas DC, Henderson BE. Medical x-rays and adult-onset myelogenous leukemia in Los Angeles. In: Schmitz-Feuerhake I, Lengfelder E, eds. 100 Jahre Roentgen: Medizinische Gesellschaft für Strahlenschutz e.V. Berlin1997.

Preston-Martin S, Thomas DC, White SC, Cohen D. Prior exposure to medical and dental x-rays related to tumors of the parotid gland. *J Natl Cancer Inst*. Aug 17 1988;80(12):943-949.

Preston-Martin S, Thomas DC, Wright WE, Henderson BE. Noise trauma in the aetiology of acoustic neuromas in men in Los Angeles County, 1978-1985. *Br J Cancer*. May 1989;59(5):783-786.

Preston-Martin S, Thomas DC, Yu MC, Henderson BE. Diagnostic radiography as a risk factor for chronic myeloid and monocytic leukaemia (CML). *Br J Cancer*. Apr 1989;59(4):639-644.

Preston-Martin S, White SC. Brain and salivary gland tumors related to prior dental radiography: implications for current practice. *J Am Dent Assoc*. Feb 1990;120(2):151-158.

Preston-Martin S, Yu MC, Benton B, Henderson BE. N-Nitroso compounds and childhood brain tumors: a case-control study. *Cancer Res*. Dec 1982;42(12):5240-5245.

Preston-Martin S, Yu MC, Henderson BE, Roberts C. Risk factors for meningiomas in men in Los Angeles County. *J Natl Cancer Inst*. May 1983;70(5):863-866.

Price B, Ware A. Time trend of mesothelioma incidence in the United States and projection of future cases: An update based on SEER data for 1973 through 2005. *Crit Rev Toxicol*. 2009;39(7):576-588.

Prokunina-Olsson L, Fu YP, Tang W, et al. Refining the prostate cancer genetic association within the JAZF1 gene on chromosome 7p15.2. *Cancer Epidemiol Biomarkers Prev.* May 2010;19(5):1349-1355.

Pronk A, Nuckols JR, De Roos AJ, et al. Residential proximity to industrial combustion facilities and risk of non-Hodgkin lymphoma: a case-control study. *Environ Health.* Feb 22 2013;12(1):20.

Propp JM, McCarthy BJ, Davis FG, Preston-Martin S. Descriptive epidemiology of vestibular schwannomas. *Neuro-oncol.* Jan 2006;8(1):1-11.

Pruitt SL, Harzke AJ, Davidson NO, Shootman M. Do diagnostic and treatment delays for colorectal cancer increase risk of death? *Cancer Causes Control.* May 2013;24(5):961-977.

Pugh TJ, Ballonoff A, Newman F, Rabinovitch R. Improved survival in patients with early stage low-grade follicular lymphoma treated with radiation: a Surveillance, Epidemiology, and End Results database analysis. *Cancer.* Aug 15 2010;116(16):3843-3851.

Pugh TJ, Ballonoff A, Rusthoven KE, et al. Cardiac mortality in patients with stage I and II diffuse large B-cell lymphoma treated with and without radiation: a surveillance, epidemiology, and end-results analysis. *Int J Radiat Oncol Biol Phys.* Mar 1 2010;76(3):845-849.

Pui CH, Pei D, Pappo AS, et al. Treatment Outcomes in Black and White Children With Cancer: Results From the SEER Database and St Jude Children's Research Hospital, 1992 Through 2007. *J Clin Oncol.* Jun 1 2012;30(16):2005-2012.

Pulido JS, Vierkant RA, Olson JE, Abrey L, Schiff D, O'Neill BP. Racial differences in primary central nervous system lymphoma incidence and survival rates. *Neuro Oncol.* Jun 2009;11(3):318-322.

Pullarkat ST, Danley K, Bernstein L, Brynes RK, Cozen W. High Lifetime Incidence of Adult Acute Lymphoblastic Leukemia among Hispanics in California. *Cancer Epidemiol Biomarkers Prev.* Feb 2009;18(2):611-615.

Punglia RS, Saito AM, Neville BA, Earle CC, Weeks JC. Impact of interval from breast conserving surgery to radiotherapy on local recurrence in older women with breast cancer: retrospective cohort analysis. *Bmj.* 2010;340:c845.

Punglia RS, Weeks JC, Neville BA, Earle CC. Radiation therapy after mastectomy between 1991 and 1999 in elderly women: response to clinical trial information. *J Clin Oncol.* Jul 20 2006;24(21):3474-3482.

Punglia RS, Weeks JC, Neville BA, Earle CC. Effect of distance to radiation treatment facility on use of radiation therapy after mastectomy in elderly women. *Int J Radiat Oncol Biol Phys.* Sep 1 2006;66(1):56-63.

Purdue MP, Bakke B, Stewart P, et al. A case-control study of occupational exposure to trichloroethylene and non-Hodgkin lymphoma. *Environ Health Perspect*. Feb 2011;119(2):232-238.

Purdue MP, Freedman DM, Gapstur SM, et al. Circulating 25-hydroxyvitamin d and risk of non-hodgkin lymphoma: cohort consortium vitamin d pooling project of rarer cancers. *Am J Epidemiol*. Jul 1 2010;172(1):58-69.

Purdue MP, Hartge P, Davis S, et al. Sun exposure, vitamin D receptor gene polymorphisms and risk of non-Hodgkin lymphoma. *Cancer Causes Control*. Nov 2007;18(9):989-999.

Purdue MP, Hashibe M, Berthiller J, et al. Type of alcoholic beverage and risk of head and neck cancer--a pooled analysis within the INHANCE Consortium. *Am J Epidemiol*. Jan 15 2009;169(2):132-142.

Purdue MP, Lan Q, Wang SS, et al. A Pooled Investigation of Toll-Like Receptor Gene Variants and Risk of Non-Hodgkin Lymphoma. *Carcinogenesis*. Nov 24 2008.

Purdue MP, Lan Q, Wang SS, et al. A pooled investigation of Toll-like receptor gene variants and risk of non-Hodgkin lymphoma. *Carcinogenesis*. Feb 2009;30(2):275-281.

Purdue MP, Severson RK, Colt JS, et al. Degreasing and risk of non-Hodgkin lymphoma. *Occup Environ Med*. Nov 18 2008.

Purdue MP, Severson RK, Colt JS, et al. Degreasing and risk of non-Hodgkin lymphoma. *Occup Environ Med*. Aug 2009;66(8):557-560.

Purim O, Gordon N, Brenner B. Cancer of the colon and rectum: Potential effects of sex-age interactions on incidence and outcome. *Medical science monitor : international medical journal of experimental and clinical research*. 2013;19:203-209.

Puumala SE, Carozza SE, Chow EJ, et al. Childhood cancer among twins and higher order multiples. *Cancer Epidemiol Biomarkers Prev*. Jan 2009;18(1):162-168.

Qaddoumi I, Sultan I, Gajjar A. Outcome and prognostic features in pediatric gliomas: a review of 6212 cases from the Surveillance, Epidemiology, and End Results database. *Cancer*. Oct 7 2009;115(24):5761-5770.

Quaglia A, Lillini R, Crocetti E, Buzzoni C, Vercelli M. Incidence and mortality trends for four major cancers in the elderly and middle-aged adults: An international comparison. *Surgical oncology*. Jun 2013;22(2):e31-38.

Quaye L, Song H, Ramus SJ, et al. Tagging single-nucleotide polymorphisms in candidate oncogenes and susceptibility to ovarian cancer. *Br J Cancer*. Mar 24 2009;100(6):993-1001.

Quek RG, Master VA, Ward KC, et al. Determinants of the combined use of external beam radiotherapy and brachytherapy for low-risk, clinically localized prostate cancer. *Cancer*. Oct 15 2013;119(20):3619-3628.

Quinlan SC, Morton LM, Pfeiffer RM, et al. Increased risk for lymphoid and myeloid neoplasms in elderly solid-organ transplant recipients. *Cancer Epidemiol Biomarkers Prev*. May 2010;19(5):1229-1237.

Quon JL, Yu JB, Soullos PR, Gross CP. The relation between age and androgen deprivation therapy use among men in the Medicare population receiving radiation therapy for prostate cancer. *Journal of geriatric oncology*. Jan 1 2013;4(1):9-18.

Ra J, Paulson EC, Kucharczuk J, et al. Postoperative mortality after esophagectomy for cancer: development of a preoperative risk prediction model. *Ann Surg Oncol*. Jun 2008;15(6):1577-1584.

Rajan SJ, Carpenter WR, Stearns SC, Lyman GH. Short-term costs associated with primary prophylactic G-CSF use during chemotherapy. *Am J Manag Care*. Feb 2013;19(2):150-159.

Rajan SS, Lyman GH, Carpenter WR, Stearns SC. Chemotherapy characteristics are important predictors of primary prophylactic CSF administration in older patients with breast cancer. *Breast Cancer Res Treat*. Jun 2011;127(2):511-520.

Rajan SS, Lyman GH, Stearns SC, Carpenter WR. Effect of primary prophylactic granulocyte-colony stimulating factor use on incidence of neutropenia hospitalizations for elderly early-stage breast cancer patients receiving chemotherapy. *Med Care*. Jul 2011;49(7):649-657.

Rajan SS, Stearns SC, Lyman GH, Carpenter WR. Effect of primary prophylactic G-CSF use on systemic therapy administration for elderly breast cancer patients. *Breast Cancer Res Treat*. Nov 2011;130(1):255-266.

Rajaraman P, Melin BS, Wang Z, et al. Genome-wide association study of glioma and meta-analysis. *Hum Genet*. Dec 2012;131(12):1877-1888.

Raji MA, Kuo YF, Freeman JL, Goodwin JS. Effect of a dementia diagnosis on survival of older patients after a diagnosis of breast, colon, or prostate cancer: implications for cancer care. *Arch Intern Med*. Oct 13 2008;168(18):2033-2040.

Ramanah R, Lesieur B, Ballester M, Darai E, Rouzier R. Trends in Treatment and Survival of Late-Stage Squamous Cell Vulvar Carcinomas: Analysis of the Surveillance, Epidemiology, and End Results (SEER) Database. *Int J Gynecol Cancer*. Jun 2012;22(5):854-859.

Ramsey SD, Berry K, Etzioni R. Lifetime cancer-attributable cost of care for long term survivors of colorectal cancer. *The American journal of gastroenterology*. Feb 2002;97(2):440-445.

Ramsey SD, Zeliadt SB, Arora NK, et al. Unanticipated and underappreciated outcomes during management of local stage prostate cancer: a prospective survey. *J Urol.* Jul 2010;184(1):120-125.

Ramsey SD, Zeliadt SB, Arora NK, et al. Access to information sources and treatment considerations among men with local stage prostate cancer. *Urology.* Sep 2009;74(3):509-515.

Ramsey SD, Zeliadt SB, Blough DK, et al. Complementary and Alternative Medicine Use, Patient-reported Outcomes, and Treatment Satisfaction Among Men With Localized Prostate Cancer. *Urology.* May 2012;79(5):1034-1041.

Ramsingh G, Mehan P, Luo J, Vij R, Morgensztern D. Primary plasma cell leukemia: a Surveillance, Epidemiology, and End Results database analysis between 1973 and 2004. *Cancer.* Oct 28 2009;115(24):5734-5739.

Ramus SJ, Vierkant RA, Johnatty SE, et al. Consortium analysis of 7 candidate SNPs for ovarian cancer. *Int J Cancer.* Jul 15 2008;123(2):380-388.

Randolph WM, Goodwin JS, Mahnken JD, Freeman JL. Regular mammography use is associated with elimination of age-related disparities in size and stage of breast cancer at diagnosis. *Ann Intern Med.* Nov 19 2002;137(10):783-790.

Randolph WM, Mahnken JD, Goodwin JS, Freeman JL. Using Medicare data to estimate the prevalence of breast cancer screening in older women: comparison of different methods to identify screening mammograms. *Health services research.* Dec 2002;37(6):1643-1657.

Rauh-Hain JA, Clemmer J, Clark RM, et al. Racial disparities and changes in clinical characteristics and survival for vulvar cancer over time. *American journal of obstetrics and gynecology.* Nov 2013;209(5):468 e461-468 e410.

Rauh-Hain JA, Davis M, Clemmer J, et al. Prognostic determinants in patients with uterine and ovarian clear cell carcinoma: A SEER analysis. *Gynecol Oncol.* Nov 2013;131(2):404-409.

Rauh-Hain JA, Diver EJ, Clemmer JT, et al. Carcinosarcoma of the ovary compared to papillary serous ovarian carcinoma: A SEER analysis. *Gynecol Oncol.* Oct 2013;131(1):46-51.

Ray G, Henson DE, Schwartz AM. Cigarette smoking as a cause of cancers other than lung cancer: an exploratory study using the Surveillance, Epidemiology, and End Results Program. *Chest.* Sep 2010;138(3):491-499.

Razavi P, Lee E, Bernstein L, Van Den Berg D, Horn-Ross PL, Ursin G. Variations in sex hormone metabolism genes, postmenopausal hormone therapy and risk of endometrial cancer. *Int J Cancer.* Apr 1 2012;130(7):1629-1638.

Razavi P, Pike MC, Horn-Ross PL, Templeman C, Bernstein L, Ursin G. Long-term Postmenopausal Hormone Therapy and Endometrial Cancer. *Cancer Epidemiol Biomarkers Prev.* Feb 2010;19(2):475-483.

Rebbeck TR, Devesa SS, Chang BL, et al. Global patterns of prostate cancer incidence, aggressiveness, and mortality in men of african descent. *Prostate Cancer.* 2013;2013:560857.

Redaniel MT, Laudico A, Mirasol-Lumague MR, et al. Breast cancer survival in different country settings: comparisons between a Filipino resident population, Filipino-Americans and Caucasians. *Breast.* Apr 2010;19(2):109-114.

Redaniel MT, Laudico A, Mirasol-Lumague MR, et al. Ethnicity and health care in cervical cancer survival: comparisons between a Filipino resident population, Filipino-Americans, and Caucasians. *Cancer Epidemiol Biomarkers Prev.* Aug 2009;18(8):2228-2234.

Redaniel MT, Laudico A, Mirasol-Lumague MR, et al. Ovarian cancer survival population differences: a "high resolution study" comparing Philippine residents, and Filipino-Americans and Caucasians living in the US. *BMC Cancer.* 2009;9:340.

Reding KW, Bernstein JL, Langholz BM, et al. Adjuvant systemic therapy for breast cancer in BRCA1/BRCA2 mutation carriers in a population-based study of risk of contralateral breast cancer. *Breast Cancer Res Treat.* Sep 2010;123(2):491-498.

Reding KW, Carlson CS, Kahlai O, et al. Examination of ancestral informative markers and self-reported race with tumor characteristics of breast cancer among black and white women. *Breast Cancer Res Treat.* Jul 2012;134(2):801-809.

Reding KW, Chen C, Lowe K, et al. Estrogen-related genes and their contribution to racial differences in breast cancer risk. *Cancer Causes Control.* May 2012;23(5):671-681.

Reedy J, Wirfalt E, Flood A, et al. Comparing 3 dietary pattern methods--cluster analysis, factor analysis, and index analysis--With colorectal cancer risk: The NIH-AARP Diet and Health Study. *Am J Epidemiol.* Feb 15 2010;171(4):479-487.

Reese AC, Whitson JM, Meng MV. Natural history of untreated renal cell carcinoma with venous tumor thrombus. *Urol Oncol.* Oct 2013;31(7):1305-1309.

Reese ES, Onukwugha E, Hanna N, Seal BS, Mullins CD. Clinical and demographic characteristics associated with the receipt of chemotherapy treatment among 7951 elderly metastatic colon cancer patients. *Cancer medicine.* Dec 2013;2(6):907-915.

Reeve BB, Potosky AL, Smith AW, et al. Impact of cancer on health-related quality of life of older Americans. *J Natl Cancer Inst.* Jun 16 2009;101(12):860-868.

Reeve BB, Smith AW, Arora NK, Hays RD. Reducing bias in cancer research: application of propensity score matching. *Health care financing review*. Summer 2008;29(4):69-80.

Reeve BB, Stover AM, Alfano CM, et al. The Piper Fatigue Scale-12 (PFS-12): psychometric findings and item reduction in a cohort of breast cancer survivors. *Breast Cancer Res Treat*. Nov 2012;136(1):9-20.

Reichardt JK, Makridakis N, Henderson BE, Yu MC, Pike MC, Ross RK. Genetic variability of the human SRD5A2 gene: implications for prostate cancer risk. *Cancer Res*. Sep 15 1995;55(18):3973-3975.

Reichman ME, Altekruse S, Li CI, et al. Feasibility study for collection of HER2 data by National Cancer Institute (NCI) Surveillance, Epidemiology, and End Results (SEER) Program central cancer registries. *Cancer Epidemiol Biomarkers Prev*. Jan 2010;19(1):144-147.

Reid BC, Alberg AJ, Klassen AC, et al. A comparison of three comorbidity indexes in a head and neck cancer population. *Oral Oncol*. Feb 2002;38(2):187-194.

Reid BC, Alberg AJ, Klassen AC, et al. Comorbidity and survival of elderly head and neck carcinoma patients. *Cancer*. Oct 15 2001;92(8):2109-2116.

Reid BC, Warren JL, Rozier G. Comorbidity and early diagnosis of head and neck cancer in a Medicare population. *American journal of preventive medicine*. Dec 2004;27(5):373-378.

Reiner AS, Jacks LM, Van Zee KJ, Panageas KS. A SEER-Medicare population-based study of lymphedema-related claims incidence following breast cancer in men. *Breast Cancer Res Treat*. Nov 2011;130(1):301-306.

Reiner AS, John EM, Brooks JD, et al. Risk of Asynchronous Contralateral Breast Cancer in Noncarriers of BRCA1 and BRCA2 Mutations With a Family History of Breast Cancer: A Report From the Women's Environmental Cancer and Radiation Epidemiology Study. *J Clin Oncol*. Feb 1 2013;31(4):433-439.

Rengan R, Mitra N, Liao K, Armstrong K, Vachani A. Effect of HIV on survival in patients with non-small-cell lung cancer in the era of highly active antiretroviral therapy: a population-based study. *The lancet oncology*. Dec 2012;13(12):1203-1209.

Rescigno J, Zampell JC, Axelrod D. Patterns of axillary surgical care for breast cancer in the era of sentinel lymph node biopsy. *Ann Surg Oncol*. Mar 2009;16(3):687-696.

Resnick MJ, Koyama T, Fan KH, et al. Long-term functional outcomes after treatment for localized prostate cancer. *N Engl J Med*. Jan 31 2013;368(5):436-445.

Revels SL, Banerjee M, Yin H, Sonnenday CJ, Birkmeyer JD. Racial Disparities in Surgical Resection and Survival among Elderly Patients with Poor Prognosis Cancer. *J Am Coll Surg*. Feb 2013;216(2):312-319.

Revels SL, Morris AM, Reddy RM, Akateh C, Wong SL. Racial disparities in esophageal cancer outcomes. *Ann Surg Oncol*. Apr 2013;20(4):1136-1141.

Reyes-Ortiz CA, Eschbach K, Zhang DD, Goodwin JS. Neighborhood composition and cancer among Hispanics: tumor stage and size at time of diagnosis. *Cancer Epidemiol Biomarkers Prev*. Nov 2008;17(11):2931-2936.

Reyes-Ortiz CA, Goodwin JS, Freeman JL, Kuo YF. Socioeconomic status and survival in older patients with melanoma. *J Am Geriatr Soc*. Nov 2006;54(11):1758-1764.

Reyes-Ortiz CA, Goodwin JS, Zhang DD, Freeman JL. Socioeconomic Status and Chemotherapy Use for Melanoma in Older People. *Can J Aging*. Mar 1 2011;30:1-11.

Reynolds P, Goldberg D, Hurley S, et al. Passive smoking and risk of breast cancer in the California teachers study. *Cancer Epidemiol Biomarkers Prev*. Dec 2009;18(12):3389-3398.

Reynolds P, Goldberg DE, Hurley S. Prevalence and patterns of environmental tobacco smoke exposures among California teachers. *American journal of health promotion : AJHP*. May-Jun 2004;18(5):358-365.

Reynolds P, Hurley S, Goldberg D. Accumulating evidence on passive and active smoking and breast cancer risk. *Int J Cancer*. Jul 1 2006;119(1):239; author reply 240-231.

Reynolds P, Hurley S, Goldberg DE, et al. Regional variations in breast cancer among California teachers. *Epidemiology*. Nov 2004;15(6):746-754.

Reynolds P, Hurley S, Goldberg DE, et al. Active smoking, household passive smoking, and breast cancer: evidence from the California Teachers Study. *J Natl Cancer Inst*. Jan 7 2004;96(1):29-37.

Reynolds P, Hurley SE, Goldberg DE, et al. Residential proximity to agricultural pesticide use and incidence of breast cancer in the California Teachers Study cohort. *Environ Res*. Oct 2004;96(2):206-218.

Reynolds P, Hurley SE, Hoggatt K, et al. Correlates of active and passive smoking in the California Teachers Study cohort. *J Womens Health (Larchmt)*. Sep 2004;13(7):778-790.

Reynolds P, Von Behren J, Elkin EP. Birth characteristics and leukemia in young children. *Am J Epidemiol*. Apr 1 2002;155(7):603-613.

Riall TS, Sheffield KM, Kuo YF, Townsend CM, Jr., Goodwin JS. Resection benefits older adults with locoregional pancreatic cancer despite greater short-term morbidity and mortality. *J Am Geriatr Soc.* Apr 2011;59(4):647-654.

Riall TS, Townsend CM, Jr., Kuo YF, Freeman JL, Goodwin JS. Dissecting racial disparities in the treatment of patients with locoregional pancreatic cancer: a 2-Step Process. *Cancer.* Feb 15 2010;116(4):930-939.

Ricciardi R, Roberts PL, Read TE, Baxter NN, Marcello PW, Schoetz DJ. Presence of specialty surgeons reduces the likelihood of colostomy after proctectomy for rectal cancer. *Dis Colon Rectum.* Feb 2011;54(2):207-213.

Richards TB, Johnson CJ, Tatalovich Z, et al. Association between cutaneous melanoma incidence rates among white US residents and county-level estimates of solar ultraviolet exposure. *J Am Acad Dermatol.* Nov 2011;65(5 Suppl 1):S50-57.

Richardson JL, Langholz B, Bernstein L, Burciaga C, Danley K, Ross RK. Stage and delay in breast cancer diagnosis by race, socioeconomic status, age and year. *Br J Cancer.* Jun 1992;65(6):922-926.

Richardson RB. p53 mutations associated with aging-related rise in cancer incidence rates. *Cell cycle (Georgetown, Tex.).* Aug 1 2013;12(15):2468-2478.

Riley GF, Feuer EJ, Lubitz JD. Disenrollment of Medicare cancer patients from health maintenance organizations. *Med Care.* Aug 1996;34(8):826-836.

Riley GF, Ingber MJ, Tudor CG. Disenrollment of Medicare beneficiaries from HMOs. *Health affairs (Project Hope).* Sep-Oct 1997;16(5):117-124.

Riley GF, Potosky AL, Klabunde CN, Warren JL, Ballard-Barbash R. Stage at diagnosis and treatment patterns among older women with breast cancer: an HMO and fee-for-service comparison. *Jama.* Feb 24 1999;281(8):720-726.

Riley GF, Potosky AL, Lubitz JD, Brown ML. Stage of cancer at diagnosis for Medicare HMO and fee-for-service enrollees. *Am J Public Health.* Oct 1994;84(10):1598-1604.

Riley GF, Potosky AL, Lubitz JD, Kessler LG. Medicare payments from diagnosis to death for elderly cancer patients by stage at diagnosis. *Med Care.* Aug 1995;33(8):828-841.

Rim SH, Seeff L, Ahmed F, King JB, Coughlin SS. Colorectal cancer incidence in the United States, 1999-2004 : an updated analysis of data from the National Program of Cancer Registries and the Surveillance, Epidemiology, and End Results Program. *Cancer.* May 1 2009;115(9):1967-1976.

Rineer J, Schreiber D, Choi K, Rotman M. Characterization and outcomes of infratentorial malignant glioma: a population-based study using the Surveillance Epidemiology and End-Results database. *Radiother Oncol*. Jun 2010;95(3):321-326.

Robbins AS, Koppie TM, Gomez SL, Parikh-Patel A, Mills PK. Differences in prognostic factors and survival among white and Asian men with prostate cancer, California, 1995-2004. *Cancer*. Sep 15 2007;110(6):1255-1263.

Robbins AS, Yin D, Parikh-Patel A. Differences in prognostic factors and survival among White men and Black men with prostate cancer, California, 1995-2004. *Am J Epidemiol*. Jul 1 2007;166(1):71-78.

Roberts CB, Albertsen PC, Shao YH, et al. Patterns and correlates of prostate cancer treatment in older men. *Am J Med*. Mar 2011;124(3):235-243.

Roberts CB, Jang TL, Shao YH, Kabadi S, Moore DF, Lu-Yao GL. Treatment profile and complications associated with cryotherapy for localized prostate cancer: a population-based study. *Prostate Cancer Prostatic Dis*. Dec 2011;14(4):313-319.

Rodriguez C, Jacobs EJ, Deka A, et al. Use of blood-pressure-lowering medication and risk of prostate cancer in the Cancer Prevention Study II Nutrition Cohort. *Cancer Causes Control*. Jul 2009;20(5):671-679.

Rodriguez D, Cheung MC, Housri N, Quinones-Hinojosa A, Camphausen K, Koniaris LG. Outcomes of malignant CNS ependymomas: an examination of 2408 cases through the Surveillance, Epidemiology, and End Results (SEER) database (1973-2005). *J Surg Res*. Oct 2009;156(2):340-351.

Roehrborn CG, Albertsen P, Stokes ME, Black L, Benedict A. First-year costs of treating prostate cancer: estimates from SEER-Medicare data. *Prostate Cancer Prostatic Dis*. 2009;12(4):355-360.

Roetzheim RG, Chirikos TN. Breast cancer detection and outcomes in a disability beneficiary population. *J Health Care Poor Underserved*. Nov 2002;13(4):461-476.

Roetzheim RG, Chirikos TN, Wells KJ, et al. Managed care and cancer outcomes for Medicare beneficiaries with disabilities. *Am J Manag Care*. May 2008;14(5):287-296.

Roetzheim RG, Ferrante JM, Lee JH, et al. Influence of primary care on breast cancer outcomes among medicare beneficiaries. *Annals of family medicine*. Sep 2012;10(5):401-411.

Roetzheim RG, Lee JH, Ferrante JM, et al. The influence of dermatologist and primary care physician visits on melanoma outcomes among medicare beneficiaries. *J Am Board Fam Med*. Nov-Dec 2013;26(6):637-647.

Rollison DE, Howlader N, Smith MT, et al. Epidemiology of myelodysplastic syndromes and chronic myeloproliferative disorders in the United States, 2001-2004, using data from the NAACCR and SEER programs. *Blood*. Jul 1 2008;112(1):45-52.

Roman S, Lin R, Sosa JA. Prognosis of medullary thyroid carcinoma: demographic, clinical, and pathologic predictors of survival in 1252 cases. *Cancer*. Nov 1 2006;107(9):2134-2142.

Ron E, Doody MM, Becker DV, et al. Cancer mortality following treatment for adult hyperthyroidism. Cooperative Thyrotoxicosis Therapy Follow-up Study Group. *Jama*. Jul 22-29 1998;280(4):347-355.

Rosales-Velderrain A, Bowers SP, Goldberg RF, et al. National trends in resection of the distal pancreas. *World journal of gastroenterology : WJG*. Aug 28 2012;18(32):4342-4349.

Rose J, Wertheim BC, Guerrero MA. Regional differences in thyroid cancer presentation and survival: a seer study. *Endocrine practice : official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists*. Nov-Dec 2013;19(6):998-1006.

Rosenthal DL, Acosta D, Peters RK. Computer-assisted rescreening of clinically important false negative cervical smears using the PAPNET Testing System. *Acta cytologica*. Jan-Feb 1996;40(1):120-126.

Rosner BA, Colditz GA, Hankinson SE, Sullivan-Halley J, Lacey JV, Jr., Bernstein L. Validation of Rosner-Colditz breast cancer incidence model using an independent data set, the California Teachers Study. *Breast Cancer Res Treat*. Nov 2013;142(1):187-202.

Ross R, Dworsky R, Nichols P, et al. Asbestos exposure and lymphomas of the gastrointestinal tract and oral cavity. *Lancet*. Nov 20 1982;2(8308):1118-1120.

Ross R, Dworsky R, Paganini-Hill A, Boone J, Nichols P, Mack T. The occurrence of multiple lymphoreticular and hematological malignancies in the same households. *Br J Cancer*. Jun 1983;47(6):853-856.

Ross R, Dworsky R, Paganini-Hill A, Levine A, Mack T. Non-Hodgkin's lymphomas in never married men in Los Angeles. *Br J Cancer*. Nov 1985;52(5):785-787.

Ross RK. Epidemiology of prostate cancer: prospects for prevention. *Accomplishments in Cancer Research 1992 General Motors Cancer Research Foundation*. PA: J.P. Lippincott; 1992:219-228.

Ross RK. The role of molecular genetics in chemoprevention studies of prostate cancer. In: Miller AB, Bartsch H, Boffetta P, Dragsted L, Vainio H, eds. *Biomarkers in Cancer Chemoprevention*. Lyon, France: IARC Scientific Publications No. 154. International Agency for Research on Cancer; 2001:207-213.

Ross RK, Bernstein L. Influence of sex hormones on breast cancer risk and mortality. In: Lobo R, ed. Treatment of Post-menopausal Women. New York, NY: Raven Press; 1994:339-347.

Ross RK, Bernstein L. Influence of sex hormones on breast cancer risk and mortality. In: Lobo RA, ed. Treatment of the Post-menopausal Woman. 2nd ed. Philadelphia: Lippcott Williams & Wilkins; 1999:487-495.

Ross RK, Bernstein L, Garabrant D, Henderson BE. Avoidable nondietary risk factors for cancer. American family physician. Aug 1988;38(2):153-160.

Ross RK, Bernstein L, Hartnett NM, Boone JR. Cancer patterns among Vietnamese immigrants in Los Angeles County. Br J Cancer. Jul 1991;64(1):185-186.

Ross RK, Casagrande JT, Dworsky RL, Levine A, Mack T. Kaposi's sarcoma in Los Angeles, California. J Natl Cancer Inst. Dec 1985;75(6):1011-1015.

Ross RK, Coetzee GA, Pearce CL, et al. Androgen metabolism and prostate cancer: establishing a model of genetic susceptibility. Eur Urol. 1999;35(5-6):355-361.

Ross RK, Dworsky R, Paganini-Hill A, Nichols P. The epidemiology of lymphomas. In: Pattengale PK, Lukes RJ, Taylor CR, eds. Lymphoproliferative Diseases: Pathogenesis, Diagnosis, Therapy. Boston: Martinez-Nijhoff Publishers; 1985:55-71.

Ross RK, Hartnett NM, Bernstein L, Henderson BE. Epidemiology of adenocarcinomas of the small intestine: is bile a small bowel carcinogen? Br J Cancer. Jan 1991;63(1):143-145.

Ross RK, Henderson BE. Cancer prevention activities in North America. In: Aoki K, Tominaga S, Hirayama T, Hirota Y, eds. Proceedings of the First UICC Conference on Cancer Prevention in Developing Countries. Nagoya, Japan: University of Nagoya Press; 1982:557-559.

Ross RK, Henderson BE. Epidemiology of Hodgkin's and non-Hodgkin's lymphomas. In: Aoki K, Tominaga S, Hirayama T, Hirota Y, eds. Proceedings of the First UICC Conference on Cancer Prevention in Developing Countries. Nagoya, Japan: University of Nagoya Press; 1982:515-517.

Ross RK, Henderson BE, Peters RK, Mack T. Epidemiology in relation to cancer control in the U.S.A. Proceedings of the 7th Asia Pacific Cancer Conference, Jakarta, Indonesia. Amsterdam: Excerpta Medica International Congress Series; 1985.

Ross RK, Jones PA, Yu MC. Bladder cancer epidemiology and pathogenesis. Semin Oncol. Oct 1996;23(5):536-545.

Ross RK, Mack TM, Gerkins V, Paganini-Hill A. Breast cancer and postmenopausal estrogen therapy in two Los Angeles retirement communities. In: Kellhamer U, Uberla K, eds. Long-term Studies on Side-effects of Contraception - - State and Planning. New York: Spring-Verlag; 1978:59-73.

Ross RK, McCurtis JW, Henderson BE, Menck HR, Mack TM, Martin SP. Descriptive epidemiology of testicular and prostatic cancer in Los Angeles. *Br J Cancer*. Mar 1979;39(3):284-292.

Ross RK, Paganini-Hill A, Henderson BE. Epidemiology of bladder cancer. In: Skinner DG, ed. *Urological Cancer*: Grune & Stratton, Inc.; 1983:113-133.

Ross RK, Paganini-Hill A, Henderson BE. Epidemiology of prostate cancer. In: Skinner DG, ed. *Urological Cancer*: Grune & Stratton, Inc.; 1983:1-19.

Ross RK, Paganini-Hill A, Henderson BE. The etiology of prostate cancer: what does the epidemiology suggest? *Prostate*. 1983;4(4):333-344.

Ross RK, Paganini-Hill A, Henderson BE. Epidemiology of bladder cancer. In: Skinner DG, Lieskovsky G, eds. *Diagnosis and Management of Genitourinary Cancer*. Philadelphia: W.B. Saunders & Co.; 1988:23-31.

Ross RK, Paganini-Hill A, Henderson BE. Epidemiology of prostatic cancer. In: Skinner DG, Lieskovsky G, eds. *Diagnosis and Management of Genitourinary Cancer*. Philadelphia: W.B. Saunders & Co.; 1988:40-45.

Ross RK, Paganini-Hill A, Kralo MD, Gerkins VR, Henderson BE, Pike MC. Effects of reserpine on prolactin levels and incidence of breast cancer in postmenopausal women. *Cancer Res*. Jul 1984;44(7):3106-3108.

Ross RK, Paganini-Hill A, Landolph J, Gerkins V, Henderson BE. Analgesics, cigarette smoking, and other risk factors for cancer of the renal pelvis and ureter. *Cancer Res*. Feb 15 1989;49(4):1045-1048.

Ross RK, Paganini-Hill A, Wan PC, Pike MC. Effect of hormone replacement therapy on breast cancer risk: estrogen versus estrogen plus progestin. *J Natl Cancer Inst*. Feb 16 2000;92(4):328-332.

Ross RK, Pike MC. RESPONSE: re: effect of hormone replacement therapy on breast cancer risk: estrogen versus estrogen plus progestin. *J Natl Cancer Inst*. Jul 5 2000;92(13):1100A-1101.

Ross RK, Pike MC, Coetzee GA, et al. Androgen metabolism and prostate cancer: establishing a model of genetic susceptibility. *Cancer Res*. Oct 15 1998;58(20):4497-4504.

Ross RK, Reichardt JK, Ingles SA, Coetzee GA. The genetic epidemiology of prostate cancer: closing in on a complex disease. In: Chung LW, Isaacs WB, Simons JW, eds. Prostate Cancer: Biology, genetics and the new therapeutics. Totowa, NJ: Humana Press, Inc.; 2001:111-121.

Ross RK, Schottenfeld D. Prostate cancer. In: Schottenfeld D, Fraumeni J, eds. Cancer Epidemiology and Prevention. 2nd ed. New York, NY: Oxford University Press; 1996:1180-1206.

Ross RK, Shimizu H, Paganini-Hill A, Honda G, Henderson BE. Case-control studies of prostate cancer in blacks and whites in southern California. *J Natl Cancer Inst*. May 1987;78(5):869-874.

Ross RK, Yu MC, Yuan J-M. The epidemiology of bladder cancer. In: Vogelzang NJ, Scardino PT, Shipley WU, Debruyne FM, Lindham WM, eds. Comprehensive Textbook of Genitourinary Oncology. 3rd ed. Philadelphia: Lippincott Williams & Wilkins; 2006:357-364.

Rossi PJ, Horowitz IR, Johnstone PA, Jani AB. Lymphadenectomy for patients with cervical cancer: is it of value? *J Surg Oncol*. Oct 1 2009;100(5):404-406.

Rothman J, Egleston B, Wong YN, Iffrig K, Lebovitch S, Uzzo RG. Histopathological Characteristics of Localized Renal Cell Carcinoma Correlate With Tumor Size: A SEER Analysis. *J Urol*. Nov 12 2008.

Rothman J, Egleston B, Wong YN, Iffrig K, Lebovitch S, Uzzo RG. Histopathological characteristics of localized renal cell carcinoma correlate with tumor size: a SEER analysis. *J Urol*. Jan 2009;181(1):29-33; discussion 33-24.

Rothman N, Skibola CF, Wang SS, et al. Genetic variation in TNF and IL10 and risk of non-Hodgkin lymphoma: a report from the InterLymph Consortium. *The lancet oncology*. Jan 2006;7(1):27-38.

Rouhani P, Arheart KL, Kirsner RS. Differences in melanoma outcomes among Hispanic Medicare enrollees. *J Am Acad Dermatol*. May 2010;62(5):768-776.

Rouzier R, Bergzoll C, Brun JL, et al. The role of lymph node resection in ovarian cancer: analysis of the Surveillance, Epidemiology, and End Results (SEER) database. *Bjog*. Nov 2010;117(12):1451-1458.

Rowland GW, Schwartz GG, John EM, Ingles SA. Calcium intake and prostate cancer among African Americans: Effect modification by vitamin D receptor calcium absorption genotype. *Journal of bone and mineral research : the official journal of the American Society for Bone and Mineral Research*. Jan 2012;27(1):187-194.

Rowland GW, Schwartz GG, John EM, Ingles SA. Protective effects of low calcium intake and low calcium absorption vitamin d receptor genotype in the california collaborative prostate cancer study. *Cancer Epidemiol Biomarkers Prev*. Jan 2013;22(1):16-24.

Rubin JL, Sanon M, Taylor DC, Coombs J, Bollu V, Sirulnik L. Epidemiology, survival, and costs of localized gastrointestinal stromal tumors. *Int J Gen Med.* 2011;4:121-130.

Rueth NM, Groth SS, Tuttle TM, Virnig BA, Al-Refaie WB, Habermann EB. Conditional survival after surgical treatment of melanoma: an analysis of the surveillance, epidemiology, and end results database. *Ann Surg Oncol.* Jun 2010;17(6):1662-1668.

Rueth NM, Parsons HM, Habermann EB, et al. The long-term impact of surgical complications after resection of stage I nonsmall cell lung cancer: a population-based survival analysis. *Ann Surg.* Aug 2011;254(2):368-374.

Rumilla K, Schowalter KV, Lindor NM, et al. Frequency of deletions of EPCAM (TACSTD1) in MSH2-associated Lynch syndrome cases. *J Mol Diagn.* Jan 2011;13(1):93-99.

Rusthoven K, Ballonoff A, Raben D, Chen C. Poor prognosis in patients with stage I and II oral tongue squamous cell carcinoma. *Cancer.* Nov 26 2007;112(2):345-351.

Rutt AL, Hawkshaw MJ, Lurie D, Sataloff RT. Salivary gland cancer in patients younger than 30 years. *Ear Nose Throat J.* Apr 2011;90(4):174-184.

Rutt AL, Hawkshaw MJ, Sataloff RT. Laryngeal cancer in patients younger than 30 years: a review of 99 cases. *Ear Nose Throat J.* Apr 2010;89(4):189-192.

Ryerson AB, Ehemann C, Burton J, et al. Symptoms, diagnoses, and time to key diagnostic procedures among older U.S. women with ovarian cancer. *Obstet Gynecol.* May 2007;109(5):1053-1061.

Sabatino SA, Stewart SL, Wilson RJ. Racial and ethnic variations in the incidence of cancers of the uterine corpus, United States, 2001-2003. *J Womens Health (Larchmt).* Mar 2009;18(3):285-294.

Saeed AM, Toonkel R, Glassberg MK, et al. The influence of Hispanic ethnicity on nonsmall cell lung cancer histology and patient survival: an analysis of the Survival, Epidemiology, and End Results database. *Cancer.* Sep 15 2012;118(18):4495-4501.

Sahasrabuddhe VV, Shiels MS, McGlynn KA, Engels EA. The risk of hepatocellular carcinoma among individuals with acquired immunodeficiency syndrome in the United States. *Cancer.* Dec 15 2012;118(24):6226-6233.

Saigal CS, Deibert CM, Lai J, Schonlau M. Disparities in the treatment of patients with IL-2 for metastatic renal cell carcinoma. *Urol Oncol.* May-Jun 2010;28(3):308-313.

Sail K, Franzini L, Lairson D, Du X. Differences in treatment and survival among African-American and Caucasian women with early stage operable breast cancer. *Ethnicity & health.* Jun 2012;17(3):309-323.

Sail KR, Franzini L, Lairson DR, Du XL. Clinical and economic outcomes associated with adjuvant chemotherapy in elderly patients with early stage operable breast cancer. *Value Health*. Jan 2012;15(1):72-80.

Saleem AM, Paulus JK, Shapter AP, Baxter NN, Roberts PL, Ricciardi R. Risk of anal cancer in a cohort with human papillomavirus-related gynecologic neoplasm. *Obstet Gynecol*. Mar 2011;117(3):643-649.

Saltzstein SL. An epidemiologic study of differences between mammary ductal and lobular carcinoma in situ: analysis of 11,436 cases from the California Cancer Registry. *Anatomic pathology* (Chicago, Ill. : annual). 1996;1:193-203.

Saltzstein SL. The association of ethnicity and the incidence of mammary carcinoma in situ in women: 11,436 cases from the California Cancer Registry. *Cancer detection and prevention*. 1997;21(4):361-369.

Saltzstein SL, Behling CA. Age and time as factors in the left-to-right shift of the subsite of colorectal adenocarcinoma: a study of 213,383 cases from the California Cancer Registry. *J Clin Gastroenterol*. Feb 2007;41(2):173-177.

Samper-Ternent R, Asem H, Zhang DD, et al. The effect of postoperative beam, implant, and combination radiation therapy on GI and bladder toxicities in female Medicare beneficiaries with stage I uterine cancer. *Journal of geriatric oncology*. Oct 1 2012;3(4):344-350.

Samper-Ternent R, Zhang D, Kuo YF, Hatch S, Freeman J. Late GI and bladder toxicities after radiation for uterine cancer. *Gynecol Oncol*. Feb 2011;120(2):198-204.

Sanchez KM. The work experience of colorectal cancer survivors [Dissertation]. Los Angeles, CA: Department of Preventive Medicine, University of Southern California, Keck School of Medicine; 2001.

Sanchez Y, Penrod JR, Qiu XL, Romley J, Thornton Snider J, Philipson T. The option value of innovative treatments in the context of chronic myeloid leukemia. *Am J Manag Care*. Nov 2012;18(11 Suppl):s265-271.

Sandhu R, Pan CX, Wun T, et al. The incidence of venous thromboembolism and its effect on survival among patients with primary bladder cancer. *Cancer*. Jun 1 2010;116(11):2596-2603.

Sanghvi S, Misra P, Patel NR, Kalyoussef E, Baredes S, Eloy JA. Incidence trends and long-term survival analysis of sinonasal rhabdomyosarcoma. *American journal of otolaryngology*. Nov-Dec 2013;34(6):682-689.

Sanghvi S, Patel NR, Patel CR, Kalyoussef E, Baredes S, Eloy JA. Sinonasal adenoid cystic carcinoma: Comprehensive analysis of incidence and survival from 1973 to 2009. *The Laryngoscope*. Jul 2013;123(7):1592-1597.

Sanoff HK, Carpenter WR, Freburger J, et al. Comparison of adverse events during 5-fluorouracil versus 5-fluorouracil/oxaliplatin adjuvant chemotherapy for stage III colon cancer: A population-based analysis. *Cancer*. Sep 1 2012;118(17):4309-4320.

Sanoff HK, Carpenter WR, Martin CF, et al. Comparative Effectiveness of Oxaliplatin vs Non-Oxaliplatin-containing Adjuvant Chemotherapy for Stage III Colon Cancer. *J Natl Cancer Inst*. Feb 8 2012;104(3):211-227.

Sanoff HK, Carpenter WR, Sturmer T, et al. Effect of Adjuvant Chemotherapy on Survival of Patients With Stage III Colon Cancer Diagnosed After Age 75 Years. *J Clin Oncol*. Jul 20 2012;30(21):2624-2634.

Sathiakumar N, Delzell E, Morrisey MA, et al. Mortality following bone metastasis and skeletal-related events among men with prostate cancer: a population-based analysis of US Medicare beneficiaries, 1999-2006. *Prostate Cancer Prostatic Dis*. Jun 2011;14(2):177-183.

Sathiakumar N, Delzell E, Morrisey MA, et al. Mortality following bone metastasis and skeletal-related events among patients 65 years and above with lung cancer: A population-based analysis of U.S. Medicare beneficiaries, 1999-2006. *Lung India : official organ of Indian Chest Society*. Jan 2013;30(1):20-26.

Satram-Hoang S, Lee L, Yu S, et al. Comparative effectiveness of chemotherapy in elderly patients with metastatic colorectal cancer. *Journal of gastrointestinal cancer*. Mar 2013;44(1):79-88.

Saund MS, Al Natour RH, Sharma AM, Huang Q, Boosalis VA, Gold JS. Tumor size and depth predict rate of lymph node metastasis and utilization of lymph node sampling in surgically managed gastric carcinoids. *Ann Surg Oncol*. Oct 2011;18(10):2826-2832.

Saxena T, Lee E, Henderson KD, et al. Menopausal hormone therapy and subsequent risk of specific invasive breast cancer subtypes in the California Teachers Study. *Cancer Epidemiol Biomarkers Prev*. Sep 2010;19(9):2366-2378.

Schairer C, Brown LM, Chen BE, et al. Suicide after breast cancer: an international population-based study of 723,810 women. *J Natl Cancer Inst*. Oct 4 2006;98(19):1416-1419.

Schairer C, Brown LM, Mai PL. Inflammatory breast cancer: high risk of contralateral breast cancer compared to comparably staged non-inflammatory breast cancer. *Breast Cancer Res Treat*. Aug 2011;129(1):117-124.

Schapira MM, McAuliffe TL, Nattinger AB. Underutilization of mammography in older breast cancer survivors. *Med Care*. Mar 2000;38(3):281-289.

Schenk M, Purdue M, Colt J, et al. Occupation/Industry and risk of Non Hodgkin Lymphoma in the United States. *Occup Environ Med*. Sep 19 2008.

Schenk M, Purdue MP, Colt JS, et al. Occupation/industry and risk of non-Hodgkin's lymphoma in the United States. *Occup Environ Med*. Jan 2009;66(1):23-31.

Schildkraut JM, Goode EL, Clyde MA, et al. Single nucleotide polymorphisms in the TP53 region and susceptibility to invasive epithelial ovarian cancer. *Cancer Res*. Mar 15 2009;69(6):2349-2357.

Schlehofer B, Blettner M, Preston-Martin S, et al. Role of medical history in brain tumour development. Results from the international adult brain tumour study. *Int J Cancer*. Jul 19 1999;82(2):155-160.

Schlehofer B, Hettinger I, Ryan P, et al. Occupational risk factors for low grade and high grade glioma: results from an international case control study of adult brain tumours. *Int J Cancer*. Jan 1 2005;113(1):116-125.

Schlichting JA, Soliman AS, Schairer C, et al. Association of inflammatory and noninflammatory breast cancer with socioeconomic characteristics in the Surveillance, Epidemiology, and End Results database, 2000-2007. *Cancer Epidemiol Biomarkers Prev*. Jan 2012;21(1):155-165.

Schlichting JA, Soliman AS, Schairer C, Schottenfeld D, Merajver SD. Inflammatory and non-inflammatory breast cancer survival by socioeconomic position in the Surveillance, Epidemiology, and End Results database, 1990-2008. *Breast Cancer Res Treat*. Aug 2012;134(3):1257-1268.

Schneider DF, Chen H, Sippel RS. Impact of lymph node ratio on survival in papillary thyroid cancer. *Ann Surg Oncol*. Jun 2013;20(6):1906-1911.

Schneider EB, Haider AH, Hyder O, Efron JE, Lidor AO, Pawlik TM. Assessing short- and long-term outcomes among black vs white Medicare patients undergoing resection of colorectal cancer. *American journal of surgery*. Apr 2013;205(4):402-408.

Schneider M, Zuckerman IH, Onukwugha E, et al. Chemotherapy treatment and survival in older women with estrogen receptor-negative metastatic breast cancer: a population-based analysis. *J Am Geriatr Soc*. Apr 2011;59(4):637-646.

Schonberg MA, Marcantonio ER, Li D, Silliman RA, Ngo L, McCarthy EP. Breast cancer among the oldest old: tumor characteristics, treatment choices, and survival. *J Clin Oncol*. Apr 20 2010;28(12):2038-2045.

Schonberg MA, Marcantonio ER, Ngo L, Li D, Silliman RA, McCarthy EP. Causes of death and relative survival of older women after a breast cancer diagnosis. *J Clin Oncol*. Apr 20 2011;29(12):1570-1577.

Schonfeld SJ, Curtis RE, Anderson WF, Berrington de Gonzalez A. The risk of a second primary lung cancer after a first invasive breast cancer according to estrogen receptor status. *Cancer Causes Control*. Oct 2012;23(10):1721-1728.

Schootman M, Jeffe DB, Gillanders WE, Aft R. Racial disparities in the development of breast cancer metastases among older women: a multilevel study. *Cancer*. Feb 15 2009;115(4):731-740.

Schootman M, Jeffe DB, Lian M, Aft R, Gillanders WE. Surveillance mammography and the risk of death among elderly breast cancer patients. *Breast Cancer Res Treat*. Oct 2008;111(3):489-496.

Schootman M, Jeffe DB, Lian M, et al. Area-level poverty is associated with greater risk of ambulatory-care-sensitive hospitalizations in older breast cancer survivors. *J Am Geriatr Soc*. Dec 2008;56(12):2180-2187.

Schrag D, Bach PB, Dahlman C, Warren JL. Identifying and measuring hospital characteristics using the SEER-Medicare data and other claims-based sources. *Med Care*. Aug 2002;40(8 Suppl):IV-96-103.

Schrag D, Cramer LD, Bach PB, Begg CB. Age and adjuvant chemotherapy use after surgery for stage III colon cancer. *J Natl Cancer Inst*. Jun 6 2001;93(11):850-857.

Schrag D, Cramer LD, Bach PB, Cohen AM, Warren JL, Begg CB. Influence of hospital procedure volume on outcomes following surgery for colon cancer. *Jama*. Dec 20 2000;284(23):3028-3035.

Schrag D, Earle C, Xu F, et al. Associations between hospital and surgeon procedure volumes and patient outcomes after ovarian cancer resection. *J Natl Cancer Inst*. Feb 1 2006;98(3):163-171.

Schrag D, Gelfand SE, Bach PB, Guillem J, Minsky BD, Begg CB. Who gets adjuvant treatment for stage II and III rectal cancer? Insight from surveillance, epidemiology, and end results--Medicare. *J Clin Oncol*. Sep 1 2001;19(17):3712-3718.

Schrag D, Hsieh LJ, Rabbani F, Bach PB, Herr H, Begg CB. Adherence to surveillance among patients with superficial bladder cancer. *J Natl Cancer Inst*. Apr 16 2003;95(8):588-597.

Schrag D, Mitra N, Xu F, et al. Cystectomy for muscle-invasive bladder cancer: patterns and outcomes of care in the Medicare population. *Urology*. Jun 2005;65(6):1118-1125.

Schrag D, Panageas KS, Riedel E, et al. Hospital and surgeon procedure volume as predictors of outcome following rectal cancer resection. *Ann Surg*. Nov 2002;236(5):583-592.

Schrag D, Panageas KS, Riedel E, et al. Surgeon volume compared to hospital volume as a predictor of outcome following primary colon cancer resection. *J Surg Oncol.* Jun 2003;83(2):68-78; discussion 78-69.

Schrag D, Rifas-Shiman S, Saltz L, Bach PB, Begg CB. Adjuvant chemotherapy use for Medicare beneficiaries with stage II colon cancer. *J Clin Oncol.* Oct 1 2002;20(19):3999-4005.

Schrager J, Patzer RE, Mink PJ, Ward KC, Goodman M. Survival Outcomes of Pediatric Osteosarcoma and Ewing's Sarcoma: A Comparison of Surgery Type within the SEER Database, 1988-2007. *J Registry Manag.* Fall 2011;38(3):153-161.

Schreiber D, Chen SC, Rineer J, Weiss J, Rotman M, Schwartz D. Racial and socioeconomic disparities in the selection of prostate brachytherapy. *Journal of contemporary brachytherapy.* Sep 2013;5(3):139-143.

Schreiber D, Rineer J, Weedon J, et al. Survival outcomes with the use of surgery in limited-stage small cell lung cancer: should its role be re-evaluated? *Cancer.* Mar 1 2010;116(5):1350-1357.

Schreiber D, Rineer J, Weiss J, et al. Characterization and outcomes of small cell carcinoma of the bladder using the surveillance, epidemiology, and end results database. *Am J Clin Oncol.* Apr 2013;36(2):126-131.

Schroock FR, Kaufman SR, Jacobs BL, et al. Technology diffusion and diagnostic testing for prostate cancer. *J Urol.* Nov 2013;190(5):1715-1720.

Schroock FR, Kaufman SR, Jacobs BL, et al. The impact of technology diffusion on treatment for prostate cancer. *Med Care.* Dec 2013;51(12):1076-1084.

Schumacher FR, Berndt SI, Siddiq A, et al. Genome-wide association study identifies new prostate cancer susceptibility loci. *Hum Mol Genet.* Oct 1 2011;20(19):3867-3875.

Schumacher FR, Cheng I, Freedman ML, et al. A comprehensive analysis of common IGF1, IGFBP1 and IGFBP3 genetic variation with prospective IGF-I and IGFBP-3 blood levels and prostate cancer risk among Caucasians. *Hum Mol Genet.* Aug 1 2010;19(15):3089-3101.

Schumacher FR, Feigelson HS, Cox DG, et al. A common 8q24 variant in prostate and breast cancer from a large nested case-control study. *Cancer Res.* Apr 1 2007;67(7):2951-2956.

Schumacher FR, Wang Z, Skotheim RI, et al. Testicular germ cell tumor susceptibility associated with the UCK2 locus on chromosome 1q23. *Hum Mol Genet.* Jul 1 2013;22(13):2748-2753.

Schwartz GG, John EM, Rowland G, Ingles SA. Prostate cancer in African-American men and polymorphism in the calcium-sensing receptor. *Cancer Biol Ther.* Jun 15 2010;9(12):994-999.

Schwartzbaum J, Jonsson F, Ahlbom A, et al. Prior hospitalization for epilepsy, diabetes, and stroke and subsequent glioma and meningioma risk. *Cancer Epidemiol Biomarkers Prev*. Mar 2005;14(3):643-650.

Schwer AL, Ballonoff A, McCammon R, Rusthoven K, D'Agostino RB, Jr., Schefter TE. Survival effect of neoadjuvant radiotherapy before esophagectomy for patients with esophageal cancer: a surveillance, epidemiology, and end-results study. *Int J Radiat Oncol Biol Phys*. Feb 1 2009;73(2):449-455.

Schymura MJ, Kahn AR, German RR, et al. Factors associated with initial treatment and survival for clinically localized prostate cancer: results from the CDC-NPCR Patterns of Care Study (PoC1). *BMC Cancer*. 2010;10:152.

Scoll BJ, Wong YN, Egleston BL, Kunkle DA, Saad IR, Uzzo RG. Age, tumor size and relative survival of patients with localized renal cell carcinoma: a surveillance, epidemiology and end results analysis. *J Urol*. Feb 2009;181(2):506-511.

Scosyrev E, Messing EM, Mohile S, Golijanin D, Wu G. Prostate cancer in the elderly : Frequency of advanced disease at presentation and disease-specific mortality. *Cancer*. Jun 15 2012;118(12):3062-3070.

Scosyrev E, Wu G, Golijanin D, Messing E. Non-bladder cancer mortality in patients with urothelial cancer of the bladder. *Urol Oncol*. Jul 2013;31(5):656-663.

Searles Nielsen S, Mueller BA, Preston-Martin S, Farin FM, Holly EA, McKean-Cowdin R. Childhood brain tumors and maternal cured meat consumption in pregnancy: differential effect by glutathione S-transferases. *Cancer Epidemiol Biomarkers Prev*. Nov 2011;20(11):2413-2419.

Searles Nielsen S, Mueller BA, Preston-Martin S, et al. Family cancer history and risk of brain tumors in children: results of the SEARCH international brain tumor study. *Cancer Causes Control*. Feb 16 2008.

Seidler AM, Pennie ML, Veledar E, Culler SD, Chen SC. Economic burden of melanoma in the elderly population: population-based analysis of the Surveillance, Epidemiology, and End Results (SEER)--Medicare data. *Arch Dermatol*. Mar 2010;146(3):249-256.

Sekhar J, Sanfilippo K, Zhang Q, Trinkaus K, Vij R, Morgensztern D. Waldenstrom macroglobulinemia: a Surveillance, Epidemiology, and End Results database review from 1988 to 2005. *Leuk Lymphoma*. Aug 2012;53(8):1625-1626.

Selvanathan SK, Hammouche S, Salminen HJ, Jenkinson MD. Outcome and prognostic features in anaplastic ganglioglioma: analysis of cases from the SEER database. *J Neurooncol*. Dec 2011;105(3):539-545.

Selvanathan SK, Hammouche S, Smethurst W, Salminen HJ, Jenkinson MD. Outcome and prognostic features in adult pineoblastomas: analysis of cases from the SEER database. *Acta neurochirurgica*. May 2012;154(5):863-869.

Semrad TJ, Tancredi DJ, Baldwin LM, Green P, Fenton JJ. Geographic variation of racial/ethnic disparities in colorectal cancer testing among medicare enrollees. *Cancer*. Apr 15 2011;117(8):1755-1763.

Sethi RV, Sethi RK, Herr MW, Deschler DG. Malignant head and neck paragangliomas: Treatment efficacy and prognostic indicators. *American journal of otolaryngology*. Sep-Oct 2013;34(5):431-438.

Setiawan VW, Cheng I, Stram DO, et al. A systematic assessment of common genetic variation in CYP11A and risk of breast cancer. *Cancer Res*. Dec 15 2006;66(24):12019-12025.

Setiawan VW, Cheng I, Stram DO, et al. Igf-I genetic variation and breast cancer: the multiethnic cohort. *Cancer Epidemiol Biomarkers Prev*. Jan 2006;15(1):172-174.

Setiawan VW, Chu LH, John EM, et al. Mitochondrial DNA G10398A variant is not associated with breast cancer in African-American women. *Cancer Genet Cytogenet*. Feb 2008;181(1):16-19.

Setiawan VW, Doherty JA, Shu XO, et al. Two Estrogen-Related Variants in CYP19A1 and Endometrial Cancer Risk: A Pooled Analysis in the Epidemiology of Endometrial Cancer Consortium. *Cancer Epidemiol Biomarkers Prev*. Jan 2009;18(1):242-247.

Setiawan VW, Haessler J, Schumacher F, et al. HNF1B and Endometrial Cancer Risk: Results from the PAGE study. *PLoS One*. 2012;7(1):e30390.

Setiawan VW, Haiman CA, Stanczyk FZ, Le Marchand L, Henderson BE. Racial/ethnic differences in postmenopausal endogenous hormones: the multiethnic cohort study. *Cancer Epidemiol Biomarkers Prev*. Oct 2006;15(10):1849-1855.

Setiawan VW, Kolonel LN, Henderson BE. Menstrual and reproductive factors and risk of renal cell cancer in the multiethnic cohort. *Cancer Epidemiol Biomarkers Prev*. Jan 2009;18(1):337-340.

Setiawan VW, Matsuno RK, Lurie G, et al. Use of Nonsteroidal Anti-inflammatory Drugs and Risk of Ovarian and Endometrial Cancer: The Multiethnic Cohort. *Cancer Epidemiol Biomarkers Prev*. Sep 2012;21(9):1441-1449.

Setiawan VW, Monroe KR, Goodman MT, Kolonel LN, Pike MC, Henderson BE. Alcohol consumption and endometrial cancer risk: The multiethnic cohort. *Int J Cancer*. Aug 31 2007;122(3):634-638.

Setiawan VW, Monroe KR, Goodman MT, Kolonel LN, Pike MC, Henderson BE. Alcohol consumption and endometrial cancer risk: the multiethnic cohort. *Int J Cancer*. Feb 1 2008;122(3):634-638.

Setiawan VW, Monroe KR, Wilkens LR, Kolonel LN, Pike MC, Henderson BE. Breast cancer risk factors defined by estrogen and progesterone receptor status: the multiethnic cohort study. *Am J Epidemiol*. May 15 2009;169(10):1251-1259.

Setiawan VW, Pike MC, Karageorgi S, et al. Age at Last Birth in Relation to Risk of Endometrial Cancer: Pooled Analysis in the Epidemiology of Endometrial Cancer Consortium. *Am J Epidemiol*. Aug 15 2012;176(4):269-278.

Setiawan VW, Pike MC, Kolonel LN, Nomura AM, Goodman MT, Henderson BE. Racial/ethnic differences in endometrial cancer risk: the multiethnic cohort study. *Am J Epidemiol*. Feb 1 2007;165(3):262-270.

Setiawan VW, Schumacher FR, Haiman CA, et al. CYP17 genetic variation and risk of breast and prostate cancer from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). *Cancer Epidemiol Biomarkers Prev*. Nov 2007;16(11):2237-2246.

Setiawan VW, Stram DO, Nomura AM, Kolonel LN, Henderson BE. Risk factors for renal cell cancer: the multiethnic cohort. *Am J Epidemiol*. Oct 15 2007;166(8):932-940.

Setiawan VW, Ursin G, Horn-Ross PL, et al. Germ line variation at 8q24 and endometrial cancer risk. *Cancer Epidemiol Biomarkers Prev*. Oct 2007;16(10):2166-2168.

Setiawan VW, Yang HP, Pike MC, et al. Type I and II Endometrial Cancers: Have They Different Risk Factors? *J Clin Oncol*. Jul 10 2013;31(20):2607-2618.

Shah A, Chao KS, Ostbye T, et al. Trends in racial disparities in pancreatic cancer surgery. *J Gastrointest Surg*. Nov 2013;17(11):1897-1906.

Shah CA, Goff BA, Lowe K, Peters WA, 3rd, Li CI. Factors affecting risk of mortality in women with vaginal cancer. *Obstet Gynecol*. May 2009;113(5):1038-1045.

Shah DR, Yang AD, Maverakis E, Martinez SR. Assessing rural-urban disparities in the use of sentinel lymph node biopsy for melanoma. *J Surg Res*. Oct 2013;184(2):1157-1160.

Shah DR, Yang AD, Maverakis E, Martinez SR. Age-related disparities in use of completion lymphadenectomy for melanoma sentinel lymph node metastasis. *J Surg Res*. Nov 2013;185(1):240-244.

Shah M, Lewin SN, Deutsch I, et al. Therapeutic role of lymphadenectomy for cervical cancer. *Cancer*. Jan 15 2011;117(2):310-317.

Shah SA, Smith JK, Li Y, Ng SC, Carroll JE, Tseng JF. Underutilization of therapy for hepatocellular carcinoma in the medicare population. *Cancer*. Mar 1 2011;117(5):1019-1026.

Shahabi S, He S, Kopf M, et al. Free Testosterone Drives Cancer Aggressiveness: Evidence from US Population Studies. *PLoS One*. 2013;8(4):e61955.

Shahinian VB, Kuo YF. Patterns of bone mineral density testing in men receiving androgen deprivation for prostate cancer. *J Gen Intern Med*. Nov 2013;28(11):1440-1446.

Shahinian VB, Kuo YF, Freeman JL, Goodwin JS. Determinants of androgen deprivation therapy use for prostate cancer: role of the urologist. *J Natl Cancer Inst*. Jun 21 2006;98(12):839-845.

Shahinian VB, Kuo YF, Freeman JL, Goodwin JS. Risk of the "androgen deprivation syndrome" in men receiving androgen deprivation for prostate cancer. *Arch Intern Med*. Feb 27 2006;166(4):465-471.

Shahinian VB, Kuo YF, Freeman JL, Orihuela E, Goodwin JS. Increasing use of gonadotropin-releasing hormone agonists for the treatment of localized prostate carcinoma. *Cancer*. Apr 15 2005;103(8):1615-1624.

Shahinian VB, Kuo YF, Freeman JL, Orihuela E, Goodwin JS. Characteristics of urologists predict the use of androgen deprivation therapy for prostate cancer. *J Clin Oncol*. Dec 1 2007;25(34):5359-5365.

Shahinian VB, Kuo YF, Gilbert SM. Reimbursement policy and androgen-deprivation therapy for prostate cancer. *N Engl J Med*. Nov 4 2010;363(19):1822-1832.

Shaib YH, El-Serag HB, Davila JA, Morgan R, McGlynn KA. Risk factors of intrahepatic cholangiocarcinoma in the United States: a case-control study. *Gastroenterology*. Mar 2005;128(3):620-626.

Shaikh WR, Weinstock MA, Halpern AC, Oliveria SA, Geller AC, Dusza SW. The characterization and potential impact of melanoma cases with unknown thickness in the United States' Surveillance, Epidemiology, and End Results Program, 1989-2008. *Cancer Epidemiol*. Feb 2013;37(1):64-70.

Shankaran V, Mummy D, Koepf L, et al. Adverse events associated with bevacizumab and chemotherapy in older patients with metastatic colorectal cancer. *Clinical colorectal cancer*. Sep 2013;12(3):204-213 e201.

Shao YH, Albertsen PC, Shih W, Roberts CB, Lu-Yao GL. The impact of PSA testing frequency on prostate cancer incidence and treatment in older men. *Prostate Cancer Prostatic Dis*. Dec 2011;14(4):332-339.

Shao YH, Moore DF, Shih W, Lin Y, Jang TL, Lu-Yao GL. Fracture after androgen deprivation therapy among men with a high baseline risk of skeletal complications. *BJU Int.* May 2013;111(5):745-752.

Shapiro NL, Bhattacharyya N. Staging and survival for sinus cancer in the pediatric population. *Int J Pediatr Otorhinolaryngol.* Nov 2009;73(11):1568-1571.

Sharma A, Schwartz SM, Mendez E. Hospital volume is associated with survival but not multimodality therapy in Medicare patients with advanced head and neck cancer. *Cancer.* May 15 2013;119(10):1845-1852.

Sharma C, Deutsch I, Herzog TJ, et al. Patterns of care for locally advanced vulvar cancer. *American journal of obstetrics and gynecology.* Jul 2013;209(1):60 e61-65.

Sharma G, Freeman J, Zhang D, Goodwin JS. Continuity of care and intensive care unit use at the end of life. *Arch Intern Med.* Jan 12 2009;169(1):81-86.

Sharma S, Cao X, Wilkens LR, et al. Well-done meat consumption, NAT1 and NAT2 acetylator genotypes and prostate cancer risk: the multiethnic cohort study. *Cancer Epidemiol Biomarkers Prev.* Jul 2010;19(7):1866-1870.

Sharma S, Cruickshank JK, Green DM, Vik S, Tome A, Kolonel LN. Impact of diet on mortality from stroke: results from the u.s. Multiethnic cohort study. *Journal of the American College of Nutrition.* Jun 2013;32(3):151-159.

Sharma S, Sheehy T, Kolonel LN. Contribution of meat to vitamin B12 , iron and zinc intakes in five ethnic groups in the USA: implications for developing food-based dietary guidelines. *Journal of human nutrition and dietetics : the official journal of the British Dietetic Association.* Apr 2013;26(2):156-168.

Sharma S, Sheehy T, Kolonel LN. Ethnic differences in grains consumption and their contribution to intake of B-vitamins: results of the Multiethnic Cohort Study. *Nutrition journal.* 2013;12:65.

Sharma S, Vik S, Pakseresht M, Shen L, Kolonel LN. Diet impacts mortality from cancer: results from the multiethnic cohort study. *Cancer Causes Control.* Apr 2013;24(4):685-693.

Shaukat A, Salfiti NI, Virnig DJ, et al. Is Ulcerative Colitis Associated with Survival Among Older Persons with Colorectal Cancer in the US? A Population-Based Case-Control Study. *Dig Dis Sci.* Jun 2012;57(6):1647-1651.

Shaukat A, Virnig DJ, Howard D, Sitaraman SV, Liff JM, Lederle FA. Crohn's disease and small bowel adenocarcinoma: a population-based case-control study. *Cancer Epidemiol Biomarkers Prev.* Jun 2011;20(6):1120-1123.

Shaukat A, Virnig DJ, Salfiti NI, Howard DH, Sitaraman SV, Liff JM. Is inflammatory bowel disease an important risk factor among older persons with colorectal cancer in the United States? A population-based case-control study. *Dig Dis Sci.* Aug 2011;56(8):2378-2383.

Shavers VL, Brown M, Klabunde CN, et al. Race/ethnicity and the intensity of medical monitoring under 'watchful waiting' for prostate cancer. *Med Care.* Mar 2004;42(3):239-250.

Shavers VL, Brown ML, Potosky AL, et al. Race/ethnicity and the receipt of watchful waiting for the initial management of prostate cancer. *J Gen Intern Med.* Feb 2004;19(2):146-155.

Shaya FT, Breunig IM, Seal B, Mullins CD, Chirikov VV, Hanna NN. Treatment modalities for hepatocellular carcinoma: cumulative expenditures and survival in seer-medicare. *Value Health.* May 2013;16(3):A134.

Shayota BJ, Pawar SC, Chamberlain RS. MeSS: A novel prognostic scale specific for pediatric well-differentiated thyroid cancer: A population-based, SEER outcomes study. *Surgery.* Sep 2013;154(3):429-435.

Shebl FM, Bhatia K, Engels EA. Salivary gland and nasopharyngeal cancers in individuals with acquired immunodeficiency syndrome in United States. *Int J Cancer.* May 15 2010;126(10):2503-2508.

Shebl FM, Capo-Ramos DE, Graubard BI, McGlynn KA, Altekruse SF. Socioeconomic status and hepatocellular carcinoma in the United States. *Cancer Epidemiol Biomarkers Prev.* Aug 2012;21(8):1330-1335.

Shebl FM, Engels EA, Goedert JJ. Opportunistic intestinal infections and risk of colorectal cancer among people with AIDS. *AIDS research and human retroviruses.* Sep 2012;28(9):994-999.

Shebl FM, Engels EA, Goedert JJ, Chaturvedi AK. Pulmonary infections and risk of lung cancer among persons with AIDS. *Journal of acquired immune deficiency syndromes (1999).* Nov 2010;55(3):375-379.

Shebl FM, Warren JL, Eggers PW, Engels EA. Cancer risk among elderly persons with end-stage renal disease: a population-based case-control study. *BMC nephrology.* 2012;13:65.

Sheets NC, Goldin GH, Meyer AM, et al. Intensity-modulated radiation therapy, proton therapy, or conformal radiation therapy and morbidity and disease control in localized prostate cancer. *Jama.* Apr 18 2012;307(15):1611-1620.

Sheets NC, Hendrix LH, Allen IM, Chen RC. Trends in the use of postprostatectomy therapies for patients with prostate cancer: A Surveillance, Epidemiology, and End Results Medicare analysis. *Cancer.* Sep 2013;119(18):3295-3301.

Sheffield KM, Boyd CA, Benarroch-Gampel J, Kuo YF, Cooksley CD, Riall TS. End-of-life care in Medicare beneficiaries dying with pancreatic cancer. *Cancer*. Nov 1 2011;117(21):5003-5012.

Sheffield KM, Crowell KT, Lin YL, Djukom C, Goodwin JS, Riall TS. Surveillance of pancreatic cancer patients after surgical resection. *Ann Surg Oncol*. May 2012;19(5):1670-1677.

Shek D, Tomlinson B, Brown M, Brunson A, Pan CX, Lara PN, Jr. Epidemiologic trends in renal cell carcinoma in the cytokine and post-cytokine eras: a registry analysis of 28,252 patients. *Clin Genitourin Cancer*. Jun 2012;10(2):93-98.

Shen H, Fridley BL, Song H, et al. Epigenetic analysis leads to identification of HNF1B as a subtype-specific susceptibility gene for ovarian cancer. *Nature communications*. 2013;4:1628.

Shen M, Cozen W, Huang L, et al. Census and geographic differences between respondents and nonrespondents in a case-control study of non-Hodgkin lymphoma. *Am J Epidemiol*. Feb 1 2008;167(3):350-361.

Shen M, Menashe I, Morton LM, et al. Polymorphisms in DNA repair genes and risk of non-Hodgkin lymphoma in a pooled analysis of three studies. *Br J Haematol*. Nov 2010;151(3):239-244.

Shenoy P, Maggioncalda A, Malik N, Flowers CR. Incidence patterns and outcomes for hodgkin lymphoma patients in the United States. *Adv Hematol*. 2011;2011:725219.

Shenoy P, Sinha R, Tumeh JW, Lechowicz MJ, Flowers CR. Surveillance computed tomography scans for patients with lymphoma: is the risk worth the benefits? *Clin Lymphoma Myeloma Leuk*. Aug 1 2010;10(4):270-277.

Shenoy PJ, Malik N, Nooka A, et al. Racial differences in the presentation and outcomes of diffuse large B-cell lymphoma in the United States. *Cancer*. Dec 22 2011;117(11):2530-2540.

Sher DJ, Neville BA, Chen AB, Schrag D. Predictors of IMRT and conformal radiotherapy use in head and neck squamous cell carcinoma: a SEER-Medicare analysis. *Int J Radiat Oncol Biol Phys*. Nov 15 2011;81(4):e197-206.

Shibata A, Mack TM, Paganini-Hill A, Ross RK, Henderson BE. A prospective study of pancreatic cancer in the elderly. *Int J Cancer*. Jul 1 1994;58(1):46-49.

Shibata A, Whittemore AS, Imai K, et al. Serum levels of prostate-specific antigen among Japanese-American and native Japanese men. *J Natl Cancer Inst*. Nov 19 1997;89(22):1716-1720.

Shibata D, Weiss LM, Hernandez AM, Nathwani BN, Bernstein L, Levine AM. Epstein-Barr virus-associated non-Hodgkin's lymphoma in patients infected with the human immunodeficiency virus. *Blood*. Apr 15 1993;81(8):2102-2109.

Shiels MS, Engels EA. Increased risk of histologically defined cancer subtypes in human immunodeficiency virus-infected individuals: Clues for possible immunosuppression-related or infectious etiology. *Cancer*. Oct 1 2012;118(19):4869-4876.

Shiels MS, Engels EA, Linet MS, et al. The Epidemic of Non-Hodgkin Lymphoma in the United States: Disentangling the Effect of HIV, 1992-2009. *Cancer Epidemiol Biomarkers Prev*. Jun 2013;22(6):1069-1078.

Shiels MS, Goedert JJ, Moore RD, Platz EA, Engels EA. Reduced risk of prostate cancer in U.S. Men with AIDS. *Cancer Epidemiol Biomarkers Prev*. Nov 2010;19(11):2910-2915.

Shiels MS, Pfeiffer RM, Chaturvedi AK, Kreimer AR, Engels EA. Impact of the HIV Epidemic on the Incidence Rates of Anal Cancer in the United States. *J Natl Cancer Inst*. Oct 17 2012;104(20):1591-1598.

Shiels MS, Pfeiffer RM, Engels EA. Age at cancer diagnosis among persons with AIDS in the United States. *Ann Intern Med*. Oct 5 2010;153(7):452-460.

Shiels MS, Pfeiffer RM, Gail MH, et al. Cancer burden in the HIV-infected population in the United States. *J Natl Cancer Inst*. May 4 2011;103(9):753-762.

Shiels MS, Pfeiffer RM, Hall HI, et al. Proportions of Kaposi sarcoma, selected non-Hodgkin lymphomas, and cervical cancer in the United States occurring in persons with AIDS, 1980-2007. *Jama*. Apr 13 2011;305(14):1450-1459.

Shih YC, Chien CR, Xu Y, Pan IW, Smith GL, Buchholz TA. Economic burden of renal cell carcinoma in the US: Part II--an updated analysis. *Pharmacoeconomics*. Apr 1 2011;29(4):331-341.

Shikanov S, Eggner SE. Hazard of prostate cancer specific mortality after radical prostatectomy. *J Urol*. Jan 2012;187(1):124-128.

Shikanov S, Kocherginsky M, Shalhav AL, Eggner SE. Cause-specific mortality following radical prostatectomy. *Prostate Cancer Prostatic Dis*. Mar 2012;15(1):106-110.

Shimizu H, Mack TM, Ross RK, Henderson BE. Cancer of the gastrointestinal tract among Japanese and white immigrants in Los Angeles County. *J Natl Cancer Inst*. Feb 1987;78(2):223-228.

Shimizu H, Preston-Martin S, Casagrande JT, Ross RK, Henderson BE, Pike MC. Epidemiological characteristics of adenocarcinoma of the lung in Los Angeles County. National Cancer Institute monograph. 1982;62:161-164.

Shimizu H, Ross RK, Bernstein L. Possible underestimation of the incidence rate of prostate cancer in Japan. Jpn J Cancer Res. May 1991;82(5):483-485.

Shimizu H, Ross RK, Bernstein L, Yatani R, Henderson BE, Mack TM. Cancers of the prostate and breast among Japanese and white immigrants in Los Angeles County. Br J Cancer. Jun 1991;63(6):963-966.

Shimizu H, Wu AH, Koo LC, Gao YT, Kolonel LN. Lung cancer in women living in the Pacific Basin area. National Cancer Institute monograph. Dec 1985;69:197-201.

Shirvani SM, Jiang J, Chang JY, et al. Comparative effectiveness of 5 treatment strategies for early-stage non-small cell lung cancer in the elderly. Int J Radiat Oncol Biol Phys. Dec 1 2012;84(5):1060-1070.

Shirvani SM, Jiang J, Gomez DR, Chang JY, Buchholz TA, Smith BD. Intensity modulated radiotherapy for stage III non-small cell lung cancer in the United States: Predictors of use and association with toxicities. Lung cancer (Amsterdam, Netherlands). Nov 2013;82(2):252-259.

Shirvani SM, Pan IW, Buchholz TA, et al. Impact of evidence-based clinical guidelines on the adoption of postmastectomy radiation in older women. Cancer. Oct 15 2011;117(20):4595-4605.

Showalter SL, Grover S, Sharma S, Lin L, Czerniecki BJ. Factors Influencing Surgical and Adjuvant Therapy in Stage I Breast Cancer: A SEER 18 Database Analysis. Ann Surg Oncol. Apr 2013;20(4):1287-1294.

Shridhar R, Almhanna K, Hoffe SE, et al. Increased survival associated with surgery and radiation therapy in metastatic gastric cancer: A Surveillance, Epidemiology, and End Results database analysis. Cancer. May 1 2013;119(9):1636-1642.

Shridhar R, Dombi GW, Finkelstein SE, Meredith KL, Hoffe SE. Improved survival in patients with lymph node-positive gastric cancer who received preoperative radiation: an analysis of the Surveillance, Epidemiology, and End Results database. Cancer. Sep 1 2011;117(17):3908-3916.

Shridhar R, Dombi GW, Weber J, Hoffe SE, Meredith K, Konski A. Adjuvant Radiation Therapy Increases Overall Survival in Node-Positive Gastric Cancer Patients With Aggressive Surgical Resection and Lymph Node Dissection: A SEER Database Analysis. Am J Clin Oncol. Jun 2012;35(3):216-221.

Shridhar R, Weber J, Hoffe SE, Almhanna K, Karl R, Meredith K. Adjuvant Radiation Therapy and Lymphadenectomy in Esophageal Cancer: A SEER Database Analysis. J Gastrointest Surg. Aug 2013;17(8):1339-1345.

Shrime MG, Gullane PJ, Dawson L, et al. The impact of adjuvant radiotherapy on survival in T1-2N1 squamous cell carcinoma of the oral cavity. *Arch Otolaryngol Head Neck Surg.* Mar 2010;136(3):225-228.

Shuch B, Hanley J, Lai J, et al. Overall survival advantage with partial nephrectomy: A bias of observational data? *Cancer.* Aug 15 2013;119(16):2981-2989.

Shugarman LR, Mack K, Sorbero ME, et al. Race and sex differences in the receipt of timely and appropriate lung cancer treatment. *Med Care.* Jul 2009;47(7):774-781.

Siddiq A, Couch FJ, Chen GK, et al. A meta-analysis of genome-wide association studies of breast cancer identifies two novel susceptibility loci at 6q14 and 20q11. *Hum Mol Genet.* Dec 15 2012;21(24):5373-5384.

Siegel R, Desantis C, Virgo K, et al. Cancer treatment and survivorship statistics, 2012. *CA: a cancer journal for clinicians.* Jul 2012;62(4):220-241.

Siegel RL, Jemal A, Ward EM. Increase in incidence of colorectal cancer among young men and women in the United States. *Cancer Epidemiol Biomarkers Prev.* Jun 2009;18(6):1695-1698.

Sieh W, Lichtensztajn DY, Nelson DO, et al. Treatment and Mortality in Men with Localized Prostate Cancer: A Population-Based Study in California. *The open prostate cancer journal.* 2013;6:1-9.

Sieh W, Salvador S, McGuire V, et al. Tubal ligation and risk of ovarian cancer subtypes: a pooled analysis of case-control studies. *Int J Epidemiol.* Apr 2013;42(2):579-589.

Sigel K, Crothers K, Dubrow R, et al. Prognosis in HIV-infected patients with non-small cell lung cancer. *Br J Cancer.* Oct 1 2013;109(7):1974-1980.

Sigel K, Lurslurchachai L, Bonomi M, et al. Effectiveness of radiation therapy alone for elderly patients with unresected stage III non-small cell lung cancer. *Lung cancer (Amsterdam, Netherlands).* Nov 2013;82(2):266-270.

Silber JH, Rosenbaum PR, Clark AS, et al. Characteristics associated with differences in survival among black and white women with breast cancer. *Jama.* Jul 24 2013;310(4):389-397.

Silberstein J, Grabowski J, Saltzstein SL, Kane CJ. Renal cell carcinoma in the pediatric population: Results from the California Cancer Registry. *Pediatr Blood Cancer.* Oct 20 2008;52(2):237-241.

Silberstein J, Grabowski J, Saltzstein SL, Kane CJ. Renal cell carcinoma in the pediatric population: Results from the California Cancer Registry. *Pediatr Blood Cancer.* Feb 2009;52(2):237-241.

Silveira-Neto AP, Leal LF, Emerman AB, et al. Absence of Functional LIN28B Mutations in a Large Cohort of Patients with Idiopathic Central Precocious Puberty. *Hormone research in paediatrics*. 2012;78(3):144-150.

Sima CS, Panageas KS, Schrag D. Cancer screening among patients with advanced cancer. *Jama*. Oct 13 2010;304(14):1584-1591.

Simard EP, Engels EA. Cancer as a cause of death among people with AIDS in the United States. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. Oct 15 2010;51(8):957-962.

Simard EP, Pfeiffer RM, Engels EA. Spectrum of cancer risk late after AIDS onset in the United States. *Arch Intern Med*. Aug 9 2010;170(15):1337-1345.

Simard EP, Pfeiffer RM, Engels EA. Cumulative incidence of cancer among individuals with acquired immunodeficiency syndrome in the United States. *Cancer*. Mar 1 2011;117(5):1089-1096.

Simard EP, Shiels MS, Bhatia K, Engels EA. Long-term cancer risk among people diagnosed with AIDS during childhood. *Cancer Epidemiol Biomarkers Prev*. Jan 2012;21(1):148-154.

Simon MS, Korczak JF, Yee CL, et al. Racial differences in the familial aggregation of breast cancer and other female cancers. *Breast Cancer Res Treat*. Feb 2005;89(3):227-235.

Simon MS, Korczak JF, Yee CL, et al. Breast cancer risk estimates for relatives of white and African American women with breast cancer in the Women's Contraceptive and Reproductive Experiences Study. *J Clin Oncol*. Jun 1 2006;24(16):2498-2504.

Simon MS, Mueller BA, Deapen D, Copeland G. A comparison of record linkage yield for health research using different variable sets. *Breast Cancer Res Treat*. Jan 2005;89(2):107-110.

Simon MS, Tang MT, Bernstein L, et al. Do thyroid disorders increase the risk of breast cancer? *Cancer Epidemiol Biomarkers Prev*. Dec 2002;11(12):1574-1578.

Simons AJ, Ker R, Groshen S, et al. Variations in treatment of rectal cancer: the influence of hospital type and caseload. *Dis Colon Rectum*. Jun 1997;40(6):641-646.

Simons JP, Ng SC, McDade TP, Zhou Z, Earle CC, Tseng JF. Progress for resectable pancreatic [corrected] cancer?: a population-based assessment of US practices. *Cancer*. Apr 1 2010;116(7):1681-1690.

Simons JP, Ng SC, Shah SA, McDade TP, Whalen GF, Tseng JF. Malignant intraductal papillary mucinous neoplasm: are we doing the right thing? *J Surg Res*. May 15 2011;167(2):251-257.

Simpson CL, Garabrant DH, Fryzek J, Homa DM, Peters RK. Wood-dust exposures and cancer of the colon. International journal of occupational and environmental health. Jul-Sep 1998;4(3):179-183.

Simpson DR, Martinez ME, Gupta S, et al. Racial disparity in consultation, treatment, and the impact on survival in metastatic colorectal cancer. J Natl Cancer Inst. Dec 4 2013;105(23):1814-1820.

Simunovic M, Rempel E, Theriault ME, et al. Influence of delays to nonemergent colon cancer surgery on operative mortality, disease-specific survival and overall survival. Can J Surg. Aug 2009;52(4):E79-E86.

Singal V, Singal AK, Kuo YF. Racial disparities in treatment for pancreatic cancer and impact on survival: a population-based analysis. Journal of cancer research and clinical oncology. Apr 2012;138(4):715-722.

Singh A, Kuo YF, Goodwin JS. Many patients who undergo surgery for colorectal cancer receive surveillance colonoscopies earlier than recommended by guidelines. Clin Gastroenterol Hepatol. Jan 2013;11(1):65-72 e61.

Singh AD, Turell ME, Topham AK. Uveal melanoma: trends in incidence, treatment, and survival. Ophthalmology. Sep 2011;118(9):1881-1885.

Singh SD, Ajani UA, Johnson CJ, et al. Association of cutaneous melanoma incidence with area-based socioeconomic indicators—United States, 2004–2006. J Am Acad Dermatol. Nov 2011;65(5 Suppl 1):S58-68.

Siozon CC, Ma H, Hilsen M, Bernstein L, Ursin G. The association between recreational physical activity and mammographic density. Int J Cancer. Oct 1 2006;119(7):1695-1701.

Skaznik-Wikiel ME, Sukumvanich P, Austin RM, et al. Heavy Cervical Cancer Burden in Elderly Women: How Can We Improve the Situation? Acta cytologica. Jul 25 2012;56(4):388-393.

Skibola CF, Bracci PM, Nieters A, et al. Tumor necrosis factor (TNF) and lymphotoxin-alpha (LTA) polymorphisms and risk of non-Hodgkin lymphoma in the InterLymph Consortium. Am J Epidemiol. Feb 1 2010;171(3):267-276.

Skinner KA, Helsper JT, Deapen D, Ye W, Sposto R. Breast cancer: do specialists make a difference? Ann Surg Oncol. Jul 2003;10(6):606-615.

Skipper PL, Tannenbaum SR, Ross RK, Yu MC. Nonsmoking-related arylamine exposure and bladder cancer risk. Cancer Epidemiol Biomarkers Prev. Jun 2003;12(6):503-507.

Skolarus TA, Ye Z, Montgomery JS, et al. Use of restaging bladder tumor resection for bladder cancer among Medicare beneficiaries. *Urology*. Dec 2011;78(6):1345-1349.

Skolarus TA, Ye Z, Zhang S, Hollenbeck BK. Regional differences in early stage bladder cancer care and outcomes. *Urology*. Aug 2010;76(2):391-396.

Skolarus TA, Zhang Y, Hollenbeck BK. Understanding fragmentation of prostate cancer survivorship care: Implications for cost and quality. *Cancer*. Jun 1 2012;118(11):2837-2845.

Slatore CG, Cecere LM, Letourneau JL, et al. Intensive care unit outcomes among patients with lung cancer in the surveillance, epidemiology, and end results-medicare registry. *J Clin Oncol*. May 10 2012;30(14):1686-1691.

Sloss EM, Geschwind SA, McCaffrey DF, Ritz BR. Groundwater recharge with reclaimed water: an epidemiologic assessment in Los Angeles County, 1987-1991. Santa Monica, CA 90407-2138: RAND; 1996.

Slovak ML, Weiss LM, Nathwani BN, Bernstein L, Levine AM. Cytogenetic studies of composite lymphomas: monocyteoid B-cell lymphoma and other B-cell non-Hodgkin's lymphomas. *Human pathology*. Oct 1993;24(10):1086-1094.

Smaldone MC, Egleston B, Uzzo RG, Kutikov A. Does partial nephrectomy result in a durable overall survival benefit in the medicare population? *J Urol*. Dec 2012;188(6):2089-2094.

Smaldone MC, Kutikov A, Egleston B, et al. Assessing Performance Trends in Laparoscopic Nephrectomy and Nephron-sparing Surgery for Localized Renal Tumors. *Urology*. Aug 2012;80(2):286-292.

Smith AK, Earle CC, McCarthy EP. Racial and ethnic differences in end-of-life care in fee-for-service Medicare beneficiaries with advanced cancer. *J Am Geriatr Soc*. Jan 2009;57(1):153-158.

Smith AW, Alfano CM, Reeve BB, et al. Race/Ethnicity, physical activity, and quality of life in breast cancer survivors. *Cancer Epidemiol Biomarkers Prev*. Feb 2009;18(2):656-663.

Smith AW, Bellizzi KM, Keegan TH, et al. Health-related quality of life of adolescent and young adult patients with cancer in the United States: the adolescent and young adult health outcomes and patient experience study. *J Clin Oncol*. Jun 10 2013;31(17):2136-2145.

Smith AW, Parsons HM, Kent EE, et al. Unmet Support Service Needs and Health-Related Quality of Life among Adolescents and Young Adults with Cancer: The AYA HOPE Study. *Frontiers in oncology*. 2013;3:75.

Smith AW, Reeve BB, Bellizzi KM, et al. Cancer, comorbidities, and health-related quality of life of older adults. *Health care financing review*. Summer 2008;29(4):41-56.

Smith BD, Gross CP, Smith GL, Galusha DH, Bekelman JE, Haffty BG. Effectiveness of radiation therapy for older women with early breast cancer. *J Natl Cancer Inst.* May 17 2006;98(10):681-690.

Smith BD, Haffty BG, Buchholz TA, et al. Effectiveness of radiation therapy in older women with ductal carcinoma in situ. *J Natl Cancer Inst.* Sep 20 2006;98(18):1302-1310.

Smith BD, Haffty BG, Smith GL, Hurria A, Buchholz TA, Gross CP. Use of postmastectomy radiotherapy in older women. *Int J Radiat Oncol Biol Phys.* May 1 2008;71(1):98-106.

Smith BD, Haffty BG, Wilson LD, Smith GL, Patel AN, Buchholz TA. The future of radiation oncology in the United States from 2010 to 2020: will supply keep pace with demand? *J Clin Oncol.* Dec 10 2010;28(35):5160-5165.

Smith BD, Pan IW, Shih YC, et al. Adoption of intensity-modulated radiation therapy for breast cancer in the United States. *J Natl Cancer Inst.* May 18 2011;103(10):798-809.

Smith BD, Smith GL, Hurria A, Hortobagyi GN, Buchholz TA. Future of cancer incidence in the United States: burdens upon an aging, changing nation. *J Clin Oncol.* Jun 10 2009;27(17):2758-2765.

Smith BD, Smith GL, Roberts KB, Buchholz TA. Baseline utilization of breast radiotherapy before institution of the Medicare practice quality reporting initiative. *Int J Radiat Oncol Biol Phys.* Aug 1 2009;74(5):1506-1512.

Smith CA, Martinez SR, Tseng WH, et al. Predicting survival for well-differentiated liposarcoma: the importance of tumor location. *J Surg Res.* Jun 1 2012;175(1):12-17.

Smith CB, Swanson SJ, Mhango G, Wisnivesky JP. Survival after segmentectomy and wedge resection in stage I non-small-cell lung cancer. *J Thorac Oncol.* Jan 2013;8(1):73-78.

Smith EK, White MC, Weir HK, Peipins LA, Thompson TD. Higher incidence of clear cell adenocarcinoma of the cervix and vagina among women born between 1947 and 1971 in the United States. *Cancer Causes Control.* Jan 2012;23(1):207-211.

Smith GL, Shih YC, Giordano SH, Smith BD, Buchholz TA. A method to predict breast cancer stage using Medicare claims. *Epidemiol Perspect Innov.* 2010;7:1.

Smith GL, Smith BD, Buchholz TA, et al. Cerebrovascular disease risk in older head and neck cancer patients after radiotherapy. *J Clin Oncol.* Nov 1 2008;26(31):5119-5125.

Smith GL, Smith BD, Buchholz TA, et al. Patterns of care and locoregional treatment outcomes in older esophageal cancer patients: The SEER-Medicare Cohort. *Int J Radiat Oncol Biol Phys.* Jun 1 2009;74(2):482-489.

Smith GL, Smith BD, Garden AS, et al. Hypothyroidism in older patients with head and neck cancer after treatment with radiation: a population-based study. Head Neck. Aug 2009;31(8):1031-1038.

Smith GL, Smith BD, Giordano SH, et al. Risk of hypothyroidism in older breast cancer patients treated with radiation. Cancer. Mar 15 2008;112(6):1371-1379.

Smith JK, Hill JS, Ng SC, McDade TP, Shah SA, Tseng JF. Potential benefit of resection for stage IV gastric cancer: a national survey. J Gastrointest Surg. Nov 2010;14(11):1660-1668.

Smith JK, Ng SC, Zhou Z, et al. Does increasing insurance improve outcomes for US cancer patients? J Surg Res. Nov 2013;185(1):15-20.

Smith LH, Danielsen B, Allen ME, Cress R. Cancer associated with obstetric delivery: results of linkage with the California cancer registry. American journal of obstetrics and gynecology. Oct 2003;189(4):1128-1135.

Smith LH, Morris CR, Yasmeen S, Parikh-Patel A, Cress RD, Romano PS. Ovarian cancer: can we make the clinical diagnosis earlier? Cancer. Oct 1 2005;104(7):1398-1407.

Smith SW, Sato M, Gore SD, et al. Erythropoiesis-stimulating agents are not associated with increased risk of thrombosis in patients with myelodysplastic syndromes. Haematologica. Jan 2012;97(1):15-20.

Smith VA, Camp ER, Lentsch EJ. Merkel cell carcinoma: Identification of prognostic factors unique to tumors located in the head and neck based on analysis of SEER data. The Laryngoscope. Jun 2012;122(6):1283-1290.

Smith VA, Cunningham JE, Lentsch EJ. Completion node dissection in patients with sentinel node-positive melanoma of the head and neck. Otolaryngol Head Neck Surg. Apr 2012;146(4):591-599.

Smith VA, Lentsch EJ. Sentinel node biopsy in head and neck desmoplastic melanoma: An analysis of 244 cases. The Laryngoscope. Jan 2012;122(1):116-120.

Smith VA, Madan OP, Lentsch EJ. Tumor location is an independent prognostic factor in head and neck merkel cell carcinoma. Otolaryngol Head Neck Surg. Mar 2012;146(3):403-408.

Smith VA, Sessions RB, Lentsch EJ. Cervical lymph node metastasis and papillary thyroid carcinoma: Does the compartment involved affect survival? Experience from the SEER database. J Surg Oncol. Sep 15 2012;106(4):357-362.

Smith-Bindman R, Quale C, Chu PW, Rosenberg R, Kerlikowske K. Can Medicare billing claims data be used to assess mammography utilization among women ages 65 and older? Med Care. May 2006;44(5):463-470.

Smith-Gagen J, Carrillo JE, Ang A, Perez-Stable EJ. Practices that reduce the latina survival disparity after breast cancer. *J Womens Health (Larchmt)*. Nov 2013;22(11):938-946.

Smith-Warner SA, Spiegelman D, Ritz J, et al. Methods for pooling results of epidemiologic studies: the Pooling Project of Prospective Studies of Diet and Cancer. *Am J Epidemiol*. Jun 1 2006;163(11):1053-1064.

Smoll NR. Relative survival of childhood and adult medulloblastomas and primitive neuroectodermal tumors (PNETs). *Cancer*. Mar 1 2012;118(5):1313-1322.

Smoll NR, Gautschi OP, Radovanovic I, Schaller K, Weber DC. Incidence and relative survival of chordomas: The standardized mortality ratio and the impact of chordomas on a population. *Cancer*. Jun 1 2013;119(11):2029-2037.

Smoll NR, Gautschi OP, Schatlo B, Schaller K, Weber DC. Relative survival of patients with supratentorial low-grade gliomas. *Neuro Oncol*. Aug 2012;14(8):1062-1069.

Smoll NR, Schaller K, Gautschi OP. The Cure Fraction of Glioblastoma Multiforme. *Neuroepidemiology*. Jul 8 2012;39(1):63-69.

Smoll NR, Schaller K, Gautschi OP. Long-term survival of patients with glioblastoma multiforme (GBM). *Journal of clinical neuroscience : official journal of the Neurosurgical Society of Australasia*. May 2013;20(5):670-675.

Snyder CF, Earle CC, Herbert RJ, Neville BA, Blackford AL, Frick KD. Preventive care for colorectal cancer survivors: a 5-year longitudinal study. *J Clin Oncol*. Mar 1 2008;26(7):1073-1079.

Snyder CF, Earle CC, Herbert RJ, Neville BA, Blackford AL, Frick KD. Trends in follow-up and preventive care for colorectal cancer survivors. *J Gen Intern Med*. Mar 2008;23(3):254-259.

Snyder CF, Frick KD, Blackford AL, et al. How does initial treatment choice affect short-term and long-term costs for clinically localized prostate cancer? *Cancer*. Dec 1 2010;116(23):5391-5399.

Snyder CF, Frick KD, Herbert RJ, et al. Preventive care in prostate cancer patients: following diagnosis and for five-year survivors. *J Cancer Surviv*. Sep 2011;5(3):283-291.

Snyder CF, Frick KD, Herbert RJ, et al. Quality of care for comorbid conditions during the transition to survivorship: differences between cancer survivors and noncancer controls. *J Clin Oncol*. Mar 20 2013;31(9):1140-1148.

Snyder CF, Frick KD, Kantsiper ME, et al. Prevention, screening, and surveillance care for breast cancer survivors compared with controls: changes from 1998 to 2002. *J Clin Oncol*. Mar 1 2009;27(7):1054-1061.

Snyder CF, Frick KD, Peairs KS, et al. Comparing care for breast cancer survivors to non-cancer controls: a five-year longitudinal study. *J Gen Intern Med.* Apr 2009;24(4):469-474.

Snyder RA, Castaldo ET, Bailey CE, Phillips SE, Chakravarthy AB, Merchant NB. Survival Benefit of Adjuvant Radiation Therapy for Gastric Cancer following Gastrectomy and Extended Lymphadenectomy. *International journal of surgical oncology.* 2012;2012:307670.

Solanki AA, Lemieux MH, Chiu BC, Mahmood U, Hasan Y, Koshy M. Long-Term Outcomes in Patients with Early Stage Nodular Lymphocyte-Predominant Hodgkin's Lymphoma Treated with Radiotherapy. *PLoS One.* 2013;8(9):e75336.

Soliman H, Ferrari A, Thomas D. Sarcoma in the young adult population: an international view. *Semin Oncol.* Jun 2009;36(3):227-236.

Solomon BM, Rabe KG, Slager SL, Brewer JD, Cerhan JR, Shanafelt TD. Overall and Cancer-Specific Survival of Patients With Breast, Colon, Kidney, and Lung Cancers With and Without Chronic Lymphocytic Leukemia: A SEER Population-Based Study. *J Clin Oncol.* Mar 1 2013;31(7):930-937.

Solomon N, Zhuge Y, Cheung M, Franceschi D, Koniaris LG. The roles of neoadjuvant radiotherapy and lymphadenectomy in the treatment of esophageal adenocarcinoma. *Ann Surg Oncol.* Mar 2010;17(3):791-803.

Sommer CA, Stitzenberg KB, Tolleson-Rinehart S, Carpenter WR, Carey TS. Breast MRI utilization in older patients with newly diagnosed breast cancer. *J Surg Res.* Sep 2011;170(1):77-83.

Song C, Chen GK, Millikan RC, et al. A Genome-Wide Scan for Breast Cancer Risk Haplotypes among African American Women. *PLoS One.* 2013;8(2):e57298.

Song H, Ramus SJ, Kjaer SK, et al. Association between invasive ovarian cancer susceptibility and 11 best candidate SNPs from breast cancer genome-wide association study. *Hum Mol Genet.* Jun 15 2009;18(12):2297-2304.

Soto-Ortiz L, Brody JP. Similarities in the Age-Specific Incidence of Colon and Testicular Cancers. *PLoS One.* 2013;8(6):e66694.

Soto-Salgado M, Suarez E, Torres-Cintron M, Pettaway CA, Colon V, Ortiz AP. Prostate cancer incidence and mortality among Puerto Ricans: an updated analysis comparing men in Puerto Rico with US racial/ethnic groups. *Puerto Rico health sciences journal.* Sep 2012;31(3):107-113.

Soulos PR, Yu JB, Roberts KB, et al. Assessing the impact of a cooperative group trial on breast cancer care in the medicare population. *J Clin Oncol.* May 10 2012;30(14):1601-1607.

Spanogle JP, Clarke CA, Aroner S, Swetter SM. Risk of second primary malignancies following cutaneous melanoma diagnosis: a population-based study. *J Am Acad Dermatol.* May 2010;62(5):757-767.

Speaks C, McGlynn KA, Cook MB. Significant calendar period deviations in testicular germ cell tumors indicate that postnatal exposures are etiologically relevant. *Cancer Causes Control.* Oct 2012;23(10):1593-1598.

Spector LG, Puumala SE, Carozza SE, et al. Cancer risk among children with very low birth weights. *Pediatrics.* Jul 2009;124(1):96-104.

Spencer BA, Insel BJ, Hershman DL, Benson MC, Neugut AI. Racial disparities in the use of palliative therapy for ureteral obstruction among elderly patients with advanced prostate cancer. *Support Care Cancer.* May 2013;21(5):1303-1311.

Spencer BA, McBride RB, Hershman DL, et al. Adjuvant intravesical bacillus calmette-guerin therapy and survival among elderly patients with non-muscle-invasive bladder cancer. *J Oncol Pract.* Mar 2013;9(2):92-98.

Spiertas R, Beebe GW, Connelly RR, et al. Recent trends in mesothelioma incidence in the United States. *American journal of industrial medicine.* 1986;9(5):397-407.

Spiertas R, Heineman EF, Bernstein L, et al. Malignant mesothelioma: attributable risk of asbestos exposure. *Occup Environ Med.* Dec 1994;51(12):804-811.

Spoozak L, Lewin SN, Burke WM, et al. Microinvasive adenocarcinoma of the cervix. *American journal of obstetrics and gynecology.* Jan 2012;206(1):80 e81-86.

Spraker MB, Bair E, Bair R, Connell PP, Mahmood U, Koshy M. An analysis of patient characteristics and clinical outcomes in primary pulmonary sarcoma. *J Thorac Oncol.* Feb 2013;8(2):147-151.

Sprehn GC, Chambers JE, Saykin AJ, Konski A, Johnstone PA. Decreased cancer survival in individuals separated at time of diagnosis: critical period for cancer pathophysiology? *Cancer.* Nov 1 2009;115(21):5108-5116.

Sprung CH, 3rd, Rideout WM, 3rd, Olumi AF, et al. Distinct pattern of p53 mutations in bladder cancer: relationship to tobacco usage. *Cancer Res.* Mar 1 1993;53(5):1162-1166.

Srokowski TP, Fang S, Duan Z, et al. Completion of adjuvant radiation therapy among women with breast cancer. *Cancer.* Jul 1 2008;113(1):22-29.

Srokowski TP, Fang S, Hortobagyi GN, Giordano SH. Impact of diabetes mellitus on complications and outcomes of adjuvant chemotherapy in older patients with breast cancer. *J Clin Oncol.* May 1 2009;27(13):2170-2176.

Stacey SN, Manolescu A, Sulem P, et al. Common variants on chromosomes 2q35 and 16q12 confer susceptibility to estrogen receptor-positive breast cancer. *Nat Genet*. Jul 2007;39(7):865-869.

Stanford JL, Feng Z, Hamilton AS, et al. Urinary and sexual function after radical prostatectomy for clinically localized prostate cancer: the Prostate Cancer Outcomes Study. *Jama*. Jan 19 2000;283(3):354-360.

Stang A, Jansen L, Trabert B, et al. Survival after a diagnosis of testicular germ cell cancers in Germany and the United States, 2002-2006: A high resolution study by histology and age. *Cancer Epidemiol*. Aug 2013;37(4):492-497.

Steele SR, Chen SL, Stojadinovic A, et al. The impact of age on quality measure adherence in colon cancer. *J Am Coll Surg*. Jul 2011;213(1):95-103; discussion 104-105.

Stefanovic A, Morgensztern D, Fong T, Lossos IS. Pulmonary marginal zone lymphoma: a single centre experience and review of the SEER database. *Leuk Lymphoma*. Jul 2008;49(7):1311-1320.

Steffen AD, Kolonel LN, Nomura AM, Nagamine FS, Monroe KR, Wilkens LR. The effect of multiple mailings on recruitment: the Multiethnic Cohort. *Cancer Epidemiol Biomarkers Prev*. Feb 2008;17(2):447-454.

Steinau M, Unger ER, Hernandez BY, et al. Human Papillomavirus Prevalence in Invasive Anal Cancers in the United States Before Vaccine Introduction. *Journal of lower genital tract disease*. Oct 2013;17(4):397-403.

Stern MC, Lin J, Figueroa JD, et al. Polymorphisms in DNA repair genes, smoking, and bladder cancer risk: findings from the international consortium of bladder cancer. *Cancer Res*. Sep 1 2009;69(17):6857-6864.

Stern MC, Siegmund KD, Conti DV, Corral R, Haile RW. XRCC1, XRCC3, and XPD polymorphisms as modifiers of the effect of smoking and alcohol on colorectal adenoma risk. *Cancer Epidemiol Biomarkers Prev*. Dec 2006;15(12):2384-2390.

Stern MC, Van Den Berg D, Yuan JM, et al. Sequence variant on 3q28 and urinary bladder cancer risk: findings from the los angeles-shanghai bladder case-control study. *Cancer Epidemiol Biomarkers Prev*. Nov 2009;18(11):3057-3061.

Stessin AM, Meyer JE, Sherr DL. Neoadjuvant radiation is associated with improved survival in patients with resectable pancreatic cancer: an analysis of data from the surveillance, epidemiology, and end results (SEER) registry. *Int J Radiat Oncol Biol Phys*. Nov 15 2008;72(4):1128-1133.

Stessin AM, Schwartz A, Judanin G, et al. Does adjuvant external-beam radiotherapy improve outcomes for nonbenign meningiomas? A Surveillance, Epidemiology, and End Results (SEER)-based analysis. *J Neurosurg.* Oct 2012;117(4):669-675.

Stessin AM, Sherr DL. Demographic disparities in patterns of care and survival outcomes for patients with resected gastric adenocarcinoma. *Cancer Epidemiol Biomarkers Prev.* Feb 2011;20(2):223-233.

Stessin AM, Sison C, Nieto J, Raifu M, Li B. The Role of Postoperative Radiation Therapy in the Treatment of Meningeal Hemangiopericytoma-Experience From the SEER Database. *Int J Radiat Oncol Biol Phys.* Mar 1 2013;85(3):784-790.

Stevens KN, Fredericksen Z, Vachon CM, et al. 19p13.1 Is a Triple-Negative-Specific Breast Cancer Susceptibility Locus. *Cancer Res.* Apr 1 2012;72(7):1795-1803.

Stewart SL, Wike JM, Kato I, Lewis DR, Michaud F. A population-based study of colorectal cancer histology in the United States, 1998-2001. *Cancer.* Sep 1 2006;107(5 Suppl):1128-1141.

Steyerberg EW, Neville BA, Koppert LB, et al. Surgical mortality in patients with esophageal cancer: development and validation of a simple risk score. *J Clin Oncol.* Sep 10 2006;24(26):4277-4284.

Stoddard JL, Dent CW, Shames L, Bernstein L. Exercise training effects on premenstrual distress and ovarian steroid hormones. *European journal of applied physiology.* Jan 2007;99(1):27-37.

Stojadinovic A, Bilchik A, Smith D, et al. Clinical decision support and individualized prediction of survival in colon cancer: bayesian belief network model. *Ann Surg Oncol.* Jan 2013;20(1):161-174.

Stokes ME, Black L, Benedict A, Roehrborn CG, Albertsen P. Long-term medical-care costs related to prostate cancer: estimates from linked SEER-Medicare data. *Prostate Cancer Prostatic Dis.* Sep 2010;13(3):278-284.

Stokes ME, Ishak J, Proskorovsky I, Black LK, Huang Y. Lifetime Economic Burden of Prostate Cancer. *BMC Health Serv Res.* Dec 28 2011;11(1):349.

Stokes ME, Muehlenbein CE, Marciak MD, et al. Neutropenia-related costs in patients treated with first-line chemotherapy for advanced non-small cell lung cancer. *J Manag Care Pharm.* Oct 2009;15(8):669-682.

Stokes ME, Thompson D, Montoya EL, Weinstein MC, Winer EP, Earle CC. Ten-year survival and cost following breast cancer recurrence: estimates from SEER-medicare data. *Value Health.* Mar-Apr 2008;11(2):213-220.

Stokes WA, Hendrix LH, Royce TJ, et al. Racial differences in time from prostate cancer diagnosis to treatment initiation: A Population-Based Study. *Cancer*. Jul 1 2013;119(13):2486-2493.

Stolzenberg-Solomon RZ, Jacobs EJ, Arslan AA, et al. Circulating 25-hydroxyvitamin d and risk of pancreatic cancer: cohort consortium vitamin d pooling project of rarer cancers. *Am J Epidemiol*. Jul 1 2010;172(1):81-93.

Storm H, Brewster DH, Coleman MP, et al. Guidelines for confidentiality and cancer registration. *Br J Cancer*. Jun 6 2005;92(11):2095-2096.

Stott-Miller M, Chen C, Schwartz SM. Type II diabetes and metabolic syndrome in relation to head and neck squamous cell carcinoma risk: A SEER-Medicare database study. *Cancer Epidemiol*. Aug 2013;37(4):428-433.

Stovall M, Smith SA, Langholz BM, et al. Dose to the Contralateral Breast from Radiotherapy and Risk of Second Primary Breast Cancer in the WECARE Study. *Int J Radiat Oncol Biol Phys*. Jun 13 2008.

Stover AM, Reeve BB, Piper BF, et al. Deriving clinically meaningful cut-scores for fatigue in a cohort of breast cancer survivors: a Health, Eating, Activity, and Lifestyle (HEAL) Study. *Quality of life research : an international journal of quality of life aspects of treatment, care and rehabilitation*. Nov 2013;22(9):2279-2292.

Stram DO, Hankin JH, Wilkens LR, et al. Prostate cancer incidence and intake of fruits, vegetables and related micronutrients: the multiethnic cohort study\* (United States). *Cancer Causes Control*. Nov 2006;17(9):1193-1207.

Stram DO, Leigh Pearce C, Bretsky P, et al. Modeling and E-M estimation of haplotype-specific relative risks from genotype data for a case-control study of unrelated individuals. *Human heredity*. 2003;55(4):179-190.

Strauss J, Hershman DL, Buono D, et al. Use of adjuvant 5-fluorouracil and radiation therapy after gastric cancer resection among the elderly and impact on survival. *Int J Radiat Oncol Biol Phys*. Apr 2010;76(5):1404-1412.

Strom BL, Berlin JA, Weber AL, et al. Absence of an effect of injectable and implantable progestin-only contraceptives on subsequent risk of breast cancer. *Contraception*. May 2004;69(5):353-360.

Strope SA, Chang SH, Chen L, Sandhu G, Piccirillo JF, Schootman M. Survival impact of followup care after radical cystectomy for bladder cancer. *J Urol*. Nov 2013;190(5):1698-1703.

Strope SA, Ye Z, Hollingsworth JM, Hollenbeck BK. Patterns of care for early stage bladder cancer. *Cancer*. Jun 1 2010;116(11):2604-2611.

Stroup AM, Harrell CJ, Herget KA. Long-term survival in young women: hazards and competing risks after thyroid cancer. *Journal of cancer epidemiology*. 2012;2012:641372.

Stuedal A, Ma H, Bernstein L, Pike MC, Ursin G. Does Breast Size Modify the Association between Mammographic Density and Breast Cancer Risk? *Cancer Epidemiol Biomarkers Prev*. Mar 2008;17(3):621-627.

Suarez E, Gonzalez L, Diaz-Toro EC, Calo WA, Bermudez F, Ortiz AP. Incidence of oral cavity and pharyngeal cancers by anatomical sites in population-based registries in Puerto Rico and the United States of America. *Puerto Rico health sciences journal*. Dec 2013;32(4):175-181.

Subramanian J, Morgensztern D, Goodgame B, et al. Distinctive characteristics of non-small cell lung cancer (NSCLC) in the young: a surveillance, epidemiology, and end results (SEER) analysis. *J Thorac Oncol*. Jan 2010;5(1):23-28.

Sultan I, Casanova M, Al-Jumaily U, Meazza C, Rodriguez-Galindo C, Ferrari A. Soft tissue sarcomas in the first year of life. *Eur J Cancer*. Sep 2010;46(13):2449-2456.

Sultan I, Casanova M, Ferrari A, Rihani R, Rodriguez-Galindo C. Differential features of nasopharyngeal carcinoma in children and adults: a SEER study. *Pediatr Blood Cancer*. Aug 2010;55(2):279-284.

Sultan I, Qaddoumi I, Yaser S, Rodriguez-Galindo C, Ferrari A. Comparing adult and pediatric rhabdomyosarcoma in the surveillance, epidemiology and end results program, 1973 to 2005: an analysis of 2,600 patients. *J Clin Oncol*. Jul 10 2009;27(20):3391-3397.

Sultan I, Rodriguez-Galindo C, Al-Sharabati S, Guzzo M, Casanova M, Ferrari A. Salivary gland carcinomas in children and adolescents: a population-based study, with comparison to adult cases. *Head Neck*. Oct 2011;33(10):1476-1481.

Sultan I, Rodriguez-Galindo C, El-Taani H, et al. Distinct features of colorectal cancer in children and adolescents : a population-based study of 159 cases. *Cancer*. Feb 1 2010;116(3):758-765.

Sultan I, Rodriguez-Galindo C, Saab R, Yasir S, Casanova M, Ferrari A. Comparing children and adults with synovial sarcoma in the Surveillance, Epidemiology, and End Results program, 1983 to 2005: an analysis of 1268 patients. *Cancer*. Aug 1 2009;115(15):3537-3547.

Summers C, Saltzstein SL, Blair SL, Tsukamoto TT, Sadler GR. Racial/ethnic differences in early detection of breast cancer: a study of 250,985 cases from the California Cancer Registry. *J Womens Health (Larchmt)*. Feb 2010;19(2):203-207.

Sun LM, Epplein M, Li CI, Vaughan TL, Weiss NS. Trends in the incidence rates of nasopharyngeal carcinoma among Chinese Americans living in Los Angeles County and the San Francisco metropolitan area, 1992-2002. *Am J Epidemiol*. Dec 15 2005;162(12):1174-1178.

Sun M, Abdollah F, Budaus L, et al. Trends of retroperitoneal lymphadenectomy use in patients with nonseminomatous germ cell tumor of the testis: a population-based study. *Ann Surg Oncol.* Oct 2011;18(10):2997-3004.

Sun M, Abdollah F, Liberman D, et al. Racial disparities and socioeconomic status in men diagnosed with testicular germ cell tumors: a survival analysis. *Cancer.* Sep 15 2011;117(18):4277-4285.

Sundararajan V, Grann VR, Jacobson JS, Ahsan H, Neugut AI. Variations in the use of adjuvant chemotherapy for node-positive colon cancer in the elderly: a population-based study. *Cancer J.* May-Jun 2001;7(3):213-218.

Sundararajan V, Hershman D, Grann VR, Jacobson JS, Neugut AI. Variations in the use of chemotherapy for elderly patients with advanced ovarian cancer: a population-based study. *J Clin Oncol.* Jan 1 2002;20(1):173-178.

Sundararajan V, Mitra N, Jacobson JS, Grann VR, Heitjan DF, Neugut AI. Survival associated with 5-fluorouracil-based adjuvant chemotherapy among elderly patients with node-positive colon cancer. *Ann Intern Med.* Mar 5 2002;136(5):349-357.

Swisher-McClure S, Pollack CE, Christodouleas JP, et al. Variation in use of androgen suppression with external-beam radiotherapy for nonmetastatic prostate cancer. *Int J Radiat Oncol Biol Phys.* May 1 2012;83(1):8-15.

Taghavi S, Jayarajan SN, Powers BD, Davey A, Willis AI. Examining rectal carcinoids in the era of screening colonoscopy: a surveillance, epidemiology, and end results analysis. *Dis Colon Rectum.* Aug 2013;56(8):952-959.

Tai E, Pollack LA, Townsend J, Li J, Steele CB, Richardson LC. Differences in non-Hodgkin lymphoma survival between young adults and children. *Arch Pediatr Adolesc Med.* Mar 2010;164(3):218-224.

Takasugi M, Terasaki PI, Henderson B, Mickey MR, Menck H, Thompson RW. HL-A antigens in solid tumors. *Cancer Res.* Apr 1973;33(4):648-650.

Takikita M, Altekkruse S, Lynch CF, et al. Associations between selected biomarkers and prognosis in a population-based pancreatic cancer tissue microarray. *Cancer Res.* Apr 1 2009;69(7):2950-2955.

Taksler GB, Cutler DM, Giovannucci E, Smith MR, Keating NL. Ultraviolet index and racial differences in prostate cancer incidence and mortality. *Cancer.* Sep 1 2013;119(17):3195-3203.

Tal R, Jacks LM, Elkin E, Mulhall JP. Penile implant utilization following treatment for prostate cancer: analysis of the SEER-Medicare database. *J Sex Med.* Jun 2011;8(6):1797-1804.

Talcott JA. Androgen deprivation as primary treatment for early prostate cancer: should we "just do something"? *J Natl Cancer Inst.* Mar 20 2002;94(6):407-409.

Tan HJ, Norton EC, Ye Z, Hafez KS, Gore JL, Miller DC. Long-term survival following partial vs radical nephrectomy among older patients with early-stage kidney cancer. *Jama.* Apr 18 2012;307(15):1629-1635.

Tan HJ, Wolf JS, Jr., Ye Z, Wei JT, Miller DC. Complications and failure to rescue after laparoscopic versus open radical nephrectomy. *J Urol.* Oct 2011;186(4):1254-1260.

Tan HJ, Wolf JS, Jr., Ye Z, Wei JT, Miller DC. Population-level comparative effectiveness of laparoscopic versus open radical nephrectomy for patients with kidney cancer. *Cancer.* Sep 15 2011;117(18):4184-4193.

Tarleton HP, Park SL, Zhu WM, et al. Body mass index change in adulthood and lung and upper aerodigestive tract cancers. *Int J Cancer.* Sep 15 2012;131(6):1407-1416.

Tatalovich Z, Wilson JP, Mack T, Yan Y, Cockburn M. The objective assessment of lifetime cumulative ultraviolet exposure for determining melanoma risk. *J Photochem Photobiol B.* Dec 1 2006;85(3):198-204.

Taylor KC, Carty CL, Dumitrescu L, et al. Investigation of gene-by-sex interactions for lipid traits in diverse populations from the population architecture using genomics and epidemiology study. *BMC genetics.* May 1 2013;14(1):33.

Telli ML, Chang ET, Kurian AW, et al. Asian ethnicity and breast cancer subtypes: a study from the California Cancer Registry. *Breast Cancer Res Treat.* Jun 2011;127(2):471-478.

Templeman C, Marshall SF, Ursin G, et al. Adenomyosis and endometriosis in the California Teachers Study. *Fertil Steril.* Oct 3 2007.

Terakedis BE, Rossi PJ, Liauw SL, Johnstone PA, Jani AB. A surveillance, epidemiology, and end results registry analysis of prostate cancer modality time trends by age. *Am J Clin Oncol.* Dec 2010;33(6):619-623.

Teraoka SN, Bernstein JL, Reiner AS, et al. Single nucleotide polymorphisms associated with risk for contralateral breast cancer in the Women's Environment, Cancer, and Radiation Epidemiology (WECARE) Study. *Breast Cancer Res.* Nov 17 2011;13(6):R114.

Terry KL, Karageorgi S, Shvetsov YB, et al. Genital powder use and risk of ovarian cancer: a pooled analysis of 8,525 cases and 9,859 controls. *Cancer Prev Res (Phila).* Aug 2013;6(8):811-821.

Thampi S, Matthay KK, Goldsby R, Dubois SG. Adverse impact of regional lymph node involvement in osteosarcoma. *Eur J Cancer.* Nov 2013;49(16):3471-3476.

Thirunavukarasu P, Sathaiah M, Sukumar S, et al. Meckel's diverticulum--a high-risk region for malignancy in the ileum. Insights from a population-based epidemiological study and implications in surgical management. *Ann Surg.* Feb 2011;253(2):223-230.

Thirunavukarasu P, Sukumar S, Sathaiah M, et al. C-stage in colon cancer: implications of carcinoembryonic antigen biomarker in staging, prognosis, and management. *J Natl Cancer Inst.* Apr 20 2011;103(8):689-697.

Thomas DB, Kolonel LN, Ross RK, Thompson DJ. Proposal for a collaborative epidemiology study of prostate cancer in the Pacific Basin. National Cancer Institute monograph. 1982;62:151-155.

Thomas DC. Statistical methods in genetic epidemiology. New York: Oxford University Press; 2004.

Thomas DC, Bowman JD, Jiang L, Jiang F, Peters JM. Residential magnetic fields predicted from wiring configurations: II. Relationships To childhood leukemia. *Bioelectromagnetics.* Oct 1999;20(7):414-422.

Thomas DC, Preston-Martin S. Risk of leukemia caused by diagnostic x-rays. *Health physics.* Nov 1992;63(5):576-578.

Thomas JP, Davis-Dao C, Lewinger JP, et al. Null association between histology of first and second primary malignancies in men with bilateral testicular germ cell tumors. *Am J Epidemiol.* Oct 15 2013;178(8):1240-1245.

Thomas WW, Fritsch VA, Lentsch EJ. Population-based analysis of prognostic indicators in sebaceous carcinoma of the head and neck. *The Laryngoscope.* Sep 2013;123(9):2165-2169.

Thompson BA, Goldgar DE, Paterson C, et al. A Multifactorial Likelihood Model for MMR Gene Variant Classification Incorporating Probabilities Based on Sequence Bioinformatics and Tumor Characteristics: A Report from the Colon Cancer Family Registry. *Hum Mutat.* Jan 2013;34(1):200-209.

Thompson D, Taylor DC, Montoya EL, Winer EP, Jones SE, Weinstein MC. Cost-effectiveness of switching to exemestane after 2 to 3 years of therapy with tamoxifen in postmenopausal women with early-stage breast cancer. *Value Health.* Sep-Oct 2007;10(5):367-376.

Thompson K, Grabowski J, Saltzstein SL, Sadler GR, Blair SL. Adenoid cystic breast carcinoma: is axillary staging necessary in all cases? Results from the California Cancer Registry. *Breast J.* Sep-Oct 2011;17(5):485-489.

Thong AE, Lichtensztajn DY, Almario L, Ingels A, Gomez SL, Gonzalgo ML. Stage I Testicular Seminoma: A SEER Analysis of Contemporary Adjuvant Radiotherapy Trends. *J Urol.* Oct 2013;190(4):1240-1244.

Thong MS, van de Poll-Franse L, Hoffman RM, et al. Diabetes mellitus and health-related quality of life in prostate cancer: 5-year results from the Prostate Cancer Outcomes Study. *BJU Int.* Apr 2011;107(8):1223-1231.

Thrall MM, Goff BA, Symons RG, Flum DR, Gray HJ. Thirty-day mortality after primary cytoreductive surgery for advanced ovarian cancer in the elderly. *Obstet Gynecol.* Sep 2011;118(3):537-547.

Thrall MM, Gray HJ, Symons RG, Weiss NS, Flum DR, Goff BA. Trends in treatment of advanced epithelial ovarian cancer in the Medicare population. *Gynecol Oncol.* Jul 2011;122(1):100-106.

Thrall MM, Gray HJ, Symons RG, Weiss NS, Flum DR, Goff BA. Neoadjuvant chemotherapy in the Medicare cohort with advanced ovarian cancer. *Gynecol Oncol.* Dec 2011;123(3):461-466.

Thumma SR, Fairbanks RK, Lamoreaux WT, et al. Effect of pretreatment clinical factors on overall survival in glioblastoma multiforme: a Surveillance Epidemiology and End Results (SEER) population analysis. *World journal of surgical oncology.* May 3 2012;10(1):75.

Thuret R, Sun M, Budaus L, et al. A population-based analysis of the effect of marital status on overall and cancer-specific mortality in patients with squamous cell carcinoma of the penis. *Cancer Causes Control.* Jan 2013;24(1):71-79.

Thuret R, Sun M, Lughezzani G, et al. A contemporary population-based assessment of the rate of lymph node dissection for penile carcinoma. *Ann Surg Oncol.* Feb 2011;18(2):439-446.

Tischkowitz M, Capanu M, Sabbaghian N, et al. Rare germline mutations in PALB2 and breast cancer risk: a population-based study. *Hum Mutat.* Apr 2012;33(4):674-680.

Trabert B, Malone KE, Daling JR, et al. Vitamin D receptor polymorphisms and breast cancer risk in a large population-based case-control study of Caucasian and African-American women. *Breast Cancer Res.* 2007;9(6):R84.

Tran Cao HS, Johnston LE, Chang DC, Bouvet M. A critical analysis of the American Joint Committee on Cancer (AJCC) staging system for differentiated thyroid carcinoma in young patients on the basis of the Surveillance, Epidemiology, and End Results (SEER) registry. *Surgery.* Aug 2012;152(2):145-151.

Tran TB, Liou D, Menon VG, Nissen NN. Surgical Management of Advanced Adrenocortical Carcinoma: A 21-year Population-based Analysis. *The American surgeon.* Oct 2013;79(10):1115-1118.

Trantham LC, Nielsen ME, Mobley LR, Wheeler SB, Carpenter WR, Biddle AK. Use of prostate-specific antigen testing as a disease surveillance tool following radical prostatectomy. *Cancer.* Oct 1 2013;119(19):3523-3530.

Travis RC, Schumacher F, Hirschhorn JN, et al. CYP19A1 genetic variation in relation to prostate cancer risk and circulating sex hormone concentrations in men from the Breast and Prostate Cancer Cohort Consortium. *Cancer Epidemiol Biomarkers Prev*. Oct 2009;18(10):2734-2744.

Travis WD, Giroux DJ, Chansky K, et al. The IASLC Lung Cancer Staging Project: proposals for the inclusion of broncho-pulmonary carcinoid tumors in the forthcoming (seventh) edition of the TNM Classification for Lung Cancer. *J Thorac Oncol*. Nov 2008;3(11):1213-1223.

Treanor C, Donnelly M. An international review of the patterns and determinants of health service utilisation by adult cancer survivors. *BMC Health Serv Res*. 2012;12:316.

Tryggvason G, Bayon R, Pagedar NA. Epidemiology of sebaceous carcinoma of the head and neck: Implications for lymph node management. *Head Neck*. Dec 2012;34(12):1765-1768.

Tsao CK, Small AC, Kates M, et al. Cytoreductive nephrectomy for metastatic renal cell carcinoma in the era of targeted therapy in the United States: a SEER analysis. *World journal of urology*. Dec 2013;31(6):1535-1539.

Tsao-Wei DD, Hu J, Groshen SG, Chamberlain MC. Conditional survival of high-grade glioma in Los Angeles County during the year 1990-2000. *J Neurooncol*. Oct 2012;110(1):145-152.

Tsen HF, Morgenstern H, Mack T, Peters RK. Risk factors for penile cancer: results of a population-based case-control study in Los Angeles County (United States). *Cancer Causes Control*. Apr 2001;12(3):267-277.

Tseng HF, Morgenstern H, Mack TM, Peters RK. Risk factors for anal cancer: results of a population-based case--control study. *Cancer Causes Control*. Nov 2003;14(9):837-846.

Tseng W, Martinez SR, Tamurian RM, Borys D, Canter RJ. Histologic type predicts survival in patients with retroperitoneal soft tissue sarcoma. *J Surg Res*. Jan 2012;172(1):123-130.

Tseng WH, Martinez SR, Do L, Tamurian RM, Borys D, Canter RJ. Lack of survival benefit following adjuvant radiation in patients with retroperitoneal sarcoma: a SEER analysis. *J Surg Res*. Jun 15 2011;168(2):e173-180.

Tsikitis VL, Wertheim BC, Guerrero MA. Trends of Incidence and Survival of Gastrointestinal Neuroendocrine Tumors in the United States: A Seer Analysis. *Journal of Cancer*. 2012;3:292-302.

Tsilidis KK, Travis RC, Appleby PN, et al. Insulin-like growth factor pathway genes and blood concentrations, dietary protein and risk of prostate cancer in the NCI Breast and Prostate Cancer Cohort Consortium (BPC3). *Int J Cancer*. Jul 15 2013;133(2):495-504.

Tsimberidou AM, Wen S, McLaughlin P, et al. Other malignancies in chronic lymphocytic leukemia/small lymphocytic lymphoma. *J Clin Oncol*. Feb 20 2009;27(6):904-910.

Tsou JA, Kazarian M, Patel A, et al. Low level anti-Hu reactivity: A risk marker for small cell lung cancer? *Cancer detection and prevention*. 2009;32(4):292-299.

Tuggle CT, Park LS, Roman S, Udelsman R, Sosa JA. Rehospitalization among elderly patients with thyroid cancer after thyroidectomy are prevalent and costly. *Ann Surg Oncol*. Nov 2010;17(11):2816-2823.

Tung KH, Goodman MT, Wu AH, et al. Reproductive factors and epithelial ovarian cancer risk by histologic type: a multiethnic case-control study. *Am J Epidemiol*. Oct 1 2003;158(7):629-638.

Tung KH, Goodman MT, Wu AH, et al. Aggregation of ovarian cancer with breast, ovarian, colorectal, and prostate cancer in first-degree relatives. *Am J Epidemiol*. Apr 15 2004;159(8):750-758.

Tung KH, Wilkens LR, Wu AH, et al. Association of dietary vitamin A, carotenoids, and other antioxidants with the risk of ovarian cancer. *Cancer Epidemiol Biomarkers Prev*. Mar 2005;14(3):669-676.

Tung KH, Wilkens LR, Wu AH, et al. Effect of anovulation factors on pre- and postmenopausal ovarian cancer risk: revisiting the incessant ovulation hypothesis. *Am J Epidemiol*. Feb 15 2005;161(4):321-329.

Turaga KK, Malafa MP, Jacobsen PB, Schell MJ, Sarr MG. Suicide in patients with pancreatic cancer. *Cancer*. Feb 1 2011;117(3):642-647.

Turaga KK, Pappas S, Gamblin TC. Right hemicolectomy for mucinous adenocarcinoma of the appendix: just right or too much? *Ann Surg Oncol*. Apr 2013;20(4):1063-1067.

Turaga KK, Pappas SG, Gamblin T. Importance of histologic subtype in the staging of appendiceal tumors. *Ann Surg Oncol*. May 2012;19(5):1379-1385.

Turner JH, Reh DD. Incidence and survival in patients with sinonasal cancer: A historical analysis of population-based data. *Head Neck*. Jun 2012;34(6):877-885.

Tyson MD, Andrews PE, Etzioni DA, et al. Marital status and prostate cancer outcomes. *The Canadian journal of urology*. Apr 2013;20(2):6702-6706.

Udler MS, Ahmed S, Healey CS, et al. Fine scale mapping of the breast cancer 16q12 locus. *Hum Mol Genet*. Jun 15 2010;19(12):2507-2515.

Udler MS, Meyer KB, Pooley KA, et al. FGFR2 variants and breast cancer risk: fine-scale mapping using African American studies and analysis of chromatin conformation. *Hum Mol Genet*. May 1 2009;18(9):1692-1703.

Ulmer WD, Prasad SM, Kowalczyk KJ, et al. Factors associated with the adoption of minimally invasive radical prostatectomy in the United States. *J Urol*. Sep 2012;188(3):775-780.

Urbach DR, Bell CM, Swanstrom LL, Hansen PD. Cohort study of surgical bypass to the gallbladder or bile duct for the palliation of jaundice due to pancreatic cancer. *Ann Surg*. Jan 2003;237(1):86-93.

Urbach DR, Swanstrom LL, Hansen PD. The effect of laparoscopy on survival in pancreatic cancer. *Arch Surg*. Feb 2002;137(2):191-199.

Urban D, Bar J, Solomon B, Ball D. Lymph node ratio may predict the benefit of postoperative radiotherapy in non-small-cell lung cancer. *J Thorac Oncol*. Jul 2013;8(7):940-946.

Urban D, Gluck I, Pfeffer MR, Symon Z, Lawrence YR. Lymph node ratio predicts the benefit of post-operative radiotherapy in oral cavity cancer. *Radiother Oncol*. Jan 2013;106(1):74-79.

Urban D, Mishra M, Onn A, et al. Radiotherapy Improves Survival in Unresected Stage I-III Bronchoalveolar Carcinoma. *Int J Radiat Oncol Biol Phys*. Nov 1 2012;84(3):780-785.

Urban D, Rao A, Bressel M, Lawrence YR, Mileshkin L. Cancer of unknown primary: a population-based analysis of temporal change and socioeconomic disparities. *Br J Cancer*. Sep 3 2013;109(5):1318-1324.

Urban D, Rao A, Bressel M, Neiger D, Solomon B, Mileshkin L. Suicide in lung cancer: who is at risk? *Chest*. Oct 2013;144(4):1245-1252.

Urban N, Drescher C, Etzioni R, Colby C. Use of a stochastic simulation model to identify an efficient protocol for ovarian cancer screening. *Control Clin Trials*. Jun 1997;18(3):251-270.

Urdaneta AI, Yu JB, Wilson LD. Population based cancer registry analysis of primary tracheal carcinoma. *Am J Clin Oncol*. Feb 2011;34(1):32-37.

Ursin G, Aragaki CC, Paganini-Hill A, Siemiatycki J, Thompson WD, Haile RW. Oral contraceptives and premenopausal bilateral breast cancer: a case-control study. *Epidemiology*. Sep 1992;3(5):414-419.

Ursin G, Bernstein L, Lord SJ, et al. Reproductive factors and subtypes of breast cancer defined by hormone receptor and histology. *Br J Cancer*. Aug 8 2005;93(3):364-371.

Ursin G, Bernstein L, Pike MC. Breast cancer. In: Doll R, Fraumeni J, Muir CS, eds. *Cancer Surveys: Trends in Cancer Incidence and Mortality*. Vol 19/201994.

Ursin G, Bernstein L, Wang Y, et al. Reproductive factors and risk of breast carcinoma in a study of white and African-American women. *Cancer*. Jul 15 2004;101(2):353-362.

Ursin G, Henderson BE, Haile RW, et al. Does oral contraceptive use increase the risk of breast cancer in women with BRCA1/BRCA2 mutations more than in other women? *Cancer Res*. Sep 1 1997;57(17):3678-3681.

Ursin G, Hovanessian-Larsen L, Parisky YR, Pike MC, Wu AH. Greatly increased occurrence of breast cancers in areas of mammographically dense tissue. *Breast Cancer Res*. 2005;7(5):R605-608.

Ursin G, London S, Stanczyk FZ, et al. A pilot study of urinary estrogen metabolites (16alpha-OHE1 and 2-OHE1) in postmenopausal women with and without breast cancer. *Environ Health Perspect*. Apr 1997;105 Suppl 3:601-605.

Ursin G, London S, Stanczyk FZ, et al. Urinary 2-hydroxyestrone/16alpha-hydroxyestrone ratio and risk of breast cancer in postmenopausal women. *J Natl Cancer Inst*. Jun 16 1999;91(12):1067-1072.

Ursin G, London S, Yang D, et al. Urinary 2-hydroxyestrone/16alpha-hydroxyestrone ratio and family history of breast cancer in premenopausal women. *Breast Cancer Res Treat*. Mar 2002;72(2):139-143.

Ursin G, Ma H, Wu AH, et al. Mammographic density and breast cancer in three ethnic groups. *Cancer Epidemiol Biomarkers Prev*. Apr 2003;12(4):332-338.

Ursin G, Paganini-Hill A, Siemiatycki J, Thompson WD, Haile RW. Early adult body weight, body mass index, and premenopausal bilateral breast cancer: data from a case-control study. *Breast Cancer Res Treat*. 1995;33(1):75-82.

Ursin G, Peters RK, Henderson BE, d'Ablaing G, 3rd, Monroe KR, Pike MC. Oral contraceptive use and adenocarcinoma of cervix. *Lancet*. Nov 19 1994;344(8934):1390-1394.

Ursin G, Pike MC, Preston-Martin S, d'Ablaing G, 3rd, Peters RK. Sexual, reproductive, and other risk factors for adenocarcinoma of the cervix: results from a population-based case-control study (California, United States). *Cancer Causes Control*. May 1996;7(3):391-401.

Ursin G, Ross RK, Sullivan-Halley J, Hanisch R, Henderson B, Bernstein L. Use of oral contraceptives and risk of breast cancer in young women. *Breast Cancer Res Treat*. Jul 1998;50(2):175-184.

Ursin G, Spicer D, Bernstein L. Breast cancer epidemiology, treatment and prevention. In: Goldman MB, Hatch MC, eds. *Women and Health*. San Diego: Academic Press; 2000:871-883.

Ursin G, Sun CL, Koh WP, et al. Associations between soy, diet, reproductive factors, and mammographic density in Singapore Chinese women. *Nutr Cancer*. 2006;56(2):128-135.

Ursin G, Tseng CC, Paganini-Hill A, et al. Does menopausal hormone replacement therapy interact with known factors to increase risk of breast cancer? *J Clin Oncol*. Feb 1 2002;20(3):699-706.

Ursin G, Wu AH, Hoover RN, et al. Breast cancer and oral contraceptive use in Asian-American women. *Am J Epidemiol*. Sep 15 1999;150(6):561-567.

Vachon CM, Scott CG, Fasching PA, et al. Common Breast Cancer Susceptibility Variants in LSP1 and RAD51L1 Are Associated with Mammographic Density Measures that Predict Breast Cancer Risk. *Cancer Epidemiol Biomarkers Prev*. Jul 2012;21(7):1156-1166.

Vajdic CM, Falster MO, de Sanjose S, et al. Atopic disease and risk of non-Hodgkin lymphoma: an InterLymph pooled analysis. *Cancer Res*. Aug 15 2009;69(16):6482-6489.

Valsangkar NP, Bush DM, Michaelson JS, et al. N0/N1, PNL, or LNR? The Effect of Lymph Node Number on Accurate Survival Prediction in Pancreatic Ductal Adenocarcinoma. *J Gastrointest Surg*. Feb 2013;17(2):257-266.

Van Tornout JM, Spruck CH, 3rd, Shibata A, et al. Presence of p53 mutations in primary nasopharyngeal carcinoma (NPC) in non-Asians of Los Angeles, California, a low-risk population for NPC. *Cancer Epidemiol Biomarkers Prev*. Jul 1997;6(7):493-497.

Vanderveen KA, Chen SL, Yin D, Cress RD, Bold RJ. Benefit of postoperative adjuvant therapy for pancreatic cancer: a population-based analysis. *Cancer*. Jun 1 2009;115(11):2420-2429.

Vanderwalde NA, Meyer AM, Liu H, et al. Patterns of Care in Older Patients with Squamous Cell Carcinoma of the Head and Neck: A Surveillance Epidemiology and End Results-Medicare Analysis. *Journal of geriatric oncology*. Jul 2013;4(3):262-270.

Varlotto JM, Recht A, Nikolov M, Flickinger JC, Decamp MM. Extent of lymphadenectomy and outcome for patients with stage I nonsmall cell lung cancer. *Cancer*. Feb 15 2009;115(4):851-858.

Vasudevan V, Cheung MC, Yang R, et al. Pediatric solid tumors and second malignancies: characteristics and survival outcomes. *J Surg Res*. May 15 2010;160(2):184-189.

Vatten LJ, Ursin G, Ross RK, et al. Androgens in serum and the risk of prostate cancer: a nested case-control study from the Janus serum bank in Norway. *Cancer Epidemiol Biomarkers Prev*. Nov 1997;6(11):967-969.

Vazquez BJ, Richards ML, Lohse CM, et al. Adrenalectomy improves outcomes of selected patients with metastatic carcinoma. *World J Surg*. Jun 2012;36(6):1400-1405.

Veiga LH, Neta G, Aschebrook-Kilfoy B, Ron E, Devesa SS. Thyroid Cancer Incidence Patterns in Sao Paulo, Brazil, and the U.S. SEER Program, 1997-2008. *Thyroid*. Jun 2013;23(6):748-757.

Veluswamy RR, Mhango G, Bonomi M, et al. Adjuvant treatment for elderly patients with early-stage lung cancer treated with limited resection. *Annals of the American Thoracic Society*. Dec 2013;10(6):622-628.

Verheus M, Maskarinec G, Erber E, et al. Mammographic density and epithelial histopathologic markers. *BMC Cancer*. 2009;9:182.

Verheus M, Maskarinec G, Woolcott CG, et al. IGF1, IGFBP1, and IGFBP3 genes and mammographic density: The Multiethnic Cohort. *Int J Cancer*. Dec 28 2009;127(5):1115-1123.

Verheus M, Maskarinec G, Woolcott CG, et al. IGF1, IGFBP1, and IGFBP3 genes and mammographic density: the Multiethnic Cohort. *Int J Cancer*. Sep 1 2010;127(5):1115-1123.

Vern-Gross TZ, Shivnani AT, Chen K, et al. Survival outcomes in resected extrahepatic cholangiocarcinoma: effect of adjuvant radiotherapy in a surveillance, epidemiology, and end results analysis. *Int J Radiat Oncol Biol Phys*. Sep 1 2011;81(1):189-198.

Vest MT, Tanoue L, Soulos PR, et al. Thoroughness of mediastinal staging in stage IIIA non-small cell lung cancer. *J Thorac Oncol*. Jan 2012;7(1):188-195.

Vigen C, Bernstein L, Wu AH. Occupational physical activity and risk of adenocarcinomas of the esophagus and stomach. *Int J Cancer*. Feb 15 2006;118(4):1004-1009.

Villano JL, Koshy M, Shaikh H, Dolecek TA, McCarthy BJ. Age, gender, and racial differences in incidence and survival in primary CNS lymphoma. *Br J Cancer*. Oct 25 2011;105(9):1414-1418.

Villano JL, Parker CK, Dolecek TA. Descriptive epidemiology of ependymal tumours in the United States. *Br J Cancer*. Jun 11 2013;108(11):2367-2371.

Villano JL, Virk IY, Ramirez V, Propp JM, Engelhard HH, McCarthy BJ. Descriptive epidemiology of central nervous system germ cell tumors: nonpineal analysis. *Neuro Oncol*. Mar 2010;12(3):257-264.

Villasenor A, Ambs A, Ballard-Barbash R, et al. Dietary fiber is associated with circulating concentrations of C-reactive protein in breast cancer survivors: the HEAL study. *Breast Cancer Res Treat*. Sep 2011;129(2):485-494.

Villasenor A, Ballard-Barbash R, Ambs A, et al. Associations of serum 25-hydroxyvitamin D with overall and breast cancer-specific mortality in a multiethnic cohort of breast cancer survivors. *Cancer Causes Control*. Apr 2013;24(4):759-767.

Villasenor A, Ballard-Barbash R, Baumgartner K, et al. Prevalence and prognostic effect of sarcopenia in breast cancer survivors: the HEAL Study. *J Cancer Surviv.* Dec 2012;6(4):398-406.

Viola KV, Jhaveri MB, Soullos PR, et al. Mohs micrographic surgery and surgical excision for nonmelanoma skin cancer treatment in the Medicare population. *Arch Dermatol.* Apr 2012;148(4):473-477.

Virnig BA, Warren JL, Cooper GS, Klabunde CN, Schussler N, Freeman J. Studying radiation therapy using SEER-Medicare-linked data. *Med Care.* Aug 2002;40(8 Suppl):IV-49-54.

Vollmer RT. The dynamics of death in prostate cancer. *American journal of clinical pathology.* Jun 2012;137(6):957-962.

Vollmer RT. The dynamics of death in melanoma. *J Cutan Pathol.* Dec 2012;39(12):1075-1082.

Vourganti S, Harbin A, Singer EA, Shuch B, Metwalli AR, Agarwal PK. Low Grade Micropapillary Urothelial Carcinoma, Does It Exist? - Analysis of Management and Outcomes from the Surveillance, Epidemiology and End Results (SEER) Database. *Journal of Cancer.* 2013;4(4):336-342.

Wachtel MS, Halldorsson A, Dissanaike S. Nottingham grades of lobular carcinoma lack the prognostic implications they bear for ductal carcinoma. *J Surg Res.* Mar 2011;166(1):19-27.

Wachtel MS, Jumper CA, Halldorsson AO. Prognosis of metastatic carcinoma of the lung in the bevacizumab era: comparison between the major histologic types of lung cancer. *J Surg Res.* May 1 2012;174(1):20-23.

Wachtel MS, Nelius T, Haynes AL, Dahlbeck S, de Riese W. PSA screening and deaths from prostate cancer after diagnosis-A population based analysis. *Prostate.* Sep 2013;73(12):1365-1369.

Wagner AE, Pappas L, Ghia AJ, Gaffney DK. Impact of tumor size on survival in cancer of the cervix and validation of stage IIA1 and IIA2 subdivisions. *Gynecol Oncol.* Jun 2013;129(3):517-521.

Walker AH, Ross RK, Haile RW, Henderson BE. Hormonal factors and risk of ovarian germ cell cancer in young women. *Br J Cancer.* Apr 1988;57(4):418-422.

Walker AH, Ross RK, Pike MC, Henderson BE. A possible rising incidence of malignant germ cell tumours in young women. *Br J Cancer.* May 1984;49(5):669-672.

Walker GV, Gilbert MR, Prabhu SS, Brown PD, McAleer MF. Temozolomide use in adult patients with gliosarcoma: an evolving clinical practice. *J Neurooncol.* Mar 2013;112(1):83-89.

Walker GV, Giordano SH, Williams M, et al. Muddy water? Variation in reporting receipt of breast cancer radiation therapy by population-based tumor registries. *Int J Radiat Oncol Biol Phys.* Jul 15 2013;86(4):686-693.

Walker GV, Li J, Mahajan A, et al. Decreasing radiation therapy utilization in adult patients with glioblastoma multiforme: A population-based analysis. *Cancer.* Sep 15 2012;118(18):4538-4544.

Walker GV, Smith GL, Perkins GH, et al. Population-based analysis of occult primary breast cancer with axillary lymph node metastasis. *Cancer.* Sep 1 2010;116(17):4000-4006.

Wallace MB, Nietert PJ, Earle C, et al. An analysis of multiple staging management strategies for carcinoma of the esophagus: computed tomography, endoscopic ultrasound, positron emission tomography, and thoracoscopy/laparoscopy. *Ann Thorac Surg.* Oct 2002;74(4):1026-1032.

Walsh MD, Buchanan DD, Cummings MC, et al. Lynch syndrome-associated breast cancers: clinicopathologic characteristics of a case series from the colon cancer family registry. *Clin Cancer Res.* Apr 1 2010;16(7):2214-2224.

Walsh TJ, Schembri M, Turek PJ, et al. Increased risk of high-grade prostate cancer among infertile men. *Cancer.* May 1 2010;116(9):2140-2147.

Walters KC, Paton BL, Schmelzer TS, et al. Treatment of appendiceal adenocarcinoma in the United States: penetration and outcomes of current guidelines. *The American surgeon.* Nov 2008;74(11):1066-1068.

Wang CY, Baldwin LM, Saver BG, et al. The contribution of longitudinal comorbidity measurements to survival analysis. *Med Care.* Jul 2009;47(7):813-821.

Wang H, Haiman CA, Burnett T, et al. Fine-mapping of genome-wide association study-identified risk loci for colorectal cancer in African Americans. *Hum Mol Genet.* Dec 15 2013;22(24):5048-5055.

Wang H, Haiman CA, Kolonel LN, et al. Self-reported ethnicity, genetic structure and the impact of population stratification in a multiethnic study. *Hum Genet.* Aug 2010;128(2):165-177.

Wang H, Taverna D, Stram DO, et al. Genetic variation in the inflammation and innate immunity pathways and colorectal cancer risk. *Cancer Epidemiol Biomarkers Prev.* Nov 2013;22(11):2094-2101.

Wang J, Cozen W, Thorne PS, et al. Household endotoxin levels and the risk of non-Hodgkin lymphoma. *Cancer Causes Control.* Feb 2013;24(2):357-364.

Wang J, Dang P, Raut CP, et al. Comparison of a Lymph Node Ratio-Based Staging System With the 7th AJCC System for Gastric Cancer: Analysis of 18,043 Patients From the SEER Database. *Ann Surg.* Mar 2012;255(3):478-485.

Wang J, Joshi AD, Corral R, et al. Carcinogen metabolism genes, red meat and poultry intake, and colorectal cancer risk. *Int J Cancer.* Apr 15 2012;130(8):1898-1907.

Wang J, Kuo YF, Freeman J, Goodwin JS. Increasing access to medical oncology consultation in older patients with stage II-IIIA non-small-cell lung cancer. *Med Oncol.* 2008;25(2):125-132.

Wang J, Wang FW. Clinical characteristics and outcomes of patients with primary signet-ring cell carcinoma of the urinary bladder. *Urol Int.* 2011;86(4):453-460.

Wang J, Wang FW. Impact of age on clinical presentation, treatment, and cancer-specific survival of patients with small-cell carcinoma of the prostate. *Clinical interventions in aging.* 2013;8:871-877.

Wang J, Wang FW, Hemstreet GP, 3rd. Younger age is an independent predictor for poor survival in patients with signet ring prostate carcinoma. *Prostate Cancer.* 2011;2011:216169.

Wang J, Wang FW, Kessinger A. The impact of signet-ring cell carcinoma histology on bladder cancer outcome. *World journal of urology.* Dec 2012;30(6):777-783.

Wang J, Wang FW, Lagrange CA, Hemstreet GP. Clinical features and outcomes of 25 patients with primary adenosquamous cell carcinoma of the prostate. *Rare Tumors.* 2010;2(3):e47.

Wang J, Wang FW, Lagrange CA, Hemstreet Iii GP, Kessinger A. Clinical features of sarcomatoid carcinoma (carcinosarcoma) of the urinary bladder: analysis of 221 cases. *Sarcoma.* 2010;2010.

Wang L, Wilson SE, Stewart DB, Hollenbeak CS. Marital status and colon cancer outcomes in US Surveillance, Epidemiology and End Results registries: does marriage affect cancer survival by gender and stage? *Cancer Epidemiol.* Oct 2011;35(5):417-422.

Wang M, Burau KD, Fang S, Wang H, Du XL. Ethnic variations in diagnosis, treatment, socioeconomic status, and survival in a large population-based cohort of elderly patients with non-Hodgkin lymphoma. *Cancer.* Dec 1 2008;113(11):3231-3241.

Wang R, Gross CP, Halene S, Ma X. Comorbidities and survival in a large cohort of patients with newly diagnosed myelodysplastic syndromes. *Leuk Res.* Dec 2009;33(12):1594-1598.

Wang SJ, Lemieux A, Kalpathy-Cramer J, et al. Nomogram for predicting the benefit of adjuvant chemoradiotherapy for resected gallbladder cancer. *J Clin Oncol.* Dec 10 2011;29(35):4627-4632.

Wang SS, Abdou AM, Morton LM, et al. Human leukocyte antigen class I and II alleles in non-Hodgkin lymphoma etiology. *Blood*. Jun 10 2010;115(23):4820-4823.

Wang SS, Carreon JD, Gomez SL, Devesa SS. Cervical cancer incidence among 6 asian ethnic groups in the United States, 1996 through 2004. *Cancer*. Feb 15 2010;116(4):949-956.

Wang SS, Cerhan JR, Hartge P, et al. Common genetic variants in proinflammatory and other immunoregulatory genes and risk for non-hodgkin lymphoma. *Cancer Res*. Oct 1 2006;66(19):9771-9780.

Wang SS, Cozen W, Cerhan JR, et al. Immune mechanisms in non-Hodgkin lymphoma: joint effects of the TNF G308A and IL10 T3575A polymorphisms with non-Hodgkin lymphoma risk factors. *Cancer Res*. May 15 2007;67(10):5042-5054.

Wang SS, Cozen W, Severson RK, et al. Cyclin D1 splice variant and risk for non-Hodgkin lymphoma. *Hum Genet*. Sep 2006;120(2):297-300.

Wang SS, Davis S, Cerhan JR, et al. Polymorphisms in oxidative stress genes and risk for non-Hodgkin lymphoma. *Carcinogenesis*. Sep 2006;27(9):1828-1834.

Wang SS, Davis S, Hartge P, et al. Chromosomal aberrations in peripheral blood lymphocytes and risk for non-Hodgkin lymphoma. *Journal of the National Cancer Institute. Monographs*. 2008(39):78-82.

Wang SS, Lu Y, Rothman N, et al. Variation in effects of non-Hodgkin lymphoma risk factors according to the human leukocyte antigen (HLA)-DRB1\*01:01 allele and ancestral haplotype 8.1. *PLoS One*. 2011;6(11):e26949.

Wang SS, Maurer MJ, Morton LM, et al. Polymorphisms in DNA repair and one-carbon metabolism genes and overall survival in diffuse large B-cell lymphoma and follicular lymphoma. *Leukemia*. Mar 2009;23(3):596-602.

Wang SS, Menashe I, Cerhan JR, et al. Variations in chromosomes 9 and 6p21.3 with risk of non-Hodgkin lymphoma. *Cancer Epidemiol Biomarkers Prev*. Jan 2011;20(1):42-49.

Wang SS, Purdue MP, Cerhan JR, et al. Common gene variants in the tumor necrosis factor (TNF) and TNF receptor superfamilies and NF- $\kappa$ B transcription factors and non-Hodgkin lymphoma risk. *PLoS One*. 2009;4(4):e5360.

Wang SS, Slager SL, Brennan P, et al. Family history of hematopoietic malignancies and risk of non-Hodgkin lymphoma (NHL): a pooled analysis of 10 211 cases and 11 905 controls from the International Lymphoma Epidemiology Consortium (InterLymph). *Blood*. Apr 15 2007;109(8):3479-3488.

Wang SS, Voutsinas J, Chang ET, et al. Anthropometric, behavioral, and female reproductive factors and risk of multiple myeloma: a pooled analysis. *Cancer Causes Control*. Jul 2013;24(7):1279-1289.

Wang SY, Kuntz KM, Tuttle TM, Jacobs DR, Jr., Kane RL, Virnig BA. The association of preoperative breast magnetic resonance imaging and multiple breast surgeries among older women with early stage breast cancer. *Breast Cancer Res Treat*. Feb 2013;138(1):137-147.

Wang SY, Virnig BA, Tuttle TM, Jacobs DR, Jr., Kuntz KM, Kane RL. Variability of Preoperative Breast MRI Utilization among Older Women with Newly Diagnosed Early-stage Breast Cancer. *Breast J*. Nov 2013;19(6):627-636.

Wang X, Appleby DH, Zhang X, Gan L, Wang JJ, Wan F. Comparison of three lymph node staging schemes for predicting outcome in patients with gastric cancer. *The British journal of surgery*. Mar 2013;100(4):505-514.

Wang X, Kang GH, Campan M, et al. Epigenetic subgroups of esophageal and gastric adenocarcinoma with differential GATA5 DNA methylation associated with clinical and lifestyle factors. *PLoS One*. 2011;6(10):e25985.

Wang Y, Zhang Y, Ma S. Racial differences in nasopharyngeal carcinoma in the United States. *Cancer Epidemiol*. Dec 2013;37(6):793-802.

Wang YL, Feng SH, Zhu J, et al. Impact of lymph node ratio on the survival of patients with hypopharyngeal squamous cell carcinoma: a population-based analysis. *PLoS One*. 2013;8(2):e56613.

Wang YR, Cangemi JR, Loftus EV, Jr., Picco MF. Rate of early/missed colorectal cancers after colonoscopy in older patients with or without inflammatory bowel disease in the United States. *The American journal of gastroenterology*. Mar 2012;108(3):444-449.

Wang YR, Cangemi JR, Loftus EV, Jr., Picco MF. Risk of colorectal cancer after colonoscopy compared with flexible sigmoidoscopy or no lower endoscopy among older patients in the United States, 1998-2005. *Mayo Clinic proceedings*. Mayo Clinic. May 2013;88(5):464-470.

Wang YR, Cangemi JR, Loftus EV, Jr., Picco MF. Increased Odds of Interval Left-Sided Colorectal Cancer After Flexible Sigmoidoscopy Compared With Colonoscopy in Older Patients in the United States: A Population-Based Analysis of the SEER-Medicare Linked Database, 2001-2005. *Mayo Clinic proceedings*. Mayo Clinic. May 2013;88(5):471-478.

Ward KK, Roncancio AM, Plaxe SC. Women with gynecologic malignancies have a greater incidence of suicide than women with other cancer types. *Suicide & life-threatening behavior*. Feb 2013;43(1):109-115.

Warner ET, Gomez SL. Impact of neighborhood racial composition and metropolitan residential segregation on disparities in breast cancer stage at diagnosis and survival between black and white women in California. *J Community Health*. Aug 2010;35(4):398-408.

Warren H, Dudbridge F, Fletcher O, et al. 9q31.2-rs865686 as a Susceptibility Locus for Estrogen Receptor-Positive Breast Cancer: Evidence from the Breast Cancer Association Consortium. *Cancer Epidemiol Biomarkers Prev*. Oct 2012;21(10):1783-1791.

Warren JL, Barbera L, Bremner KE, et al. End-of-life care for lung cancer patients in the United States and Ontario. *J Natl Cancer Inst*. Jun 8 2011;103(11):853-862.

Warren JL, Brown ML, Fay MP, Schussler N, Potosky AL, Riley GF. Costs of treatment for elderly women with early-stage breast cancer in fee-for-service settings. *J Clin Oncol*. Jan 1 2002;20(1):307-316.

Warren JL, Feuer E, Potosky AL, Riley GF, Lynch CF. Use of Medicare hospital and physician data to assess breast cancer incidence. *Med Care*. May 1999;37(5):445-456.

Warren JL, Harlan LC, Fahey A, et al. Utility of the SEER-Medicare data to identify chemotherapy use. *Med Care*. Aug 2002;40(8 Suppl):IV-55-61.

Warren JL, Klabunde CN, Mariotto AB, et al. Adverse events after outpatient colonoscopy in the Medicare population. *Ann Intern Med*. Jun 16 2009;150(12):849-857, W152.

Warren JL, Klabunde CN, Schrag D, Bach PB, Riley GF. Overview of the SEER-Medicare data: content, research applications, and generalizability to the United States elderly population. *Med Care*. Aug 2002;40(8 Suppl):IV-3-18.

Warren JL, Mariotto AB, Meekins A, Topor M, Brown ML. Current and future utilization of services from medical oncologists. *J Clin Oncol*. Jul 1 2008;26(19):3242-3247.

Warren JL, Riley GF, McBean AM, Hakim R. Use of Medicare data to identify incident breast cancer cases. *Health care financing review*. Fall 1996;18(1):237-246.

Warren JL, Riley GF, Potosky AL, Klabunde CN, Richter E, Ballard-Barbash R. Trends and outcomes of outpatient mastectomy in elderly women. *J Natl Cancer Inst*. Jun 3 1998;90(11):833-840.

Warren JL, Yabroff KR, Meekins A, Topor M, Lamont EB, Brown ML. Evaluation of trends in the cost of initial cancer treatment. *J Natl Cancer Inst*. Jun 18 2008;100(12):888-897.

Wartko P, Sherman ME, Yang HP, Felix AS, Brinton LA, Trabert B. Recent changes in endometrial cancer trends among menopausal-age US women. *Cancer Epidemiol*. Aug 2013;37(4):374-377.

Wasif N, Bagaria SP, Ray P, Morton DL. Does metastasectomy improve survival in patients with Stage IV melanoma? A cancer registry analysis of outcomes. *J Surg Oncol.* Aug 1 2011;104(2):111-115.

Wasif N, Bentrem DJ, Farrell JJ, et al. Invasive intraductal papillary mucinous neoplasm versus sporadic pancreatic adenocarcinoma: a stage-matched comparison of outcomes. *Cancer.* Jul 15 2010;116(14):3369-3377.

Wasif N, Gray RJ, Bagaria SP, Pockaj BA. Compliance with guidelines in the surgical management of cutaneous melanoma across the USA. *Melanoma Res.* Aug 2013;23(4):276-282.

Wasif N, Ko CY, Farrell J, et al. Impact of tumor grade on prognosis in pancreatic cancer: should we include grade in AJCC staging? *Ann Surg Oncol.* Sep 2010;17(9):2312-2320.

Wasif N, Maggard MA, Ko CY, Giuliano AE. Underuse of axillary dissection for the management of sentinel node micrometastases in breast cancer. *Arch Surg.* Feb 2010;145(2):161-166.

Wasif N, Maggard MA, Ko CY, Giuliano AE. Invasive lobular vs. ductal breast cancer: a stage-matched comparison of outcomes. *Ann Surg Oncol.* Jul 2010;17(7):1862-1869.

Waters KM, Henderson BE, Stram DO, Wan P, Kolonel LN, Haiman CA. Association of diabetes with prostate cancer risk in the multiethnic cohort. *Am J Epidemiol.* Apr 15 2009;169(8):937-945.

Waters KM, Le Marchand L, Kolonel LN, et al. Generalizability of associations from prostate cancer genome-wide association studies in multiple populations. *Cancer Epidemiol Biomarkers Prev.* Apr 2009;18(4):1285-1289.

Waters KM, Stram DO, Le Marchand L, et al. A common prostate cancer risk variant 5' of microseminoprotein-beta (MSMB) is a strong predictor of circulating beta-microseminoprotein (MSP) levels in multiple populations. *Cancer Epidemiol Biomarkers Prev.* Oct 2010;19(10):2639-2646.

Waters KM, Wilkens LR, Monroe KR, et al. No association of type 2 diabetes risk variants and prostate cancer risk: the multiethnic cohort and PAGE. *Cancer Epidemiol Biomarkers Prev.* Sep 2011;20(9):1979-1981.

Watson M, Johnson CJ, Chen VW, et al. Melanoma surveillance in the United States: overview of methods. *J Am Acad Dermatol.* Nov 2011;65(5 Suppl 1):S6-16.

Watson M, Saraiya M, Wu X. Update of HPV-associated female genital cancers in the United States, 1999-2004. *J Womens Health (Larchmt).* Nov 2009;18(11):1731-1738.

Wayne S, Neuhouser ML, Ulrich CM, et al. Association between Alcohol Intake and Serum Sex Hormones and Peptides Differs by Tamoxifen Use in Breast Cancer Survivors. *Cancer Epidemiol Biomarkers Prev.* Nov 2008;17(11):3224-3232.

Wayne SJ, Baumgartner K, Baumgartner RN, Bernstein L, Bowen DJ, Ballard-Barbash R. Diet quality is directly associated with quality of life in breast cancer survivors. *Breast Cancer Res Treat.* Apr 2006;96(3):227-232.

Wayne SJ, Neuhouser ML, Koprowski C, et al. Breast cancer survivors who use estrogenic botanical supplements have lower serum estrogen levels than non users. *Breast Cancer Res Treat.* Oct 18 2008.

Wayne SJ, Neuhouser ML, Koprowski C, et al. Breast cancer survivors who use estrogenic botanical supplements have lower serum estrogen levels than non users. *Breast Cancer Res Treat.* Sep 2009;117(1):111-119.

Wayne SJ, Neuhouser ML, Ulrich CM, et al. Dietary fiber is associated with serum sex hormones and insulin-related peptides in postmenopausal breast cancer survivors. *Breast Cancer Res Treat.* Dec 5 2007.

Wayne SJ, Neuhouser ML, Ulrich CM, et al. Dietary fiber is associated with serum sex hormones and insulin-related peptides in postmenopausal breast cancer survivors. *Breast Cancer Res Treat.* Nov 2008;112(1):149-158.

Weaver KE, Foraker RE, Alfano CM, et al. Cardiovascular risk factors among long-term survivors of breast, prostate, colorectal, and gynecologic cancers: a gap in survivorship care? *J Cancer Surviv.* Jun 2013;7(2):253-261.

Weinberg DM, Ross RK, Mack TM, Paganini-Hill A, Henderson BE. Bladder cancer etiology. A different perspective. *Cancer.* Feb 15 1983;51(4):675-680.

Weir HK, Johnson CJ, Thompson TD. The effect of multiple primary rules on population-based cancer survival. *Cancer Causes Control.* Jun 2013;24(6):1231-1242.

Weir HK, Marrett LD, Cokkinides V, et al. Melanoma in adolescents and young adults (ages 15-39 years): United States, 1999-2006. *J Am Acad Dermatol.* Nov 2011;65(5 Suppl 1):S38-49.

Weiss A, Noorbaksh A, Tokin C, Chang D, Blair SL. Hormone receptor-negative breast cancer: undertreatment of patients over 80. *Ann Surg Oncol.* Oct 2013;20(10):3274-3278.

Weiss JM, Pfau PR, O'Connor ES, et al. Mortality by stage for right- versus left-sided colon cancer: analysis of surveillance, epidemiology, and end results--Medicare data. *J Clin Oncol.* Nov 20 2011;29(33):4401-4409.

Weiss LK, Burkman RT, Cushing-Haugen KL, et al. Hormone replacement therapy regimens and breast cancer risk(1). *Obstet Gynecol*. Dec 2002;100(6):1148-1158.

Weksler B, Nason KS, Mackey D, Gallagher A, Pennathur A. Thymomas and extrathymic cancers. *Ann Thorac Surg*. Mar 2012;93(3):884-888.

Weksler B, Nason KS, Shende M, Landreneau RJ, Pennathur A. Surgical Resection Should Be Considered for Stage I and II Small Cell Carcinoma of the Lung. *Ann Thorac Surg*. Sep 2012;94(3):889-893.

Weksler B, Shende M, Nason KS, Gallagher A, Ferson PF, Pennathur A. The Role of Adjuvant Radiation Therapy for Resected Stage III Thymoma: A Population-Based Study. *Ann Thorac Surg*. Jun 2012;93(6):1822-1829.

Welch HG, Fisher ES, Gottlieb DJ, Barry MJ. Detection of prostate cancer via biopsy in the Medicare-SEER population during the PSA era. *J Natl Cancer Inst*. Sep 19 2007;99(18):1395-1400.

Welzel TM, Graubard BI, El-Serag HB, et al. Risk factors for intrahepatic and extrahepatic cholangiocarcinoma in the United States: a population-based case-control study. *Clin Gastroenterol Hepatol*. Oct 2007;5(10):1221-1228.

Welzel TM, Graubard BI, Quraishi S, et al. Population-attributable fractions of risk factors for hepatocellular carcinoma in the United States. *The American journal of gastroenterology*. Aug 2013;108(8):1314-1321.

Welzel TM, Graubard BI, Zeuzem S, El-Serag HB, Davila JA, McGlynn KA. Metabolic syndrome increases the risk of primary liver cancer in the United States: a study in the SEER-Medicare database. *Hepatology*. Aug 2011;54(2):463-471.

Wernberg JA, Yap J, Murekeyisoni C, Mashtare T, Wilding GE, Kulkarni SA. Multiple primary tumors in men with breast cancer diagnoses: a SEER database review. *J Surg Oncol*. Jan 1 2009;99(1):16-19.

Wernberg JA, Yap J, Murekeyisoni C, Mashtare T, Wilding GE, Kulkarni SA. Multiple primary tumors in men with breast cancer diagnoses: a SEER database review. *J Surg Oncol*. Jan 1 2009;99(1):16-19.

West-Wright CN, Henderson KD, Sullivan-Halley J, et al. Long-term and recent recreational physical activity and survival after breast cancer: the California Teachers Study. *Cancer Epidemiol Biomarkers Prev*. Nov 2009;18(11):2851-2859.

Wheeler DC, De Roos AJ, Cerhan JR, et al. Spatial-temporal analysis of non-Hodgkin lymphoma in the NCI-SEER NHL case-control study. *Environ Health*. 2011;10:63.

Wheeler DC, Waller LA, Cozen W, Ward MH. Spatial-temporal analysis of non-Hodgkin lymphoma risk using multiple residential locations. *Spatial and spatio-temporal epidemiology*. Jun 2012;3(2):163-171.

Wheeler SB, Carpenter WR, Peppercorn J, Schenck AP, Weinberger M, Biddle AK. Predictors of timing of adjuvant chemotherapy in older women with hormone receptor-negative, stages II-III breast cancer. *Breast Cancer Res Treat*. Jan 2012;131(1):207-216.

Wheeler SB, Carpenter WR, Peppercorn J, Schenck AP, Weinberger M, Biddle AK. Structural/organizational characteristics of health services partly explain racial variation in timeliness of radiation therapy among elderly breast cancer patients. *Breast Cancer Res Treat*. May 2012;133(1):333-345.

White A, Liu CC, Xia R, et al. Racial disparities and treatment trends in a large cohort of elderly African Americans and Caucasians with colorectal cancer, 1991 to 2002. *Cancer*. Dec 15 2008;113(12):3400-3409.

White A, Vernon SW, Franzini L, Du XL. Racial disparities in colorectal cancer survival: to what extent are racial disparities explained by differences in treatment, tumor characteristics, or hospital characteristics? *Cancer*. Oct 1 2010;116(19):4622-4631.

White A, Vernon SW, Franzini L, Du XL. Racial and ethnic disparities in colorectal cancer screening persisted despite expansion of Medicare's screening reimbursement. *Cancer Epidemiol Biomarkers Prev*. May 2011;20(5):811-817.

White AJ, Reeve BB, Chen RC, Stover AM, Irwin DE. Urinary incontinence and health-related quality of life among older Americans with and without cancer: a cross-sectional study. *BMC Cancer*. Aug 7 2013;13(1):377.

White KK, Park SY, Kolonel LN, Henderson BE, Wilkens LR. Body size and breast cancer risk: The multiethnic cohort. *Int J Cancer*. Sep 1 2012;131(5):E705-716.

White KL, Vierkant RA, Fogarty ZC, et al. Analysis of Over 10,000 Cases Finds No Association between Previously Reported Candidate Polymorphisms and Ovarian Cancer Outcome. *Cancer Epidemiol Biomarkers Prev*. May 2013;22(5):987-992.

White LA, Menzin J, Korn JR, Friedman M, Lang K, Ray S. Medical care costs and survival associated with hepatocellular carcinoma among the elderly. *Clin Gastroenterol Hepatol*. May 2012;10(5):547-554.

Whitson BA, Groth SS, Andrade RS, Maddaus MA, Habermann EB, D'Cunha J. Survival after lobectomy versus segmentectomy for stage I non-small cell lung cancer: a population-based analysis. *Ann Thorac Surg*. Dec 2011;92(6):1943-1950.

Whittemore AS, Holly EA, Lee IM, et al. Mycosis fungoides in relation to environmental exposures and immune response: a case-control study. *J Natl Cancer Inst.* Oct 18 1989;81(20):1560-1567.

Whittemore AS, Kolonel LN, Wu AH, et al. Prostate cancer in relation to diet, physical activity, and body size in blacks, whites, and Asians in the United States and Canada. *J Natl Cancer Inst.* May 3 1995;87(9):652-661.

Whittemore AS, Lin IG, Oakley-Girvan I, et al. No evidence of linkage for chromosome 1q42.2-43 in prostate cancer. *American journal of human genetics.* Jul 1999;65(1):254-256.

Whittemore AS, Wu AH, Kolonel LN, et al. Family history and prostate cancer risk in black, white, and Asian men in the United States and Canada. *Am J Epidemiol.* Apr 15 1995;141(8):732-740.

Whittemore AS, Wu-Williams AH, Lee M, et al. Diet, physical activity, and colorectal cancer among Chinese in North America and China. *J Natl Cancer Inst.* Jun 6 1990;82(11):915-926.

Whittemore AS, Zheng S, Wu A, et al. Colorectal cancer in Chinese and Chinese-Americans. National Cancer Institute monograph. Dec 1985;69:43-46.

Wickerham DL, Fisher B, Wolmark N, et al. Association of tamoxifen and uterine sarcoma. *J Clin Oncol.* Jun 1 2002;20(11):2758-2760.

Wilkinson GS, Baillargeon J, Kuo YF, Freeman JL, Goodwin JS. Atrial fibrillation and stroke associated with intravenous bisphosphonate therapy in older patients with cancer. *J Clin Oncol.* Nov 20 2010;28(33):4898-4905.

Wilkinson GS, Kuo YF, Freeman JL, Goodwin JS. Intravenous bisphosphonate therapy and inflammatory conditions or surgery of the jaw: a population-based analysis. *J Natl Cancer Inst.* Jul 4 2007;99(13):1016-1024.

Willett EV, Morton LM, Hartge P, et al. Non-Hodgkin lymphoma and obesity: a pooled analysis from the InterLymph Consortium. *Int J Cancer.* May 1 2008;122(9):2062-2070.

William WN, Jr., Lin HY, Lee JJ, Lippman SM, Roth JA, Kim ES. Revisiting stage IIIB and IV non-small cell lung cancer: analysis of the surveillance, epidemiology, and end results data. *Chest.* Sep 2009;136(3):701-709.

Williams SB, Amarasekera CA, Gu X, et al. Influence of surgeon and hospital volume on radical prostatectomy costs. *J Urol.* Dec 2012;188(6):2198-2204.

Williams SB, D'Amico AV, Weinberg AC, Gu X, Lipsitz SR, Hu JC. Population-based determinants of radical prostatectomy surgical margin positivity. *BJU Int.* Jun 2011;107(11):1734-1740.

Williams SB, Gu X, Lipsitz SR, Nguyen PL, Choueiri TK, Hu JC. Utilization and expense of adjuvant cancer therapies following radical prostatectomy. *Cancer*. Nov 1 2011;117(21):4846-4854.

Williams SB, Lei Y, Nguyen PL, et al. Comparative effectiveness of cryotherapy vs brachytherapy for localised prostate cancer. *BJU Int*. Jul 2012;110(2 Pt B):E92-98.

Wilson LD, Hinds GA, Yu JB. Age, race, sex, stage, and incidence of cutaneous lymphoma. *Clin Lymphoma Myeloma Leuk*. Oct 2012;12(5):291-296.

Win AK, Cleary SP, Dowty JG, et al. Cancer risks for monoallelic MUTYH mutation carriers with a family history of colorectal cancer. *Int J Cancer*. Dec 17 2011;129(9):2256-2262.

Win AK, Dowty JG, Antill YC, et al. Body mass index in early adulthood and endometrial cancer risk for mismatch repair gene mutation carriers. *Obstet Gynecol*. Apr 2011;117(4):899-905.

Win AK, Hopper JL, Buchanan DD, et al. Are the common genetic variants associated with colorectal cancer risk for DNA mismatch repair gene mutation carriers? *Eur J Cancer*. May 2013;49(7):1578-1587.

Win AK, Lindor NM, Winship I, et al. Risks of colorectal and other cancers after endometrial cancer for women with lynch syndrome. *J Natl Cancer Inst*. Feb 20 2013;105(4):274-279.

Win AK, Lindor NM, Young JP, et al. Risks of primary extracolonic cancers following colorectal cancer in lynch syndrome. *J Natl Cancer Inst*. Sep 19 2012;104(18):1363-1372.

Win AK, Parry S, Parry B, et al. Risk of metachronous colon cancer following surgery for rectal cancer in mismatch repair gene mutation carriers. *Ann Surg Oncol*. Jun 2013;20(6):1829-1836.

Win AK, Young JP, Lindor NM, et al. Colorectal and other cancer risks for carriers and noncarriers from families with a DNA mismatch repair gene mutation: a prospective cohort study. *J Clin Oncol*. Mar 20 2012;30(9):958-964.

Winn DM, Blot WJ, McLaughlin JK, et al. Mouthwash use and oral conditions in the risk of oral and pharyngeal cancer. *Cancer Res*. Jun 1 1991;51(11):3044-3047.

Winner M, Mooney SJ, Hershman DL, et al. Management and Outcomes of Bowel Obstruction in Patients with Stage IV Colon Cancer: A Population-Based Cohort Study. *Dis Colon Rectum*. Jul 2013;56(7):834-843.

Winner M, Mooney SJ, Hershman DL, et al. Incidence and Predictors of Bowel Obstruction in Elderly Patients With Stage IV Colon Cancer: A Population-Based Cohort Study. *JAMA surgery*. Aug 1 2013;148(8):715-722.

Wisnivesky JP, Arciniega J, Mhango G, Mandeli J, Halm EA. Lymph node ratio as a prognostic factor in elderly patients with pathological N1 non-small cell lung cancer. *Thorax*. Apr 2011;66(4):287-293.

Wisnivesky JP, Halm E, Bonomi M, Powell C, Bagiella E. Effectiveness of radiation therapy for elderly patients with unresected stage I and II non-small cell lung cancer. *Am J Respir Crit Care Med*. Feb 1 2010;181(3):264-269.

Wisnivesky JP, Halm EA. Sex differences in lung cancer survival: do tumors behave differently in elderly women? *J Clin Oncol*. May 1 2007;25(13):1705-1712.

Wisnivesky JP, Halm EA, Bonomi M, Smith C, Mhango G, Bagiella E. Postoperative radiotherapy for elderly patients with stage III lung cancer. *Cancer*. Sep 15 2012;118(18):4478-4485.

Wisnivesky JP, Henschke CI, Swanson S, et al. Limited resection for the treatment of patients with stage IA lung cancer. *Ann Surg*. Mar 2010;251(3):550-554.

Wisnivesky JP, Henschke CI, Yankelevitz DF. Diagnostic percutaneous transthoracic needle biopsy does not affect survival in stage I lung cancer. *Am J Respir Crit Care Med*. Sep 15 2006;174(6):684-688.

Wisnivesky JP, Smith CB, Packer S, et al. Survival and risk of adverse events in older patients receiving postoperative adjuvant chemotherapy for resected stages II-IIIA lung cancer: observational cohort study. *Bmj*. 2011;343:d4013.

Witkowski ER, Smith JK, Ragulin-Coyne E, Ng SC, Shah SA, Tseng JF. Is it worth looking? Abdominal imaging after pancreatic cancer resection: a national study. *J Gastrointest Surg*. Jan 2012;16(1):121-128.

Witte JS, Ursin G, Siemiatycki J, Thompson WD, Paganini-Hill A, Haile RW. Diet and premenopausal bilateral breast cancer: a case-control study. *Breast Cancer Res Treat*. Feb 1997;42(3):243-251.

Wojcieszynski AP, Berman AT, Wan F, et al. The impact of radiation therapy sequencing on survival and cardiopulmonary mortality in the combined modality treatment of patients with esophageal cancer. *Cancer*. Jun 1 2013;119(11):1976-1984.

Woldrich JM, Silberstein JL, Saltzstein SL, Derweesh IH, Downs TM. Penile Kaposi's sarcoma in the state of California. *The Canadian journal of urology*. Apr 2012;19(2):6178-6182.

Wolff EM, Liang G, Cortez CC, et al. RUNX3 methylation reveals that bladder tumors are older in patients with a history of smoking. *Cancer Res*. Aug 1 2008;68(15):6208-6214.

Wong R. Proximal tumors are associated with greater mortality in colon cancer. *J Gen Intern Med.* Nov 2010;25(11):1157-1163.

Wong RL, Kazaure HS, Roman SA, Sosa JA. Simultaneous Medullary and Differentiated Thyroid Cancer: A Population-Level Analysis of an Increasingly Common Entity. *Ann Surg Oncol.* Apr 17 2012.

Wong SL, Ji H, Hollenbeck BK, Morris AM, Baser O, Birkmeyer JD. Hospital lymph node examination rates and survival after resection for colon cancer. *Jama.* Nov 14 2007;298(18):2149-2154.

Wong YN, Freedland S, Egleston B, Hudes G, Schwartz JS, Armstrong K. Role of androgen deprivation therapy for node-positive prostate cancer. *J Clin Oncol.* Jan 1 2009;27(1):100-105.

Wong YN, Freedland SJ, Egleston B, Vapiwala N, Uzzo R, Armstrong K. The role of primary androgen deprivation therapy in localized prostate cancer. *Eur Urol.* Oct 2009;56(4):609-616.

Wong YN, Mitra N, Hudes G, et al. Survival associated with treatment vs observation of localized prostate cancer in elderly men. *Jama.* Dec 13 2006;296(22):2683-2693.

Woodall CE, 3rd, Brock GN, Fan J, et al. An evaluation of 2537 gastrointestinal stromal tumors for a proposed clinical staging system. *Arch Surg.* Jul 2009;144(7):670-678.

Woodward WA, Giordano SH, Duan Z, Hortobagyi GN, Buchholz TA. Supraclavicular radiation for breast cancer does not increase the 10-year risk of stroke. *Cancer.* Jun 15 2006;106(12):2556-2562.

Woolcott CG, Maskarinec G, Haiman CA, Henderson BE, Kolonel LN. Diabetes and urothelial cancer risk: the Multiethnic Cohort study. *Cancer Epidemiol.* Dec 2011;35(6):551-554.

Woolcott CG, Maskarinec G, Haiman CA, et al. Association between breast cancer susceptibility loci and mammographic density: the Multiethnic Cohort. *Breast Cancer Res.* 2009;11(1):R10.

Woolcott CG, Maskarinec G, Pike MC, Henderson BE, Wilkens LR, Kolonel LN. Breast cancer risk and hysterectomy status: the Multiethnic Cohort study. *Cancer Causes Control.* Nov 14 2008.

Woolcott CG, Maskarinec G, Pike MC, Henderson BE, Wilkens LR, Kolonel LN. Breast cancer risk and hysterectomy status: the Multiethnic Cohort study. *Cancer Causes Control.* Jul 2009;20(5):539-547.

Woolcott CG, Shvetsov YB, Stanczyk FZ, et al. Plasma sex hormone concentrations and breast cancer risk in an ethnically diverse population of postmenopausal women: the Multiethnic Cohort Study. *Endocr Relat Cancer.* 2010;17(1):125-134.

Woolcott CG, Wilkens LR, Nomura AM, et al. Plasma 25-hydroxyvitamin D levels and the risk of colorectal cancer: the multiethnic cohort study. *Cancer Epidemiol Biomarkers Prev*. Jan 2010;19(1):130-134.

Worch J, Cyrus J, Goldsby R, Matthay KK, Neuhaus J, DuBois SG. Racial differences in the incidence of mesenchymal tumors associated with EWSR1 translocation. *Cancer Epidemiol Biomarkers Prev*. Mar 2011;20(3):449-453.

Worch J, Matthay KK, Neuhaus J, Goldsby R, DuBois SG. Osteosarcoma in children 5 years of age or younger at initial diagnosis. *Pediatr Blood Cancer*. Aug 2010;55(2):285-289.

Worni M, Akushevich I, Gloor B, et al. Adjuvant radiotherapy in the treatment of invasive intraductal papillary mucinous neoplasm of the pancreas: an analysis of the surveillance, epidemiology, and end results registry. *Ann Surg Oncol*. Apr 2012;19(4):1316-1323.

Worni M, Guller U, White RR, et al. Modest improvement in overall survival for patients with metastatic pancreatic cancer: a trend analysis using the surveillance, epidemiology, and end results registry from 1988 to 2008. *Pancreas*. Oct 2013;42(7):1157-1163.

Worni M, Martin J, Gloor B, et al. Does surgery improve outcomes for esophageal squamous cell carcinoma? An analysis using the surveillance epidemiology and end results registry from 1998 to 2008. *J Am Coll Surg*. Nov 2012;215(5):643-651.

Worthington JL, Koroukian SM, Cooper GS. Examining the characteristics of unstaged colon and rectal cancer cases. *Cancer detection and prevention*. 2008;32(3):251-258.

Wray CM, Ziogas A, Hinojosa MW, Le H, Stamos MJ, Zell JA. Tumor subsite location within the colon is prognostic for survival after colon cancer diagnosis. *Dis Colon Rectum*. Aug 2009;52(8):1359-1366.

Wright GE, Barlow WE, Green P, Baldwin LM, Taplin SH. Differences among the elderly in the treatment costs of colorectal cancer: how important is race? *Med Care*. May 2007;45(5):420-430.

Wright JD, Deutsch I, Wilde ET, et al. Uptake and outcomes of intensity-modulated radiation therapy for uterine cancer. *Gynecol Oncol*. Jul 2013;130(1):43-48.

Wright JD, Fiorelli J, Schiff PB, et al. Racial disparities for uterine corpus tumors: changes in clinical characteristics and treatment over time. *Cancer*. Mar 15 2009;115(6):1276-1285.

Wright JD, Lewin SN, Barrena Medel NI, et al. Endometrial cancer in the oldest old: Tumor characteristics, patterns of care, and outcome. *Gynecol Oncol*. Jul 2011;122(1):69-74.

Wright JD, Neugut AI, Lewin SN, Lu YS, Herzog TJ, Hershman DL. Trends in hospital volume and patterns of referral for women with gynecologic cancers. *Obstet Gynecol*. Jun 2013;121(6):1217-1225.

Wright JD, Neugut AI, Wilde ET, Buono DL, Tsai WY, Hershman DL. Use and benefits of laparoscopic hysterectomy for stage I endometrial cancer among medicare beneficiaries. *J Oncol Pract.* Sep 2012;8(5):e89-99.

Wright JL, Dalkin BL, True LD, et al. Positive surgical margins at radical prostatectomy predict prostate cancer specific mortality. *J Urol.* Jun 2010;183(6):2213-2218.

Wright WE, Bernstein L, Peters JM, Garabrant DH, Mack TM. Adenocarcinoma of the stomach and exposure to occupational dust. *Am J Epidemiol.* Jul 1988;128(1):64-73.

Wright WE, Peters JM, Mack TM. Leukaemia in workers exposed to electrical and magnetic fields. *Lancet.* Nov 20 1982;2(8308):1160-1161.

Wright WE, Peters JM, Mack TM. Organic chemicals and malignant melanoma. *American journal of industrial medicine.* 1983;4(4):577-581.

Wright WE, Sherwin RP, Dickson EA, Bernstein L, Fromm JB, Henderson BE. Malignant mesothelioma: incidence, asbestos exposure, and reclassification of histopathology. *Br J Ind Med.* Feb 1984;41(1):39-45.

Wu A. Soy and risk of hormone-related and other cancers. *Nutrition and cancer prevention: new insights into the role of phytochemicals.* New York: Kluwer Academic/Plenum Publishers; 2000.

Wu A. Hormone replacement therapy and colon cancer. In: Genazzani AR, ed. *Hormone replacement therapy and cancer: the current status of research and practice.* New York: The Parthenon Publishing Group; 2002:191-197.

Wu A. Phytoestrogens and cancer: epidemiologic evidence. In: Gilani GS, Anderson J, eds. *Phytoestrogens and health:* AOCS Press; 2002:3710494.

Wu A, Pike MC. Phytoestrogen content in foods and their role in cancer. In: Cadenas E, Packer L, eds. *Handbook of antioxidants, biochemical, nutritional, and clinical aspects.* 2nd ed: Marcel Dekker, Inc.; 2001.

Wu AH. Epidemiology of lung cancer in women. In: Goldman MB, Hatch MD, eds. *Women and health.* San Diego: Academic Press; 2000.

Wu AH, Arakawa K, Stanczyk FZ, Van Den Berg D, Koh WP, Yu MC. Tea and circulating estrogen levels in postmenopausal Chinese women in Singapore. *Carcinogenesis.* May 2005;26(5):976-980.

Wu AH, Bernstein L. Breast Cancer among Asian Americans and Pacific Islanders. *Asian Am Pac Isl J Health.* Summer 1998;6(2):327-343.

Wu AH, Butler LM. Green tea and breast cancer. *Mol Nutr Food Res.* Jun 2011;55(6):921-930.

Wu AH, Crabtree JE, Bernstein L, et al. Role of Helicobacter pylori CagA+ strains and risk of adenocarcinoma of the stomach and esophagus. *Int J Cancer*. Mar 1 2003;103(6):815-821.

Wu AH, Fontham ET, Reynolds P, et al. Family history of cancer and risk of lung cancer among lifetime nonsmoking women in the United States. *Am J Epidemiol*. Mar 15 1996;143(6):535-542.

Wu AH, Fontham ET, Reynolds P, et al. Previous lung disease and risk of lung cancer among lifetime nonsmoking women in the United States. *Am J Epidemiol*. Jun 1 1995;141(11):1023-1032.

Wu AH, Gomez SL, Vigen C, et al. The California Breast Cancer Survivorship Consortium (CBCSC): prognostic factors associated with racial/ethnic differences in breast cancer survival. *Cancer Causes Control*. Oct 2013;24(10):1821-1836.

Wu AH, Henderson BE, Pike MC, Yu MC. Smoking and other risk factors for lung cancer in women. *J Natl Cancer Inst*. Apr 1985;74(4):747-751.

Wu AH, Henderson BE, Thomas DC, Mack TM. Secular trends in histologic types of lung cancer. *J Natl Cancer Inst*. Jul 1986;77(1):53-56.

Wu AH, McKean-Cowdin R, Tseng CC. Birth weight and other prenatal factors and risk of breast cancer in Asian-Americans. *Breast Cancer Res Treat*. Dec 2011;130(3):917-925.

Wu AH, Pearce CL, Tseng CC, Templeman C, Pike MC. Markers of inflammation and risk of ovarian cancer in Los Angeles County. *Int J Cancer*. Oct 21 2008.

Wu AH, Pearce CL, Tseng CC, Templeman C, Pike MC. Markers of inflammation and risk of ovarian cancer in Los Angeles County. *Int J Cancer*. Mar 15 2009;124(6):1409-1415.

Wu AH, Pike MC, Stram DO. Meta-analysis: dietary fat intake, serum estrogen levels, and the risk of breast cancer. *J Natl Cancer Inst*. Mar 17 1999;91(6):529-534.

Wu AH, Pike MC, Williams LD, et al. Tamoxifen, soy, and lifestyle factors in Asian American women with breast cancer. *J Clin Oncol*. Jul 20 2007;25(21):3024-3030.

Wu AH, Shibata D, Yu MC, Lai MY, Ross RK. Dietary heterocyclic amines and microsatellite instability in colon adenocarcinomas. *Carcinogenesis*. Oct 2001;22(10):1681-1684.

Wu AH, Siegmund KD, Long TI, et al. Hormone therapy, DNA methylation and colon cancer. *Carcinogenesis*. Jun 2010;31(6):1060-1067.

Wu AH, Stanczyk FZ, Martinez C, et al. A controlled 2-mo dietary fat reduction and soy food supplementation study in postmenopausal women. *The American journal of clinical nutrition*. May 2005;81(5):1133-1141.

Wu AH, Tseng CC, Bernstein L. Hiatal hernia, reflux symptoms, body size, and risk of esophageal and gastric adenocarcinoma. *Cancer*. Sep 1 2003;98(5):940-948.

Wu AH, Tseng CC, Hankin J, Bernstein L. Fiber intake and risk of adenocarcinomas of the esophagus and stomach. *Cancer Causes Control*. Sep 2007;18(7):713-722.

Wu AH, Tseng CC, Van Den Berg D, Yu MC. Tea intake, COMT genotype, and breast cancer in Asian-American women. *Cancer Res*. Nov 1 2003;63(21):7526-7529.

Wu AH, Vigen C, Razavi P, Tseng CC, Stanczyk FZ. Alcohol and breast cancer risk among Asian-American women in Los Angeles County. *Breast Cancer Res*. Nov 27 2012;14(6):R151.

Wu AH, Wan P, Bernstein L. A multiethnic population-based study of smoking, alcohol and body size and risk of adenocarcinomas of the stomach and esophagus (United States). *Cancer Causes Control*. Oct 2001;12(8):721-732.

Wu AH, Wan P, Hankin J, Tseng CC, Yu MC, Pike MC. Adolescent and adult soy intake and risk of breast cancer in Asian-Americans. *Carcinogenesis*. Sep 2002;23(9):1491-1496.

Wu AH, Whittemore AS, Kolonel LN, et al. Serum androgens and sex hormone-binding globulins in relation to lifestyle factors in older African-American, white, and Asian men in the United States and Canada. *Cancer Epidemiol Biomarkers Prev*. Oct-Nov 1995;4(7):735-741.

Wu AH, Whittemore AS, Kolonel LN, et al. Lifestyle determinants of 5alpha-reductase metabolites in older African-American, white, and Asian-American men. *Cancer Epidemiol Biomarkers Prev*. May 2001;10(5):533-538.

Wu AH, Yu MC, Mack TM. Smoking, alcohol use, dietary factors and risk of small intestinal adenocarcinoma. *Int J Cancer*. Mar 4 1997;70(5):512-517.

Wu AH, Yu MC, Stanczyk FZ, Tseng CC, Pike MC. Anthropometric, dietary, and hormonal correlates of serum adiponectin in Asian American women. *Nutr Cancer*. May 2011;63(4):549-557.

Wu AH, Yu MC, Thomas DC, Pike MC, Henderson BE. Personal and family history of lung disease as risk factors for adenocarcinoma of the lung. *Cancer Res*. Dec 15 1988;48(24 Pt 1):7279-7284.

Wu AH, Yu MC, Tseng CC, Hankin J, Pike MC. Green tea and risk of breast cancer in Asian Americans. *Int J Cancer*. Sep 10 2003;106(4):574-579.

Wu AH, Yu MC, Tseng CC, Pike MC. Body size, hormone therapy and risk of breast cancer in Asian-American women. *Int J Cancer*. Feb 15 2007;120(4):844-852.

Wu AH, Yu MC, Tseng CC, Stanczyk FZ, Pike MC. Diabetes and risk of breast cancer in Asian-American women. *Carcinogenesis*. Jul 2007;28(7):1561-1566.

Wu AH, Yu MC, Tseng CC, Stanczyk FZ, Pike MC. Dietary patterns and breast cancer risk in Asian American women. *The American journal of clinical nutrition*. Apr 2009;89(4):1145-1154.

Wu AH, Yu MC, Tseng CC, Twaddle NC, Doerge DR. Plasma isoflavone levels versus self-reported soy isoflavone levels in Asian-American women in Los Angeles County. *Carcinogenesis*. Jan 2004;25(1):77-81.

Wu AH, Ziegler RG, Horn-Ross PL, et al. Tofu and risk of breast cancer in Asian-Americans. *Cancer Epidemiol Biomarkers Prev*. Nov 1996;5(11):901-906.

Wu AH, Ziegler RG, Nomura AM, et al. Soy intake and risk of breast cancer in Asians and Asian Americans. *The American journal of clinical nutrition*. Dec 1998;68(6 Suppl):1437S-1443S.

Wu AH, Ziegler RG, Pike MC, et al. Menstrual and reproductive factors and risk of breast cancer in Asian-Americans. *Br J Cancer*. Mar 1996;73(5):680-686.

Wu AW, Suh JD, Metson R, Wang MB. Prognostic factors in sinonasal sarcomas: Analysis of the surveillance, epidemiology and end result database. *The Laryngoscope*. Jul 9 2012.

Wu SJ, Chiang CJ, Lin CT, Tien HF, Lai MS. Improving but inferior survival in patients with chronic lymphocytic leukemia in taiwan: a population-based study, 1990-2004. *PLoS One*. 2013;8(4):e62930.

Wu X, Cokkinides V, Chen VW, et al. Associations of subsite-specific colorectal cancer incidence rates and stage of disease at diagnosis with county-level poverty, by race and sex. *Cancer*. Sep 1 2006;107(5 Suppl):1121-1127.

Wu XC, Eide MJ, King J, et al. Racial and ethnic variations in incidence and survival of cutaneous melanoma in the United States, 1999-2006. *J Am Acad Dermatol*. Nov 2011;65(5 Suppl 1):S26-37.

Wu Y, Waite LL, Jackson AU, et al. Trans-ethnic fine-mapping of lipid loci identifies population-specific signals and allelic heterogeneity that increases the trait variance explained. *PLoS Genet*. Mar 2013;9(3):e1003379.

Wu-Williams AH. Cigarette smoking and lung cancer. In: Samet JM, ed. *Lung Biology in Health and Disease*: Marcel Dekker, Inc.; 1994.

Wu-Williams AH, Lee M, Whittemore AS, et al. Reproductive factors and colorectal cancer risk among Chinese females. *Cancer Res*. May 1 1991;51(9):2307-2311.

Wu-Williams AH, Yu MC, Mack TM. Life-style, workplace, and stomach cancer by subsite in young men of Los Angeles County. *Cancer Res.* May 1 1990;50(9):2569-2576.

Xavier AC, Armeson KE, Hill EG, Costa LJ. Risk and outcome of non-Hodgkin lymphoma among classical Hodgkin lymphoma survivors. *Cancer.* Sep 2013;119(18):3385-3392.

Xie L, Fan M, Sheets NC, Chen RC, Jiang GL, Marks LB. The Use of Radiation Therapy Appears to Improve Outcome in Patients With Malignant Primary Tracheal Tumors: A SEER-Based Analysis. *Int J Radiat Oncol Biol Phys.* Oct 1 2012;84(2):464-470.

Xing Y, Badgwell BD, Ross MI, et al. Lymph node ratio predicts disease-specific survival in melanoma patients. *Cancer.* Jun 1 2009;115(11):2505-2513.

Xiong Z, Wu AH, Bender CM, et al. Mismatch repair deficiency and CpG island hypermethylation in sporadic colon adenocarcinomas. *Cancer Epidemiol Biomarkers Prev.* Jul 2001;10(7):799-803.

Xu X, Ha S, Kan H, Hu H, Curbow BA, Lissaker CT. Health effects of air pollution on length of respiratory cancer survival. *BMC public health.* Sep 3 2013;13(1):800.

Xue W, Irvine RA, Yu MC, Ross RK, Coetzee GA, Ingles SA. Susceptibility to prostate cancer: interaction between genotypes at the androgen receptor and prostate-specific antigen loci. *Cancer Res.* Feb 15 2000;60(4):839-841.

Xue WM, Coetzee GA, Ross RK, et al. Genetic determinants of serum prostate-specific antigen levels in healthy men from a multiethnic cohort. *Cancer Epidemiol Biomarkers Prev.* Jun 2001;10(6):575-579.

Yabroff KR, Davis WW, Lamont EB, et al. Patient time costs associated with cancer care. *J Natl Cancer Inst.* Jan 3 2007;99(1):14-23.

Yabroff KR, Harlan LC, Clegg LX, Ballard-Barbash R, Stevens J, Weaver DL. Is mode of breast cancer detection associated with cancer treatment in the United States? *Cancer.* Mar 1 2008;112(5):1011-1019.

Yabroff KR, Lamont EB, Mariotto A, et al. Cost of care for elderly cancer patients in the United States. *J Natl Cancer Inst.* May 7 2008;100(9):630-641.

Yabroff KR, Warren JL, Banthin J, et al. Comparison of approaches for estimating prevalence costs of care for cancer patients: what is the impact of data source? *Med Care.* Jul 2009;47(7 Suppl 1):S64-69.

Yabroff KR, Warren JL, Brown ML. Costs of cancer care in the USA: a descriptive review. *Nature clinical practice. Oncology.* Nov 2007;4(11):643-656.

Yabroff KR, Warren JL, Knopf K, Davis WW, Brown ML. Estimating patient time costs associated with colorectal cancer care. *Med Care*. Jul 2005;43(7):640-648.

Yabroff KR, Warren JL, Schrag D, et al. Comparison of approaches for estimating incidence costs of care for colorectal cancer patients. *Med Care*. Jul 2009;47(7 Suppl 1):S56-63.

Yamamoto JF, Goodman MT. Patterns of leukemia incidence in the United States by subtype and demographic characteristics, 1997-2002. *Cancer Causes Control*. May 2008;19(4):379-390.

Yan W, Christos P, Nori D, Chao KS, Ravi A. Is There a Cause-specific Survival Benefit of Postmastectomy Radiation Therapy in Women Younger Than Age 50 With T3N0 Invasive Breast Cancer? A SEER Database Analysis: Outcomes by Receptor Status/Race/Age: Analysis Using the NCI Surveillance, Epidemiology, and End Results (SEER) Database. *Am J Clin Oncol*. Dec 2013;36(6):552-557.

Yang D, Bernstein L, Wu AH. Physical activity and breast cancer risk among Asian-American women in Los Angeles: a case-control study. *Cancer*. May 15 2003;97(10):2565-2575.

Yang D, Hendifar A, Lenz C, et al. Survival of metastatic gastric cancer: Significance of age, sex and race/ethnicity. *Journal of gastrointestinal oncology*. Jun 2011;2(2):77-84.

Yang G, Villalta JD, Meng MV, Whitson JM. Evolving practice patterns for the management of small renal masses in the USA. *BJU Int*. Oct 2012;110(8):1156-1161.

Yang L, Shen W, Sakamoto N. Population-based study evaluating and predicting the probability of death resulting from thyroid cancer and other causes among patients with thyroid cancer. *J Clin Oncol*. Feb 1 2013;31(4):468-474.

Yang RC, Mills PK. Proportionate cancer incidence in the Laotian population of California, 1988-2006. *Cancer Causes Control*. Aug 2009;20(6):1011-1016.

Yang RC, Mills PK, Nasseri K. Patterns of mortality in California Hmong, 1988-2002. *J Immigr Minor Health*. Oct 2010;12(5):754-760.

Yang XR, Chang-Claude J, Goode EL, et al. Associations of breast cancer risk factors with tumor subtypes: a pooled analysis from the Breast Cancer Association Consortium studies. *J Natl Cancer Inst*. Feb 2 2011;103(3):250-263.

Yang Y, Li T, Nielsen ME. Aging and cancer mortality: Dynamics of change and sex differences. *Experimental gerontology*. Sep 2012;47(9):695-705.

Yang Y, Mauldin PD, Ebeling M, et al. Effect of metabolic syndrome and its components on recurrence and survival in colon cancer patients. *Cancer*. Apr 15 2013;119(8):1512-1520.

Yao N, Mackley HB, Anderson RT, Recht A. Survival after partial breast brachytherapy in elderly patients with nonmetastatic breast cancer. *Brachytherapy*. Jul-Aug 2013;12(4):293-302.

Yao S, Hahn T, Zhang Y, et al. Unrelated donor allogeneic hematopoietic cell transplantation is underused as a curative therapy in eligible patients from the United States. *Biology of blood and marrow transplantation : journal of the American Society for Blood and Marrow Transplantation*. Oct 2013;19(10):1459-1464.

Yao SL, Lu-Yao G. Interval after prostate specific antigen testing and subsequent risk of incurable prostate cancer. *J Urol*. Sep 2001;166(3):861-865.

Yasmeen S, Chlebowski RT, Xing G, Morris CR, Romano PS. Severity of comorbid conditions and early-stage breast cancer therapy: linked SEER-medicare data from 1993 to 2005. *Cancer medicine*. Aug 2013;2(4):526-536.

Yasmeen S, Xing G, Morris C, Chlebowski RT, Romano PS. Comorbidities and mammography use interact to explain racial/ethnic disparities in breast cancer stage at diagnosis. *Cancer*. Jul 15 2011;117(14):3252-3261.

Yeboa DN, Guzzo T, Mitra N, et al. Prostate-specific antigen surveillance among men with clinically localized prostate cancer who do not receive initial treatment. *Urology*. Nov 2011;78(5):1107-1113.

Yendamuri S, Caty L, Pine M, et al. Outcomes of sarcomatoid carcinoma of the lung: A Surveillance, Epidemiology, and End Results database analysis. *Surgery*. Sep 2012;152(3):397-402.

Yendamuri S, Huang M, Malhotra U, et al. Prognostic implications of signet ring cell histology in esophageal adenocarcinoma. *Cancer*. Sep 1 2013;119(17):3156-3161.

Yendamuri S, Sharma R, Demmy M, et al. Temporal trends in outcomes following sublobar and lobar resections for small (</=2 cm) non-small cell lung cancers-a Surveillance Epidemiology End Results database analysis. *J Surg Res*. Jul 2013;183(1):27-32.

Yi M, Giordano SH, Meric-Bernstam F, et al. Trends in and outcomes from sentinel lymph node biopsy (SLNB) alone vs. SLNB with axillary lymph node dissection for node-positive breast cancer patients: experience from the SEER database. *Ann Surg Oncol*. Oct 2010;17(Suppl 3):343-351.

Yi M, Xu J, Liu P, et al. Comparative analysis of lifestyle factors, screening test use, and clinicopathologic features in association with survival among Asian Americans with colorectal cancer. *Br J Cancer*. Apr 16 2013;108(7):1508-1514.

Yin D, Morris C, Allen M, Cress R, Bates J, Liu L. Does socioeconomic disparity in cancer incidence vary across racial/ethnic groups? *Cancer Causes Control*. Oct 2010;21(10):1721-1730.

Ying AK, Huh W, Bottomley S, Evans DB, Waguespack SG. Thyroid cancer in young adults. *Semin Oncol*. Jun 2009;36(3):258-274.

Yonemori KM, Lim U, Koga KR, et al. Dietary choline and betaine intakes vary in an adult multiethnic population. *The Journal of nutrition*. Jun 2013;143(6):894-899.

Young HA, Maillard JD, Levine PH, Simmens SJ, Mahan CM, Kang HK. Investigating the risk of cancer in 1990-1991 US Gulf War veterans with the use of state cancer registry data. *Ann Epidemiol*. Apr 2010;20(4):265-272 e261.

Yu GP, Li JC, Branovan D, McCormick S, Schantz SP. Thyroid cancer incidence and survival in the national cancer institute surveillance, epidemiology, and end results race/ethnicity groups. *Thyroid*. May 2010;20(5):465-473.

Yu GP, Mehta V, Branovan D, et al. Improved survival among patients with base of tongue and tonsil cancer in the United States. *Cancer Causes Control*. Jan 2012;23(1):153-164.

Yu GP, Mehta V, Branovan D, Huang Q, Schantz SP. Non-cancer-related deaths from suicide, cardiovascular disease, and pneumonia in patients with oral cavity and oropharyngeal squamous carcinoma. *Arch Otolaryngol Head Neck Surg*. Jan 2012;138(1):25-32.

Yu JB, Blitzblau RC, Decker RH, Housman DM, Wilson LD. Analysis of primary CD30+ cutaneous lymphoproliferative disease and survival from the Surveillance, Epidemiology, and End Results database. *J Clin Oncol*. Mar 20 2008;26(9):1483-1488.

Yu JB, Blitzblau RC, Patel SC, Decker RH, Wilson LD. Surveillance, Epidemiology, and End Results (SEER) database analysis of microcystic adnexal carcinoma (sclerosing sweat duct carcinoma) of the skin. *Am J Clin Oncol*. Apr 2010;33(2):125-127.

Yu JB, Decker RH, Detterbeck FC, Wilson LD. Surveillance epidemiology and end results evaluation of the role of surgery for stage I small cell lung cancer. *J Thorac Oncol*. Feb 2010;5(2):215-219.

Yu JB, Decker RH, Knisely JP. The Role of Postoperative Radiation Therapy (PORT) in the Treatment of Extrahepatic Bile Duct Cancer: A Surveillance, Epidemiology, and End Results (SEER) Population-Based Investigation. *Journal of gastrointestinal cancer*. 2008;39(1-4):11-21.

Yu JB, Gross CP, Wilson LD, Smith BD. NCI SEER public-use data: applications and limitations in oncology research. *Oncology (Williston Park)*. Mar 2009;23(3):288-295.

Yu JB, Soullos PR, Sharma R, et al. Patterns of Care and Outcomes Associated With Intensity-Modulated Radiation Therapy Versus Conventional Radiation Therapy for Older Patients With Head-and-Neck Cancer. *Int J Radiat Oncol Biol Phys*. May 1 2012;83(1):e101-107.

Yu JB, Wilson LD, Dasgupta T, Castrucci WA, Weidhaas JB. Postmastectomy radiation therapy for lymph node-negative, locally advanced breast cancer after modified radical mastectomy: analysis of the NCI Surveillance, Epidemiology, and End Results database. *Cancer*. Jul 1 2008;113(1):38-47.

Yu M, Ross RK. Risk factors in head and neck cancer. *N Engl J Med*. 1982;307:54-55.

Yu MC, Garabrant DH, Peters JM, Mack TM. Tobacco, alcohol, diet, occupation, and carcinoma of the esophagus. *Cancer Res*. Jul 1 1988;48(13):3843-3848.

Yu MC, Henderson BE. Nasopharyngeal cancer. In: Schottenfeld D, Fraumeni J, eds. *Cancer Epidemiology and Prevention*. 2nd ed. New York: Oxford University Press; 1996:603-618.

Yu MC, Ho JH, Ross RK, Henderson BE. Nasopharyngeal carcinoma in Chinese---salted fish or inhaled smoke? *Preventive medicine*. Jan 1981;10(1):15-24.

Yu MC, Mack T, Hanisch R, Peters RL, Henderson BE, Pike MC. Hepatitis, alcohol consumption, cigarette smoking, and hepatocellular carcinoma in Los Angeles. *Cancer Res*. Dec 1983;43(12 Pt 1):6077-6079.

Yu MC, Mack TM, Hanisch R, Cicioni C, Henderson BE. Cigarette smoking, obesity, diuretic use, and coffee consumption as risk factors for renal cell carcinoma. *J Natl Cancer Inst*. Aug 1986;77(2):351-356.

Yu MC, Ross RK. Epidemiology of bladder cancer. In: Petrovich Z, Baert L, Brady LW, eds. *Carcinoma of the Bladder: Innovations in Management*. Berlin, Heidelberg: Springer-Verlag; 1998:1-13.

Yu MC, Ross RK. Obesity, hypertension, and renal cancer. *N Engl J Med*. Feb 15 2001;344(7):531-532.

Yu MC, Ross RK. Bladder cancer: epidemiology. In: Bertino JR, ed. *Encyclopedia of Cancer*. Vol 1. 2nd ed. Amsterdam: Academic Press; 2002:215-221.

Yu MC, Ross RK, Chan KK, et al. Glutathione S-transferase M1 genotype affects aminobiphenyl-hemoglobin adduct levels in white, black and Asian smokers and nonsmokers. *Cancer Epidemiol Biomarkers Prev*. Dec 1995;4(8):861-864.

Yu MC, Skipper PL, Taghizadeh K, et al. Acetylator phenotype, aminobiphenyl-hemoglobin adduct levels, and bladder cancer risk in white, black, and Asian men in Los Angeles, California. *J Natl Cancer Inst*. May 4 1994;86(9):712-716.

Yu MC, Skipper PL, Tannenbaum SR, Chan KK, Ross RK. Arylamine exposures and bladder cancer risk. *Mutat Res*. Sep 30 2002;506-507:21-28.

Yu MC, Tong MJ, Coursaget P, Ross RK, Govindarajan S, Henderson BE. Prevalence of hepatitis B and C viral markers in black and white patients with hepatocellular carcinoma in the United States. *J Natl Cancer Inst.* Jun 20 1990;82(12):1038-1041.

Yu MC, Tong MJ, Govindarajan S, Henderson BE. Nonviral risk factors for hepatocellular carcinoma in a low-risk population, the non-Asians of Los Angeles County, California. *J Natl Cancer Inst.* Dec 18 1991;83(24):1820-1826.

Yu MC, Yuan J-M. Nasopharyngeal cancer. In: Schottenfeld D, Fraumeni JFJ, eds. *Cancer Epidemiology and Prevention*. 3rd ed. New York: Oxford University Press; 2006:620-626.

Yu MC, Yuan JM. Epidemiology of nasopharyngeal carcinoma. *Semin Cancer Biol.* Dec 2002;12(6):421-429.

Yu MC, Yuan JM. Environmental factors and risk for hepatocellular carcinoma. *Gastroenterology.* Nov 2004;127(5 Suppl 1):S72-78.

Yu MC, Yuan JM, Govindarajan S, Ross RK. Epidemiology of hepatocellular carcinoma. *Can J Gastroenterol.* Sep 2000;14(8):703-709.

Yu MC, Yuan JM, Ross RK, Govindarajan S. Presence of antibodies to the hepatitis B surface antigen is associated with an excess risk for hepatocellular carcinoma among non-Asians in Los Angeles County, California. *Hepatology.* Jan 1997;25(1):226-228.

Yu MC, Yuan J-M, Ross RK. Epidemiology of renal cell carcinoma. In: Petrovich Z, Baert L, Brady LW, eds. *Carcinoma of the kidney and testis, and rare urologic malignancies. Innovations in Management*. Berlin, Heidelberg: Springer-Verlag; 1999:4-13.

Yu X, McBean AM. Screening mammography use and chemotherapy among female stage II colon cancer patients: a retrospective cohort study. *BMC Health Serv Res.* 2010;10:98.

Yu XM, Schneider DF, Leverson G, Chen H, Sippel RS. Follicular Variant of Papillary Thyroid Carcinoma is a Unique Clinical Entity: A Population-Based Study of 10,740 Cases. *Thyroid.* Oct 2013;23(10):1263-1268.

Yu XQ. Socioeconomic disparities in breast cancer survival: relation to stage at diagnosis, treatment and race. *BMC Cancer.* 2009;9:364.

Yuan JM, Castelao JE, Gago-Dominguez M, Ross RK, Yu MC. Hypertension, obesity and their medications in relation to renal cell carcinoma. *Br J Cancer.* May 1998;77(9):1508-1513.

Yuan JM, Castelao JE, Gago-Dominguez M, Yu MC, Ross RK. Tobacco use in relation to renal cell carcinoma. *Cancer Epidemiol Biomarkers Prev.* May 1998;7(5):429-433.

Yuan JM, Chan KK, Coetze GA, et al. Genetic determinants in the metabolism of bladder carcinogens in relation to risk of bladder cancer. *Carcinogenesis*. Jul 2008;29(7):1386-1393.

Yuan JM, Fan Y, Ognjanovic S, et al. Genetic polymorphisms of epidermal growth factor in relation to risk of hepatocellular carcinoma: two case-control studies. *BMC gastroenterology*. Feb 18 2013;13(1):32.

Yuan JM, Gago-Dominguez M, Castelao JE, Hankin JH, Ross RK, Yu MC. Cruciferous vegetables in relation to renal cell carcinoma. *Int J Cancer*. Jul 17 1998;77(2):211-216.

Yuan JM, Govindarajan S, Arakawa K, Yu MC. Synergism of alcohol, diabetes, and viral hepatitis on the risk of hepatocellular carcinoma in blacks and whites in the U.S. *Cancer*. Sep 1 2004;101(5):1009-1017.

Yuan JM, Govindarajan S, Ross RK, Yu MC. Chronic infection with hepatitis G virus in relation to hepatocellular carcinoma among non-Asians in Los Angeles County, California. *Cancer*. Sep 15 1999;86(6):936-943.

Yuan JM, Wang XL, Xiang YB, Gao YT, Ross RK, Yu MC. Non-dietary risk factors for nasopharyngeal carcinoma in Shanghai, China. *Int J Cancer*. Feb 1 2000;85(3):364-369.

Yuan JM, Wang XL, Xiang YB, Gao YT, Ross RK, Yu MC. Preserved foods in relation to risk of nasopharyngeal carcinoma in Shanghai, China. *Int J Cancer*. Feb 1 2000;85(3):358-363.

Zacharia BE, Bruce SS, Goldstein H, Malone HR, Neugut AI, Bruce JN. Incidence, treatment and survival of patients with craniopharyngioma in the surveillance, epidemiology and end results program. *Neuro Oncol*. Aug 2012;14(8):1070-1078.

Zada G, Bond AE, Wang YP, Giannotta SL, Deapen D. Incidence trends in the anatomic location of primary malignant brain tumors in the United States: 1992-2006. *World neurosurgery*. Mar 2012;77(3-4):518-524.

Zafar HM, Mahmoud NN, Mitra N, Wirtalla C, Armstrong K, Groeneveld PW. Resected colorectal cancer among Medicare beneficiaries:adoption of FDG PET. *Radiology*. Feb 2010;254(2):501-508.

Zahm SH, Morton LM, Bernstein L, et al. Re: Hair dye use, genetic variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma, author response. *Carcinogenesis*. May 2008;29(5):1084-1085.

Zbuk K, Sidebotham EL, Bleyer A, La Quaglia MP. Colorectal cancer in young adults. *Semin Oncol*. Oct 2009;36(5):439-450.

Zeleniuch-Jacquotte A, Gallicchio L, Hartmuller V, et al. Circulating 25-hydroxyvitamin D and risk of endometrial cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. Am J Epidemiol. Jul 1 2010;172(1):36-46.

Zeliadt SB, Etzioni R, Ramsey SD, Penson DF, Potosky AL. Trends in treatment costs for localized prostate cancer: the healthy screenee effect. Med Care. Feb 2007;45(2):154-159.

Zeliadt SB, Potosky AL, Penson DF, Etzioni R. Survival benefit associated with adjuvant androgen deprivation therapy combined with radiotherapy for high- and low-risk patients with nonmetastatic prostate cancer. Int J Radiat Oncol Biol Phys. Oct 1 2006;66(2):395-402.

Zeliadt SB, Ramsey SD, Van Den Eeden SK, et al. Patient recruitment methods to evaluate treatment decision making for localized prostate cancer. Am J Clin Oncol. Aug 2010;33(4):381-386.

Zell JA, Ignatius Ou SH, Ziogas A, Anton-Culver H. Validation of the proposed International Association for the Study of Lung Cancer non-small cell lung cancer staging system revisions for advanced bronchioloalveolar carcinoma using data from the California Cancer Registry. J Thorac Oncol. Dec 2007;2(12):1078-1085.

Zell JA, Tsang WY, Taylor TH, Mehta RS, Anton-Culver H. Prognostic impact of human epidermal growth factor-like receptor 2 and hormone receptor status in inflammatory breast cancer (IBC): analysis of 2,014 IBC patient cases from the California Cancer Registry. Breast Cancer Res. Feb 19 2009;11(1):R9.

Zell JA, Ziogas A, Bernstein L, et al. Nonsteroidal anti-inflammatory drugs: effects on mortality after colorectal cancer diagnosis. Cancer. Oct 13 2009;115(24):5662-5671.

Zell JA, Ziogas A, Bernstein L, et al. Meat consumption, nonsteroidal anti-inflammatory drug use, and mortality among colorectal cancer patients in the California Teachers Study. Cancer Prev Res (Phila). Jul 2010;3(7):865-875.

Zhang DD, Zhou XH, Freeman DH, Jr., Freeman JL. A non-parametric method for the comparison of partial areas under ROC curves and its application to large health care data sets. Stat Med. Mar 15 2002;21(5):701-715.

Zhang H, Messing EM, Travis LB, et al. Age and Racial Differences among PSA-Detected (AJCC Stage T1cN0M0) Prostate Cancer in the U.S.: A Population-Based Study of 70,345 Men. Frontiers in oncology. 2013;3:312.

Zhang H, Wang W, Diao D, et al. Ratio of metastatic to examined lymph nodes, a helpful staging system and independent prognostic factor of esophagogastric junction cancer. PLoS One. 2013;8(8):e73238.

Zhang X, Spiegelman D, Baglietto L, et al. Carotenoid intakes and risk of breast cancer defined by estrogen receptor and progesterone receptor status: a pooled analysis of 18 prospective cohort studies. *The American journal of clinical nutrition*. Mar 2012;95(3):713-725.

Zhang Y. Epidemiology of esophageal cancer. *World journal of gastroenterology : WJG*. Sep 14 2013;19(34):5598-5606.

Zhang Y, Sanjose SD, Bracci PM, et al. Personal use of hair dye and the risk of certain subtypes of non-Hodgkin lymphoma. *Am J Epidemiol*. Jun 1 2008;167(11):1321-1331.

Zheng DJ, Cooke DT. A survival comparison of mucin-producing adenocarcinoma of the esophagus to conventional adenocarcinoma after esophagectomy. *The American surgeon*. Jan 2013;79(1):49-53.

Zheng W, Danforth KN, Tworoger SS, et al. Circulating 25-hydroxyvitamin D and risk of epithelial ovarian cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. *Am J Epidemiol*. Jul 1 2010;172(1):70-80.

Zheng W, Zhang B, Cai Q, et al. Common genetic determinants of breast-cancer risk in East Asian women: a collaborative study of 23 637 breast cancer cases and 25 579 controls. *Hum Mol Genet*. Jun 15 2013;22(12):2539-2550.

Zhou J, Enewold L, Stojadinovic A, et al. Incidence rates of exocrine and endocrine pancreatic cancers in the United States. *Cancer Causes Control*. Jun 2010;21(6):853-861.

Zhou Z, McDade TP, Simons JP, et al. Surgery and radiotherapy for retroperitoneal and abdominal sarcoma: both necessary and sufficient. *Arch Surg*. May 2010;145(5):426-431.

Zhu J, Sharma DB, Chen AB, Johnson BE, Weeks JC, Schrag D. Comparative effectiveness of three platinum-doublet chemotherapy regimens in elderly patients with advanced non-small cell lung cancer. *Cancer*. Jun 1 2013;119(11):2048-2060.

Zhu J, Sharma DB, Gray SW, Chen AB, Weeks JC, Schrag D. Carboplatin and paclitaxel with vs without bevacizumab in older patients with advanced non-small cell lung cancer. *Jama*. Apr 18 2012;307(15):1593-1601.

Zhu Y, Gu CY, Ye DW. Validation of the prognostic value of lymph node ratio in patients with penile squamous cell carcinoma: a population-based study. *International urology and nephrology*. Oct 2013;45(5):1263-1271.

Zhuge Y, Cheung MC, Yang R, Perez EA, Koniaris LG, Sola JE. Pediatric non-Wilms renal tumors: subtypes, survival, and prognostic indicators. *J Surg Res*. Oct 2010;163(2):257-263.

Ziegler RG, Hoover RN, Nomura AM, et al. Relative weight, weight change, height, and breast cancer risk in Asian-American women. *J Natl Cancer Inst*. May 15 1996;88(10):650-660.

Ziegler RG, Hoover RN, Pike MC, et al. Migration patterns and breast cancer risk in Asian-American women. *J Natl Cancer Inst.* Nov 17 1993;85(22):1819-1827.

Zinn PO, Colen RR, Kasper EM, Burkhardt JK. Extent of resection and radiotherapy in GBM: A 1973 to 2007 surveillance, epidemiology and end results analysis of 21,783 patients. *International journal of oncology.* Mar 2013;42(3):929-934.

Zuckerman IH, Rapp T, Onukwugha E, et al. Effect of age on survival benefit of adjuvant chemotherapy in elderly patients with Stage III colon cancer. *J Am Geriatr Soc.* Aug 2009;57(8):1403-1410.

Zujewski JA, Harlan LC, Morrell DM, Stevens JL. Ductal carcinoma in situ: trends in treatment over time in the US. *Breast Cancer Res Treat.* May 2011;127(1):251-257.